

SAFETY DATA SHEETS

This SDS packet was issued with item:

071614502

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071613629 071613637 071613801 071613835 071613959 071613983 071613991 071614007 071614023 071614031
071614197 071614361 071614403 071614411 071614429 071614486 071614494 071620400 071620418

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071613843

MSDS # 104

CADCO Material Safety Data Sheet

8890 Regent Street, Los Angeles, CA, USA 90034

May 16, 1988

Emergency 213-204-1200

Information 213-204-1200

Product Name Alginate Impression Materials

Other Name Identic Dust Free, Identic, Heavy Bodied, Duoloid

Applicable DI #s 7180, 7183, 7186, 7187, 7188, 7189, 7328, 7330, 7331, 7340, 7341, 7342, 7390, 7395, 7399, 7400, 7405, 7406, 7476, 7477, 7478, 7480, 7481, 7482

Hazardous Ingredients

Principal Hazardous Components	PEL / TLV	CAS Number	Percentage
Diatomaceous Earth (may contain up to 60 % crystalline silica as cristoballite)	10 mg / cubic m	14464-46-1	NA
Potassium Titanium Fluoride	2.5 mg / cubic m, as fluoride	16919-27-0	NA

Physical and Chemical Characteristics

Appearance	Dry powders of varying densities, colors, flavors, and final viscosities.		
Boiling Point	NA	Odor	Pleasant
Melting Point	NA	Vapor Density	NA
Vapor Pressure	NA	Specific Gravity	Varies w/ product
Evaporation Rate	NA	Water Solubility	Gel Former

Fire and Explosion Data

Flammable Limits	Not considered to be a fire Hazard.		
Explosive Limits	Not considered to be an explosion hazard.		
Extinguisher Media	A B C	Special Fire Fighting Procedures	None
Flashpoint	NA	Unusual Hazards	None Known

Reactivity Data

Hazardous Decomp Products	Fluoride cmpds @ high temps	Stability	Stable
Hazardous Polymerization	Will not occur.	Incompatibilities	Acids

CADCO Material Safety Data Sheet

8890 Regent Street, Los Angeles, CA, USA 90034

May 16, 1988

Emergency 213-204-1200

Information 213-204-1200

Product Name Alginate Impression Materials
Other Name Identic Dust Free, Identic, Heavy Bodied, Duoloid
Applicable DI #s 7180, 7183, 7186, 7187, 7188, 7189, 7328, 7330, 7331, 7340, 7341, 7342, 7390, 7395, 7399, 7400, 7405, 7406, 7476, 7477, 7478, 7480, 7481, 7482

Health Hazard Information	
Inhalation	May cause irritation if pel is exceeded. Control dust below pel level.
Ingestion	NA
Skin/Eye Contact	May cause irritation, flush area with water for 15 minutes. Call physician.
Toxicity Data	No harm via exposures of normal use; harmful only due to overwhelming dose or unusual conditions.
Acute Hazards	None
Chronic Hazards	Exposure in excess of pel can result in silicosis, a non cancerous lung disease.
Carcinogenicity	NA, no product ingredient listed by NTP, IARC, or OSHA.

Precautions for Safe Handling and Use	
Cleanup	
Disposal	Dispose of in accordance with local, state, and federal regulations.
Precautions	As part of good industrial, personal hygiene, and safety practice avoid all unnecessary exposure to the substance and ensure prompt removal from skin, eyes, and clothing.

Occupational Control Measures			
Eye Protection	NA	Dust/Particulate Mask	Yes, in excess of pel
Gloves	NA	Other	NA

The information contained herein is provided in good faith and is believed to be correct as of the date based thereon. However, CADCO makes no representation as to the comprehensiveness or accuracy of the information. Individuals receiving the information will exercise their independent judgement in using the information for their own purposes. Accordingly, we will not be responsible for damages of any kind arising out of the use of this information. No representations or warranties, either express or implied, are made hereunder with respect to the information referred to in this information. to which

MSDS Number 104

HEALTH HAZARD <ul style="list-style-type: none">DeadlyExtreme DANGERHazardousSlightly HazardousNormal Material	FIRE HAZARD <p>Flash Points</p> <ul style="list-style-type: none">Below 73°FBelow 100°FAbove 100°F, Not Exceeding 200°FAbove 200°FWill Not Burn
PERSONAL PROTECTION <ul style="list-style-type: none"><input checked="" type="checkbox"/> Mask<input checked="" type="checkbox"/> Eye Protection<input type="checkbox"/> Gloves<input type="checkbox"/> Barrier Garment<input checked="" type="checkbox"/> Other: eye station	REACTIVITY <ul style="list-style-type: none">May DetonateShock and Heat May DetonateViolent Chemical ChangeUnstable if Heated<input checked="" type="checkbox"/> Stable