SAFETY DATA SHEETS

This SDS packet was issued with item:

073261211

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073261229

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073260965

MATERIAL SAFETY DATA SHEET

8191500, 8191501

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours; Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.

Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: FUJI LINING LC PASTE PAK - PASTE B

CHEMICAL NAME: N.A.

PRODUCT USE: Light-cured glass ionomer liner for cavity preparations.

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed paste/paste system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
2-Hydroxyethyl methacrylate	868-77-9	N.E.	LD50=5888mg/kg (oral rat) LC50=N.E.	30-40
Polyacrylic acid	Not listed	TWA=10ppm (ACGIH)	LD50 = 2500mg/kg (oral rat) LC50 = N.E.	25-35
Proprietary Ingredient		TLV=10mg/m³ PEL=15mg/m³	N.E.	5-10
Silica powder	14808-60-07	N.E.	N.E.	1-5

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:

N.E.

SPECIFIC GRAVITY (H2O = 1): N.E.

VAPOR PRESSURE:

N.E.

MELTING POINT:

N.E.

VAPOR DENSITY:

N.E.

EVAPORATION RATE:

N.E.

SOLUBILITY IN WATER: 33.0%

ODOR THRESHOLD:

N.E.

COEFFICIENT OF OILWATER DISTRIBUTION: N.E. APPEARANCE AND ODOR: Pale yellow, odorless paste.

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: N.E.

FLAMMABLE LIMITS: N.A.

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, alcohol-resistant foam, water spray.

SPECIAL FIRE FIGHTING PROCEDURES: None UNUSUAL FIRE AND EXPLOSION HAZARDS: None HAZARDOUS COMBUSTION PRODUCTS: None

SECTION 5 - REACTIVITY DATA

STABILITY:

Stable

Unstable

POLYMERIZATION: Will Not Occur Will Occur

CONDITIONS TO AVOID: High temperatures, incompatible materials, ignition sources, excess heat, oxidizers.

INCOMPATIBILITY (Materials to Avoid): None

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
j i	163	110			****	Inito	90112	Officia

MUTAGENIC AFFECTS	_ x	 }	1 _	1	<u> </u>	l
TERATOGENIC AFFECTS	X		1			
REPRODUCTIVE TOXIN	X					
CARCINOGENICITY	X					
SENSITIZER	X			<u></u>		[

ROUTES OF ENTRY:

Inhalation

Skin

Ingestion

HEALTH HAZARO (Acute and Chronic): Irritant to eyes, skin and mucous membranes. Sensitization possible through skin contact.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Excessive exposure may produce a headache, irritate eyes and tearing. CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air. Seek medical attention.

INGESTION: Do not induce vomiting - give large volumes of water. Seek medical attention.

SKIN: Flush skin with plenty of soap and water. Seek medical attention.

EYES: Immediately flush with water for at least 15 minutes. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Wipe or absorb with inert materials and transfer to container for disposal.

WASTE DISPOSAL METHOD: Dispose of waste in accordance with local, state and federal regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in cool, dark place. Keep tightly sealed.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: None required

VENTILATION:

Local Exhaust: N.A.

Mechanical: N.A.

Special: N.A.

Other: N.A.

PROTECTIVE GLOVES: Disposable vinyl gloves EYE PROTECTION: Goggles or full face shield

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station WORK/HYGIENIC PRACTICE: Follow safe hygicnic practices

SECTION 9 - PREPARATION INFORMATION

This	data is su	pplied to comply	with OSHA Hazard	Communication Standard	! 29 CFR 1910,1200 a	ind W.H.M.I.S. Cl	PR

i nis aaia is suppiiea i	o comply with OSHA Hazara Cor	nmunication Standard 29 Cr K 191	0,1200 ana W.H.M.I.S. CPR	
PREPARED BY: T	. Joritz	DATE: <u>09 Jar</u>	uary 2006	
Direc	ctor Regulatory Affairs			
N.A. = NOT APPLIC N.E. = NOT ESTABI			***************************************	
The information herei	n is given in good faith but no wa	rranty expressed or implied is mad	e.	
	TOXICITY - 1	NFPA REACTIVITY - 0	SPECIAL -	