

SAFETY DATA SHEETS

This SDS packet was issued with item:

071383777

N/A

Harry J. Bosworth Company
G.T.C. (General Tray Cleaner)
Manufacturer MSDS Number: 459 NFPA
0
1 2

SECTION 1 : Chemical Product and Company Identification

MSDS Name: G.T.C. (General Tray Cleaner)
Manufacturer Name: Harry J. Bosworth Company
Address:
7227 North Hamlin Avenue
Skokie, Illinois 60076-3999
Emergency Phone: 800-535-5053

Business Phone: 847-679-3400
For information in North America, call: 847-679-3400
Manufacturer MSDS Revision Date:
11/01/06

Synonyms:
Trisodium phosphate, Sodium carbonate
NFPA
Health: 1
Flammability: 0
Reactivity: 2
Other: -

NFPA HAZARD RATING:
4 GLOBE EXTREME
3 GLOBE HIGH
2 GLOBE MODERATE
1 GLOBE SLIGHT
0 - INSIGNIFICANT

SECTION 2 : Hazardous Ingredients/Identity Information

Chemical Name
Phosphate blend CAS#
10101-89-0 Percent
Not Applicable

OSHA PEL TWA: 10 mg/m3
ACGIH TLV TWA: 5 mg/m3

COMMON NAMES AND SYNONYMS: Trisodium phosphate
UN NUMBER: Not Applicable

Chemical Name
Soda ash CAS#
497-19-8 Percent
Not Applicable

OSHA PEL TWA: Not Applicable
ACGIH TLV TWA: Not Applicable

COMMON NAMES AND SYNONYMS: Sodium carbonate
UN NUMBER: Not Applicable

SECTION 3 : Physical And Chemical Characteristics

Physical State/Appearance:
Crystalline powder
Color:
White
Odor:
Slight odor
Vapor Pressure:
Not Applicable
Vapor Density:
(Air=1): Not Applicable
Boiling Point:
Not Applicable
Melting Point:
700 deg C+
Solubility:
In Water: Soluble (not 100%)
Specific Gravity:
(Water=1): 1.00 @ 20 deg C
Evaporation Point:
(Butyl Acetate=1): Not Applicable
FlashPoint:
None
Upper Flammable Explosive Limit:
Not Applicable
Lower Flammable Explosive Limit:
Not Applicable

SECTION 4 : Fire And Explosion Hazards

Flash Point:
None
Upper Flammable or Explosive Limit: Not Applicable
Lower Flammable or Explosive Limit: Not Applicable
Extinguishing Media:
None
Fire Fighting Instructions:
None. Avoid water for bulk material. May become slightly caustic.
Unusual Fire Hazards:
None

SECTION 5 : Health Hazards

Applies to All Ingredients:

Potential Health Effects:

Eye Contact:

Acute: Continuous contact may cause irritation.

Skin Contact:

Acute: Continuous contact may cause skin irritation.

Inhalation:

Acute:

(BREATHING): Heavy dust may irritate nose and throat.

Ingestion:

Acute:

(SWALLOWING): May injure mouth throat and gastrointestinal tract.

Chronic Eye Contact:

Continuous contact may cause irritation.

Chronic Skin Contact:

Continuous contact may cause skin irritation.

Chronic Inhalation:

(BREATHING): Heavy dust may irritate nose and throat.

Chronic Ingestion:

(SWALLOWING): May injure mouth throat and gastrointestinal tract.

Carcinogenicity:

Not Determined

OSHA Designation: Not Applicable

NTP Designation: Not Applicable

IARC Designation: Not Applicable

NOTE: Allergic reaction may occur in some individuals. Check with physician.

SECTION 6 : Emergency And First Aid Procedures

Eye Contact:

Flush eyes for 15 minutes lifting upper and lower lids intermittently.

Skin Contact:

Wash with water. If irritation persists, call a physician.

Inhalation:

(BREATHING): Remove from exposure. If experiencing breathing difficulty, obtain medical attention.

Ingestion:

(SWALLOWING): Rinse mouth out with water. Give water to cause particles to dissolve. Do not induce vomiting. Call a physician.

SECTION 7 : Reactivity Data

Chemical Stability:

Stable

Conditions to Avoid:

Moisture, acid

Hazardous Polymerization:

None

CONDITIONS TO AVOID: None

Hazardous Decomposition Products:

None

SECTION 8 : Precautions For Safe Handling

Spill Cleanup Measures:

Material should be swept up for disposal.

Other Precautions:

This product is for professional use only as stated in directions. It is the responsibility of the dentist to train personnel.

Handling:

Handle with care.

Storage:

Store in cool, dry place.

Waste Disposal:

Landfill in accordance with local, State, and Federal regulations.

IATA:

IATA REGULATED: Not Applicable

LABEL: Not Applicable

IATA Shipping Name:

Not Applicable

IATA Hazard Class:

Not Applicable

IATA UN Number: IDENTIFICATION NUMBER: Not Applicable

IATA Packing Group: Not Applicable

SECTION 9 : Control Measures

Ventilation System:

SPECIAL VENTILATION: Open window if dust is released in environment

Local Exhaust:

Use as needed

Respiratory Protection:

Use NIOSH/OSHA approved respiratory protection mask.

SECTION 10 : Other Information

Applies to all ingredients:

OSHA 29 CFR 1200:

This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29CFR 1910.1200) and is to be used only for this product.

NFPA:

Fire Hazard: 0 - INSIGNIFICANT

Health: 1 - SLIGHT

Reactivity: 2 - MODERATE

Specific Hazard: -

MSDS Revision Date:

11/01/06

Disclaimer:

The information contained in this sheet is, to the best of our knowledge, believed to be accurate.

To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NFPA HAZARD RATING:

- 4 FÇÔ EXTREME
- 3 FÇÔ HIGH
- 2 FÇÔ MODERATE
- 1 FÇÔ SLIGHT
- 0 - INSIGNIFICANT

Additional Information:

Health Hazard Index:

- SEVERE HAZARD: Ratings - 1
- SERIOUS HAZARD: Ratings - 2
- MODERATE HAZARD: Ratings - 3
- SLIGHT HAZARD: Ratings - (4)
- MINIMUM HAZARD: Ratings - 5