

SAFETY DATA SHEETS

This SDS packet was issued with item:

075858212

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075858204 075858238

ACTIO MSDS ID: 997876

View Section : 12345678910111213141516
EC Directive Pictograms

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION (N/A)

Product Name:Traxodent Hemodent Paste Retraction System

Manufacturer Name:Premier Dental Products Company

Address: 1710 Romano Drive
Plymouth Meeting, PA 19462

Business Phone:610-239-6000
Business Fax:610-239-6171
Revision Date:11-12-2009

Revision: C
Rev: 4
Trade Names:Traxodent TM Hemodent TM Paste Retraction System
EU acc. To ISO 11014

ANSI/NFPA 704 Data
NFPA
0
10
0

To Top of page

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS: (N/A)

Ingredient NameCAS#Ingredient Percent

Aluminum Chloride Hexahydrate7784-13-6

Hazardous:Yes
EC Index Number:1
Hazard Symbols:Xi
Risk Phrases:R36/38

Fumed Silica7631-86-9

Hazardous:Yes
EC Index Number:1
Risk Phrases:R36/37/38

Potassium Sorbate590-00-1

Hazardous:Yes
EC Index Number:1
Risk Phrases:R36/38

Potassium Nitrate7757-79-1

Hazardous:Yes
EC Index Number:1
Risk Phrases:R8

Yellow Pigment FD&C Yellow No. 51934-21-0

Hazardous:Yes
EC Index Number:1
Risk Phrases:R36

Additional information: For the wording of the listed risk phrases refer to section 16.

To Top of page

SECTION 3 : HAZARDS IDENTIFICATION: (N/A)

Applies to All Ingredients :
Route of Exposure:Inhalation, skin contact, eye contact.
Potential Health Effects:Acute Health Hazards: May cause eye,

respiratory and skin irritation in high concentration.
Chronic Health Effects:Material is not known to cause significant health problems

OSHA Designation:No

NTP Designation:No

IARC Designation:No

Signs/Symptoms:High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness

To Top of page

SECTION 4 : FIRST AID MEASURES: (N/A)

Eye Contact:Flush with large quantities of water for 15 minutes. Consult a physician.

Skin Contact:Wash with soap and water.

Inhalation:If irritation occurs, take victim to open air. Get medical attention.

Ingestion:Wash out of mouth with water. Consult a physician if a substantial amount has been ingested. Do not induce

vomiting.

To Top of page

SECTION 5 : FIRE FIGHTING MEASURES: (N/A)

Flash Point:Non-flammable

Extinguishing Media:Carbon dioxide, water spray, dry chemical

Unusual Fire Hazards:Upon combustion, irritating gases may form.

To Top of page

SECTION 6 : ACCIDENTAL RELEASE MEASURES: (N/A)

Personal Precautions:Prevent skin/eye contact

Spill Cleanup Measures:Clean-Up Procedure: Wipe with damp paper towel. Discard properly.

Environmental Precautions:Avoid ground water contamination

To Top of page

SECTION 7 : HANDLING and STORAGE: (N/A)

Handling:No special measures necessary if handled according to

instruction

Storage:Keep container tightly closed when not in use. Store at room temperature. Keep material in original packaging. Avoid unnecessary exposure to the product.

Hygiene Practices:Remove spilled material from skin and clothing. Do not eat or drink when handling this material

To Top of page

SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION: (N/A)

Engineering Controls:Use only in well-ventilated areas
Skin Protection Description:Avoid unnecessary skin contact.
Wear latex gloves when handling
Hand Protection Description:Avoid unnecessary skin contact.
Wear latex gloves when handling
Eye/Face Protection:Wear protective eyewear
Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material

To Top of page

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES: (N/A)

Physical State/Appearance:Paste
Color:Light yellow
Odor:Odorless
Vapor Density:(Air = 1): Not Applicable
Boiling Point:Not Applicable
Solubility:In Water: Miscible
Evaporation Point:(Water = 1): Not Applicable
Viscosity:Viscous

To Top of page

SECTION 10 : STABILITY and REACTIVITY: (N/A)

Chemical Stability:This material is stable.
Conditions to Avoid:Heat
Incompatibilities with Other Materials:Strong caustics, metal, acids
Reactivity:Hazardous Reactions: None if handled according to directions

To Top of page

SECTION 11 : TOXICOLOGICAL INFORMATION: (N/A)

Applies to all ingredients:

Irritation:Irritation of Eyes: Irritates the eyes

Irritation of Skin: May irritates the skin

Other Toxicological Information:Allergic Effects: May cause allergic reaction on contact with skin.

Other: If swallowed, may cause sore throat and burns of the mouth and throat. Prolonged exposure may cause burns to the respiratory tract, contact with the soft tissue may cause burns.

Aluminum Chloride Hexahydrate :

Acute Health Effects:IPR MUS LD50: 940 mg/kg

IPR RAT LD50: 728 mg/kg

Ingestion Effects:Acute oral toxicity:

ORL MUS LD50: 1990 mg/kg

ORL RAT LD50: 3311 mg/kg

To Top of page

SECTION 12 : ECOLOGICAL INFORMATION: (N/A)

Bioaccumulation:Potential: No bioaccumulation potential
Biodegradation:Persistence and Degradability: Biodegradable
Effect of Material On Aquatic Life:Hazardous Ingredients:
Aluminum Chloride Hexahydrate
DAPHINA 48H EC50 27.3mg/l
FISH 96H LC50 27.1 mg/l
Mobility: Readily absorbed into soil

Other Adverse Effects: Negligible ecotoxicity.

Use according to good working practices, avoid release of the product into the environment.

To Top of page

SECTION 13 : DISPOSAL CONSIDERATIONS: (N/A)

Waste Disposal:May be disposed of in landfill or incinerator in accordance with local, state and federal regulations

To Top of page

SECTION 14 : TRANSPORT INFORMATION: (N/A)

DOT Shipping Name:Not Regulated
DOT UN Number:None
DOT Hazard Class:None
DOT Packing Group:None
IATA:Labels: Corrosive
IATA Shipping Name:Aluminum Chloride
IATA Hazard Class:8
IATA UN Number:2581
IATA Packing Group:III
RID/ADR:Packing Group: III
RID/ADR Shipping Name:Aluminum Chloride
RID/ADR UN Number:2581
RID/ADR Class:ADR: 8
RID: 8
EMS Number:F-E, S-B
Transport at sea:
Proper Shipping Name: Aluminum Chloride
ADNR: 8
UN Number: 2581
Packing Group: III

Air transport ICAO: Class 8
Proper Shipping Name: Aluminum Chloride
UN Number: 2581
Labels: Corrosive
Packing Group: III

Other: Not considered hazardous cargo

To Top of page

SECTION 15 : REGULATORY INFORMATION: (N/A)

Applies to all ingredients:
OSHA 29 CFR 1200:U.S.-O.S.H.A. Status: This material is not hazardous under the criteria of the U.S Federal Hazard Communication Standard.
European Community Chemical Inventory Status:This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

Hazard symbols: C; Xi

Hazard designation:
C - Corrosive. Contains Aluminum Chloride Hexahydrate, solution in water.
Xi - Irritant
Risk Phrases:R 34, 36/37/38
Causes burn. Irritating to eyes, respiratory system and skin
Safety Phrase:S - 1/2, 26, 37/39, 45

1/2 - Keep locked out of the reach of children
26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
37/39 - Wear suitable gloves and eye / face protection.
45 - In case of accident or if you feel unwell, seek medical advice immediately. (show the label where possible)
UN Number: 2581

To Top of page

SECTION 16 : ADDITIONAL INFORMATION: (N/A)

NFPA:
Health:1
Fire Hazard:0
Reactivity:0
MSDS Revision Date:11-12-2009

Revision: C
Rev: 4

Disclaimer:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.
ANSI/NFPA 704 Data

Relevant R-phrases:

34 - Causes burns
36 - Irritating to eyes
37/38 - Irritating respiratory system and skin.

Material should be maintained in original containers. Empty containers should not be re-used.

110918

Copyright- 1996-2009 Actio Corporation. All Rights Reserved.
To Top of page

MATERIAL SAFETY DATA SHEET

Traxodent™ Hemodent™ Paste Retraction System

Revision D EU acc. To ISO 11014

Last Revised: 13-01-2010

Approved for Use: 13-01-2010

1. Chemical Product and Company Identification

Product Name: Traxodent™ Hemodent™ Paste Retraction System

Manufacturer:

Premier Dental Products Company

1710 Romano Drive

Plymouth Meeting, PA 19462

Phone: 610-239-6000 Fax: 610-239-6171

2. Composition / Information on Hazardous Ingredients

Hazardous Ingredients	CAS #	Hazard Identification & Risk Phrases
Aluminum Chloride Hexahydrate	7784-13-6	Xi, R36/38
Fumed Silica	7631-86-9	R36/37/38
Potassium Sorbate	590-00-1	R36/38
Potassium Nitrate	7757-79-1	R8
Yellow Pigment FD&C Yellow No.5	1934-21-0	R36

✓ **Additional information:** For the wording of the listed risk phrases refer to section 16.

3. Hazards Identification

Acute Health Hazards: May cause eye, respiratory and skin irritation in high concentration.

Chronic Health Hazards: Material is not known to cause significant health problems

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness

Primary routes of exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP - no, OSHA - no, IARC - no.

4. First Aid Measures

In case of inhalation: If irritation occurs, take victim to open air. Get medical attention.

In case of skin contact: Wash with soap and water.

In case of eye contact: Flush with large quantities of water for 15 minutes. Consult a physician.

In case of ingestion: Wash out of mouth with water. Consult a physician if a substantial amount has been ingested. Do not induce vomiting.

5. Fire-Fighting Measures

Flash point: Non-flammable

Extinguishing Media: Carbon dioxide, water spray, dry chemical

Unusual Fire and Explosion Hazards: Upon combustion, irritating gases may form.

6. Accidental Release Measures

Personal Precautions: Prevent skin / eye contact

Environmental Precautions: Avoid ground water contamination

Clean-Up Procedure: Wipe with damp paper towel. Discard properly.

7. Handling and Storage

Handling: No special measures necessary if handled according to instruction

Storage: Keep container tightly closed when not in use. Store at room temperature. Keep material in original packaging. Avoid unnecessary exposure to the product.

8. Exposure Controls / Personal Protection

Exposure Controls: Use only in well-ventilated areas

Eye Protection: Wear protective eyewear

Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling

Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material

9. Physical and Chemical Properties

Appearance: Light yellow paste

Odor: Odorless

Boiling Point: N/A

Evaporation Rate (Water = 1): N/A

Vapor Density (Air = 1): N/A

Solubility in Water: Miscible

Viscosity: Viscous

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

Conditions to Avoid: Heat

Incompatibility: Strong caustics, metal, acids

11. Toxicological Information

Acute oral toxicity: Aluminum Chloride Hexahydrate

IPR MUS LD50 940 mg/kg

IPR RAT LD50 728 mg/kg

ORL MUS LD50 1990 mg/kg

ORL RAT LD50 3311 mg/kg

Irritation of Eyes: Irritates the eyes

Irritation of Skin: May irritates the skin

Allergic Effects: May cause allergic reaction on contact with skin.

Other: If swallowed, may cause sore throat and burns of the mouth and throat. Prolonged exposure may cause burns to the respiratory tract, contact with the soft tissue may cause burns.

12. Ecological Information

Hazardous Ingredients: Aluminum Chloride Hexahydrate

 DAPHINA 48H EC50 27.3mg/l

 FISH 96H LC50 27.1 mg/l

Mobility: Readily absorbed into soil

Persistence and Degradability: Biodegradable

Bioaccumulative Potential: No bioaccumulation potential

Other Adverse Effects: Negligible ecotoxicity.

Use according to good working practices, avoid release of the product into the environment.

13. Disposal Considerations

May be disposed of in landfill or incinerator in accordance with local, state and federal regulations

14. Transport Information

14.1 Transport at land

ADR:

UN Number:

Packing Group:

Proper Shipping Name:

RID:

Kemler Number: ----

14.2 Transport at sea

ADNR:

UN Number:

EMS:

Packing Group:

Proper Shipping Name:

IMDG:

MFAG:

14.3 Air transport

ICAO / IATA-DGR:

UN Number:

Proper Shipping Name:

Subsidiary Risk: ----

Labels:

Packing Group:

U.S. DOT Shipping Name: Not Regulated

U.S. DOT Hazard Class: None U.N. /N.A.

Number: None

U.S. DOT Packing Group: None

Other: Not considered hazardous cargo

15. Regulatory Information

This product requires classification according to the criteria of EC.


The product is a medical device according to the EC-directive 93/42.

15.1 UN Number: 2581

15.2 National regulations:----

15.3 EU number: 231-208-1

15.4 Hazard symbols:



15.5 Hazard designation:

Xi –Irritant: contains Aluminum Chloride Hexahydrate solution in water.

15.6 Risk phrases: R – 34, 36/37/38

Causes burn. Irritating to eyes, respiratory system and skin

15.7 Safety phrases: S – ½, 26, 37/39, 45

½ - Keep locked out of the reach of children

26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

37/39 – Wear suitable gloves and eye / face protection.

45 – In case of accident or if you feel unwell, seek medical advice immediately. (show the label where possible)

U.S.-O.S.H.A. Status: This material is not hazardous under the criteria of the U.S Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

34 - Causes burns

36 - Irritating to eyes

37/38 - Irritating respiratory system and skin.

Material should be maintained in original containers. Empty containers should not be re-used.

ANSI/NFPA 704 Data

Fire = 0

Health = 1

Reactivity = 0

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

011012 Rev5