

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

074577367

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

074577334 074577342 074577359 074577375 074577383 074577391 074577409 074577417 074577425 074577433

074577441 074577458 074577466 074577474


## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** CLEARFIL MAJESTY ES-2 ; Classic and Premium
- **Article number:** US178-CP
- **Application of the substance / the preparation** Dental filling material
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**  
Kuraray Noritake Dental Inc.  
1621 Sakazu, Kurashiki, Okayama 710-0801,  
Japan
- **Contact information:**  
Kuraray America, Inc.  
33 Maiden Lane, 6th Floor, New York,  
NY 10038 U.S.A.  
Tel: 800-879-1676  
Fax: 888-700-5200  
Website: www.kuraraydental.com

## 2 Composition/information on ingredients

- **Chemical characterization:** Single Component
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

1565-94-2	bisphenol A diglycidylmethacrylate	 H315; H319	2.5-10%
-----------	------------------------------------	---	---------

- **Other ingredients:**  
Silanated barium glass filler  
Pre-polymerized organic filler  
Hydrophobic aromatic dimethacrylate  
Hydrophobic aliphatic dimethacrylate  
dl-Camphorquinone  
Accelerators  
Initiators  
Pigments

## 3 Hazards identification

- **Classification of the substance or mixture**



- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

- 
- **Label elements**
  - **GHS label elements**  
The product is classified and labelled according to the Globally Harmonized System (GHS).
  - **Hazard pictograms** GHS07
  - **Signal word** Warning
  - **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
  - **Precautionary statements**  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)


USA

**Trade name: CLEARFIL MAJESTY ES-2 ; Classic and Premium**

(Contd. of page 1)

- P321 Specific treatment (see on this label).
- P362 Take off contaminated clothing and wash before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

**4 First aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

**5 Firefighting measures**

- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

USA

(Contd. on page 3)

**Trade name: CLEARFIL MAJESTY ES-2 ; Classic and Premium**

(Contd. of page 2)

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

### 9 Physical and chemical properties

· <b>General Information</b>	
· <b>Appearance:</b>	
<b>Form:</b>	Pasty
<b>Color:</b>	Different according to coloring
· <b>Odor:</b>	Odorless
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not applicable
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Ignition temperature:</b>	Not applicable
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
· <b>Vapor pressure:</b>	Not applicable
· <b>Density at 20°C (68 °F):</b>	1.8 g/cm <sup>3</sup> (15.021 lbs/gal)
· <b>Vapour density</b>	Not applicable
· <b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Insoluble.
· <b>Segregation coefficient (n-octanol/water):</b> Not applicable	

(Contd. on page 4)

USA

Printing date 10/17/2012

Reviewed on 09/13/2012

**Trade name: CLEARFIL MAJESTY ES-2 ; Classic and Premium**

(Contd. of page 3)

· **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

### 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b>	Not applicable
· <b>UN proper shipping name</b>	Not applicable
· <b>ADR</b>	Void
· <b>Transport hazard class(es)</b>	Not applicable
· <b>Packing group</b>	Not applicable
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.

(Contd. on page 5)

USA



## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** CLEARFIL MAJESTY ES-2 ; Classic and Premium
- **Article number:** US178-CP
- **Application of the substance / the preparation** Dental filling material
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**  
Kuraray Noritake Dental Inc.  
1621 Sakazu, Kurashiki, Okayama 710-0801,  
Japan
- **Contact information:**  
Kuraray America, Inc.  
33 Maiden Lane, 6th Floor, New York,  
NY 10038 U.S.A.  
Tel: 800-879-1676  
Fax: 888-700-5200  
Website: www.kuraraydental.com

## 2 Composition/information on ingredients

- **Chemical characterization:** Single Component
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

1565-94-2	bisphenol A diglycidylmethacrylate	H315; H319	2.5-10%
-----------	------------------------------------	------------	---------

- **Other ingredients:**  
Silanated barium glass filler  
Pre-polymerized organic filler  
Hydrophobic aromatic dimethacrylate  
Hydrophobic aliphatic dimethacrylate  
dl-Camphorquinone  
Accelerators  
Initiators  
Pigments

## 3 Hazards identification

- **Classification of the substance or mixture**



GHS07

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

- 
- **Label elements**
  - **GHS label elements**  
The product is classified and labelled according to the Globally Harmonized System (GHS).
  - **Hazard pictograms** GHS07
  - **Signal word** Warning
  - **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
  - **Precautionary statements**  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)


USA

**Trade name: CLEARFIL MAJESTY ES-2 ; Classic and Premium**

(Contd. of page 1)

- P321 Specific treatment (see on this label).
- P362 Take off contaminated clothing and wash before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

**4 First aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

**5 Firefighting measures**

- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

USA

(Contd. on page 3)



**Trade name: CLEARFIL MAJESTY ES-2 ; Classic and Premium**

(Contd. of page 2)

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

**9 Physical and chemical properties**

· <b>General Information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Pasty
· <b>Color:</b>	Different according to coloring
· <b>Odor:</b> Odorless	
· <b>Odour threshold:</b> Not determined.	
· <b>pH-value:</b> Not applicable	
· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b> Not applicable.	
· <b>Ignition temperature:</b> Not applicable	
· <b>Danger of explosion:</b> Product does not present an explosion hazard.	
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not applicable
· <b>Upper:</b>	Not applicable
· <b>Vapor pressure:</b> Not applicable	
· <b>Density at 20°C (68 °F):</b> 1.8 g/cm <sup>3</sup> (15.021 lbs/gal)	
· <b>Vapour density</b> Not applicable	
· <b>Solubility in / Miscibility with Water:</b> Insoluble.	
· <b>Segregation coefficient (n-octanol/water):</b> Not applicable	

(Contd. on page 4)

Printing date 10/17/2012

Reviewed on 09/13/2012

**Trade name: CLEARFIL MAJESTY ES-2 ; Classic and Premium**

(Contd. of page 3)

· **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

### 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b>	Not applicable
· <b>UN proper shipping name</b>	Not applicable
· <b>ADR</b>	Void
· <b>Transport hazard class(es)</b>	Not applicable
· <b>Packing group</b>	Not applicable
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.

(Contd. on page 5)

USA

