

SAFETY DATA SHEETS

This SDS packet was issued with item:

070853226

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076202972 273004622

MATERIAL SAFETY DATA SHEET

Date / Revised: 02/26/2013

1. Substance / Preparation and Company name

Product Names: Patterson LED Plus Curing Light Replacement Battery

Product Codes: 070853226, 076202972, 273004622

Recommended use: Dental Curing Light.

Manufacturer / Supplier

Patterson Companies, Inc.
1031 Mendota Heights Road
St. Paul, MN 55120
www.pattersoncompanies.com

Telephone:

1-800 328-5536

Fax:

1-651 686-9331

Emergency contact number: 24-hour Emergency Response Number: 1-(800) 424-9300.

2. Composition / Information on ingredients

Lithium ion batteries contained in equipment.

3. Hazard Identification

Potentially hazardous materials are sealed and contained in equipment. Equipment is packed in strong outer packaging to withstand normal handling and use. Exposure could occur if the equipment has been exposed to high temperatures (>60°C or 140°F), battery or cells have been opened, crushed, disassembled or burned.

4. First Aid Measures

In case of exposure to cell contents, cell manufacturers recommend that the affected area be washed with large amounts of water for at least 15 minutes. Seek medical attention

5. Fire Fighting Measures

Fires involving Lithium ion batteries contained in equipment should be flooded with water or use Carbon Dioxide, foam or dry chemical extinguishing media.

6. Accidental Release Measures

If batteries are damaged refer to disposal section of this document.

Date / Revised: 02/26/2013

7. Handling and storage

The packed battery should not be exposed to high temperatures (>60°C or 140°F), opened, crushed, disassembled or burned.

8. Exposure controls and personal protection

No personal protection is required for the normal handling of the battery. If ingredients within the battery are leaking follow first aid section of this document.

9. Physical and chemical properties

Properties such as pH, boiling point, flash points are not applicable as the batteries are solid articles.

10. Stability and Reactivity

Stability: Stable under normal conditions.

Reactivity: Stable under normal conditions.

Conditions to avoid: Exposed to high temperatures (>60°C or 140°F), opened, crushed, disassembled or burned battery.

Hazardous decomposition products: None under normal conditions.

11. Toxicological information

There are no known toxicological effects of batteries when handled under normal conditions.

12. Ecological information

There are no known ecological effects of batteries when handled under normal conditions.

13. Disposal considerations

Do not dispose in fire. Disposal should be made with consideration to recycling options available in your area. Contact local and state authorities for disposal.

Date / Revised: 02/26/2013

14. Transport information

Dangerous goods according to IATA, IMDG, and ADG Code:

Product: Lithium ion battery contained in Radii Cal and Radii Plus dental curing devices
Contains: Lithium ion
Proper shipping name: Lithium ion batteries contained in equipment
UN Number: UN 3481
Packing Group: II
Class: 9

Limits:

IATA:

Excepted Quantity - E0 (not permitted as excepted quantity)
Limited Quantity - Forbidden for passenger and cargo aircraft
CAO - 35 kg
PAX - 5 kg

IMDG:

Excepted Quantity - 0
Limited Quantity - 0

ADG:

Limited Quantity - 0

15. Regulatory information

This product is regulated by:

TGA
Medical Devices Directive 93/42/EEC
National regulations.
FDA

16. Other information

The information provided herein is given in good faith, but no warranty expressed or implied is made.