

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

076750285

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

076750202 076750210 076750236 076750269 076750319 076750327



REVISION DATE 15/01/2013

## SOFRELINER TOUGH S-Paste

### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

## 5 FIRE-FIGHTING MEASURES

### EXTINGUISHING MEDIA

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

### SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapors.

### SPECIFIC HAZARDS

When heated and in case of fire, irritating vapours/gases may be formed.

### PROTECTIVE MEASURES IN FIRE

Wear full protective clothing.

## 6 ACCIDENTAL RELEASE MEASURES

### SPILL CLEAN UP METHODS

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

## 7 HANDLING AND STORAGE

### HANDLING

All handling to take place in well-ventilated area.

### STORAGE

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, sparks and open flame.

### STORAGE CLASS

Chemical storage.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

### HAND PROTECTION

Wear protective gloves.

### EYE PROTECTION

Wear approved safety goggles.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

### HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE                      Transparent paste

COLOR                              Pink

RELATIVE DENSITY              1.1

pH-VALUE, CONC. SOLUTION    7

## 10 STABILITY AND REACTIVITY

REVISION DATE 15/01/2013

**SOFRELINER TOUGH S-Paste****STABILITY**

Stable under normal temperature conditions and recommended use.

**CONDITIONS TO AVOID**

Keep away from heat, sparks and open flame.

**MATERIALS TO AVOID**

Strong oxidizing agents. Acids. Alkalis. Alcohol

**HAZARDOUS DECOMPOSITION PRODUCTS**

Toxic gases are generated when heated.

**11 TOXICOLOGICAL INFORMATION****TOXICOLOGICAL INFORMATION**

No data on possible toxic effects have been found.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

No data on possible environmental effects have been found.

**13 DISPOSAL CONSIDERATIONS****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION****TRANSPORT NOTES**

Not regulated.

**15 REGULATORY INFORMATION****INVENTORIES**

COMPONENT	CAN	US	EU	AUS	JAP	KOR	CHN	PHLP
Non-Hazardous components	No.	No.	EINECS					

COMPONENT	TSCA 12(b) Export Notification
Non-Hazardous components	No.

**REGULATORY REFERENCES**

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

**16 OTHER INFORMATION**

REVISION DATE

15/01/2013

**DISCLAIMER**

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.

Revision Date 11/28/2014

Revision 2

## SAFETY DATA SHEET

### SOFRELINER TOUGH S-Paste

#### 1. IDENTIFICATION

**Product Name** SOFRELINER TOUGH S-Paste

**Identified uses** Denture Liner, a component of kit. For dental professionals only.

**Supplier** Tokuyama Dental America Inc.  
Tel: (877) 378 3548 (Toll-Free)

**Contact Person** <http://www.tokuyama-dental.com/contact.htm>

**Manufacturer** Tokuyama Dental Corporation  
38-9, Taitou 1-chome, Taitou-ku, Tokyo  
110-0016, Japan  
TEL: +81-3-3835-2261

**Emergency Telephone** Washington  
National Capital Poison Center  
3201 New Mexico Avenue, Suite 310  
Washington,  
DC 20016  
Telephone: +1 202 362 3867  
Emergency telephone: +1 800 222 1222  
Fax: +1 202 362 8377  
E-mail: [pc@poison.org](mailto:pc@poison.org)  
Web site: <http://www.poison.org>

San Francisco  
California Poison Control System  
at San Francisco General Hospital  
University of California San Francisco, Box 1369  
1001 Potrero Avenue, Bldg 5 Rm 2A21  
San Francisco, California 94143-1369  
Telephone: +1 415 643 3200  
Emergency telephone: +1 800 222 1222  
Fax: +1 415 502 6010  
E-mail: [coadmin@calpoison.org](mailto:coadmin@calpoison.org)  
Web site: <http://www.calpoison.org>

<http://www.who.int/ipcs/poisons/centre/en/>

#### 2. HAZARD(S) IDENTIFICATION

**Appearance** Transparent paste

**Color** Pink

**Odor** No information available.

**GHS Pictogram**

No pictogram required.

**GHS Classification**

Physical and Chemical Hazards	Not classified.
Human health	Not classified.
Environment	Not classified.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable.

**OSHA Regulatory Status**

This Product is Not Hazardous under the OSHA Hazard Communication Standard.

**General Information**

Prolonged skin contact may cause redness and irritation. May cause minor irritation on eye contact.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## SOFRELINER TOUGH S-Paste

<b>SILICON DIOXIDE</b>	<b>10-30%</b>
<b>CAS No.: 7631-86-9</b>	<b>EC No.: 231-545-4</b>
GHS Classification Not classified.	
<b><math>\alpha</math>, <math>\omega</math>-DIVINYL POLYDIMETHYLSILOXANE</b>	<b>50-80%</b>
<b>CAS No.: 68083-19-2</b>	<b>EC No.:</b>
GHS Classification Not classified.	

### 4. FIRST-AID MEASURES

#### Description of first aid measures

##### **General Information**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

##### **Inhalation**

Move the exposed person to fresh air at once.

##### **Ingestion**

Try to induce vomiting. Get medical attention.

##### **Skin Contact**

Wash the skin immediately with soap and water.

##### **Eye Contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

#### Most important symptoms and effects, both acute and delayed

##### **Ingestion**

Not Irritating.

##### **Skin Contact**

Prolonged and frequent contact may cause redness and irritation.

##### **Eye Contact**

Irritating and may cause redness and pain.

#### Indication of any immediate medical attention and special treatment needed

##### **Notes To The Physician**

Treat Symptomatically. Wear suitable protective clothing.

### 5. FIRE-FIGHTING MEASURES

##### **Auto Ignition Temperature (°C)**

Not available.

##### **Flammability Limit - Lower(%)**

Not available.

##### **Flammability Limit - Upper(%)**

Not available.

##### **Flash point (°C)**

Not available.

##### **Extinguishing Media**

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

##### **Specific Hazards**

When heated and in case of fire, irritating vapors/gases may be formed.

## SOFRELINER TOUGH S-Paste

### Special Fire Fighting Procedures

Avoid breathing fire vapors.

### Protective Equipment For Fire-Fighters

Wear full protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

### Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

### Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

### Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

## 7. HANDLING AND STORAGE

### Handling

All handling to take place in well-ventilated area.

### Storage

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, sparks and open flame.

### Storage Class

Chemical storage.

### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredient Comments

SILICON DIOXIDE :

OSHA PEL - TWA (8-hrs)

Amorphous, including natural diatomaceous earth: 20 mppcf, 80 mg/m<sup>3</sup>/%SiO<sub>2</sub>

NIOSH IDLH: 3,000 mg/m<sup>3</sup>

### Protective Equipment



### Engineering Measures

Provide adequate general and local exhaust ventilation.

### Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

### Hand Protection

Wear protective gloves.

### Eye Protection

Wear approved safety goggles.

### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

### Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Transparent paste

**Color** Pink

## SOFRELINER TOUGH S-Paste

<b>Odor</b>	No information available.
<b>Solubility</b>	No information available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Melting point (°C)</b>	Not available.
<b>Relative density</b>	1.1
<b>Vapor density (air=1)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>pH-Value, Conc. Solution</b>	7
<b>pH-Value, Diluted Solution</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Decomposition temperature (°C)</b>	Not available.
<b>Odour Threshold, Lower</b>	Not available.
<b>Odour Threshold, Upper</b>	Not available.
<b>Flash point</b>	Not available.
<b>Auto Ignition Temperature (°C)</b>	Not available.
<b>Flammability Limit - Lower(%)</b>	Not available.
<b>Flammability Limit - Upper(%)</b>	Not available.
<b>Partition Coefficient (N-Octanol/Water)</b>	Not available.
<b>Explosive properties</b>	Not available.
<b>Other Flammability</b>	Not available.
<b>Oxidising properties</b>	Not available.

### 10. STABILITY AND REACTIVITY

#### Reactivity

May polymerise.

#### Stability

Stable under normal temperature conditions and recommended use.

Hazardous reactions:

In contact with acids, alkalis or alcohols, generates hydrogen.

#### Conditions To Avoid

Keep away from heat, sparks and open flame.

#### Materials To Avoid

Strong oxidizing agents. Acids. Alkalis. Alcohol

#### Hazardous Decomposition Products

Toxic gases are generated when heated.

### 11. TOXICOLOGICAL INFORMATION



## SOFRELINER TOUGH S-Paste

### Acute toxicity:

Not available.

### Skin Corrosion/Irritation:

Prolonged and frequent contact may cause redness and irritation.

### Serious eye damage/irritation:

Irritating and may cause redness and pain.

### Respiratory or skin sensitisation:

#### **Respiratory sensitisation**

Not available.

#### **Skin sensitisation**

Not available.

### Germ cell mutagenicity:

Not available.

### Carcinogenicity:

#### **Carcinogenicity**

Not available.

#### **IARC Carcinogenicity**

SILICON DIOXIDE : IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### **NTP - Carcinogenicity**

Not listed.

#### **OSHA - Carcinogenicity**

Not listed.

### Reproductive Toxicity:

Not available.

### Specific target organ toxicity - single exposure:

#### **STOT - Single exposure**

Not available.

### Specific target organ toxicity - repeated exposure:

#### **STOT - Repeated exposure**

Not available.

### Aspiration hazard:

#### **Viscosity**

Not available.

## 12. ECOLOGICAL INFORMATION

### **Toxicity**

No data available.

### **Degradability**

No data available.

### **Bioaccumulative potential**

No data available on bioaccumulation.

### **Partition coefficient**

Not available.

### **Mobility:**

No information available.

### **Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB Substances.

## SOFRELINER TOUGH S-Paste

### Other adverse effects

Not known.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

### 14. TRANSPORT INFORMATION

<b>General</b>	Not regulated.
<b>UN No. (DOT/TDG)</b>	N/A
<b>UN No. (IMDG)</b>	N/A
<b>UN No. (ICAO)</b>	N/A
<b>DOT Proper Shipping Name</b>	Not applicable.
<b>DOT Hazard Class</b>	No classification noted.
<b>DOT Hazard Label</b>	No DOT label requirement noted
<b>IMDG Class</b>	Not applicable.
<b>ICAO Class</b>	Not applicable.
<b>Transport Labels</b>	No transport warning sign required.
<b>DOT Pack Group</b>	Not applicable.
<b>IMDG Pack Group</b>	Not applicable.
<b>Air Pack Group</b>	Not applicable.
<b>Environmentally Hazardous Substance/Marine Pollutant</b>	No.
<b>Special precautions for user</b>	Not available.
<b>Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes</b>	Not applicable.

### 15. REGULATORY INFORMATION

#### Regulatory Status (US)

This Product is Not Hazardous under the OSHA Hazard Communication Standard.

#### Regulatory References

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed.

##### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

##### **SARA 313 Emission Reporting**

None of the ingredients are listed.

##### **CAA Accidental Release Prevention**

None of the ingredients are listed.

##### **SARA (311/312) Hazard Categories**

None.

##### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

## SOFRELINER TOUGH S-Paste

### US State Regulations

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

#### **Massachusetts "Right To Know" List**

The following ingredients are listed.

SILICON DIOXIDE

#### **Rhode Island "Right To Know" List**

None of the ingredients are listed.

#### **Minnesota "Right To Know" List**

The following ingredients are listed.

SILICON DIOXIDE

#### **New Jersey "Right To Know" List**

None of the ingredients are listed.

#### **Pennsylvania "Right To Know" List**

The following ingredients are listed.

SILICON DIOXIDE

### International Inventories

#### **EU - EINECS/ELINCS**

The following ingredients are listed.

SILICON DIOXIDE

#### **Canada – DSL/NDSL**

All ingredients are listed or exempt.

#### **US - TSCA**

All ingredients are listed or exempt.

#### **US – TSCA 12(b) Export Notification**

None of the ingredients are listed.

## 16. OTHER INFORMATION

<b>Revision Date</b>	11/28/2014
<b>Revision</b>	2

#### Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.