

# SAFETY DATA SHEETS

**This SDS packet was issued with item:**

072038701

N/A

**SECTION 1 - SOURCE/IDENTITY/USE INFORMATION****MANUFACTURER**

GC AMERICA INC.  
3737 West 127th St.  
Alsip, Illinois, 60803  
Telephone: 708-597-0900  
Hours Mon.-Fri: 8:00 a.m.-5:00 p.m. C.S.T.  
Transportation Emergency No. 800-424-9300

**COMMON NAME:** ALIKE - LIQUID**CHEMICAL NAME:** N.A.**PRODUCT USE:** Processing of temporary dental crowns and bridges - liquid component.

*The following information is provided with regard to the toxicity and hazard rating of the pure components present in this portion of the unmixed powder/liquid system.*

**SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Methyl Methacrylate	80-62-6	TWA=100ppm (ACGIH)	LD50=7.9g/kg (oral rat) LC50=3750ppm/4hr.	60-100
Ethyl-2-cyano 3-3 diphenylacrylate	5232-99-5	TWA=10mg/m <sup>3</sup> (BASF Rec)	N.E.	0.5-1.5
Methanol	67-56-1	STEL=250ppm (ACGIH) TWA+200ppm (ACGIH)	LD50=5628mg/kg (oral rat) LC50=64000 ppm/4hr.	5-10

**SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

**BOILING POINT:** 64°C  
**VAPOR PRESSURE:** N.E.  
**VAPOR DENSITY:** N.E.  
**SOLUBILITY IN WATER:** Insoluble  
**COEFFICIENT OF OIL/WATER DISTRIBUTION:** N.E.  
**APPEARANCE AND ODOR:** Colorless, liquid with sharp unpleasant odor

**SPECIFIC GRAVITY (H2O=1):** 1.0  
**MELTING POINT:** N.E.  
**EVAPORATION RATE:** N.E.  
**ODOR THRESHOLD:** < 1 ppm as methyl methacrylate

**SECTION 4 - FIRE AND EXPLOSION DATA**

**FLASH POINT:** 12.8°C  
**FLAMMABLE LIMITS:** LEL = 2.1% UEL = 12.5%  
**EXTINGUISHING MEDIA:** Alcohol foam, dry chemical, Carbon dioxide  
**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus with full protective equipment  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** When heated above the flashpoint, emits vapors, which when mixed with air, can burn or be explosive. Fine mists on sprays may be flammable at temperatures below the flash point. Sealed containers exposed to elevated temperatures may rupture explosively due to polymerization. Vapors are heavier than air and may travel to ignition source.  
**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Dioxide, Carbon Monoxide, Smoke

**SECTION 5 - REACTIVITY DATA**

**STABILITY:** Stable  Unstable   
**POLYMERIZATION:** Will Not Occur  Will Occur

**CONDITIONS TO AVOID:** Heat and ignition sources**INCOMPATIBILITY (Materials to Avoid):** Reducing and oxidizing agents. Material has strong solvent properties and can soften paint or rubber.**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** None known



SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER	X							

ROUTES OF ENTRY: Inhalation  Skin  Ingestion

HEALTH HAZARD (Acute and Chronic):

**INHALATION:** May cause nose and throat irritation. May cause irritation of mucous membranes. May cause nervous system depression. Reports have associated repeated and prolonged overexposure to brain damage and nervous system damage. May cause abnormal liver and kidney function. Overexposure to methanol has been found to cause the following effects in laboratory animals: liver abnormalities, kidney damage, eye damage, lung, spleen, brain, and nervous system damage.

**SKIN:** May cause irritation or burning of skin. Repeated exposure may cause skin burns and allergic reactions.

**EYES:** May cause irritation or burning of eyes, skin, and mucous membranes.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** Progressive steps of inhalation overexposure: headache, dizziness, nausea, staggering gait, confusion, unconsciousness.

**CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** N.E.

EMERGENCY FIRST AID PROCEDURES:

**INGESTION:** Do not induce vomiting. Give one or two glasses of water and refer to medical attention.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

**SKIN:** Wash with soap and water. Wash clothes prior to reuse.

**EYES:** Immediately flush eyes with water; continue for 15 minutes. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

**IN CASE OF RELEASE OR SPILL:** Eliminate source of ignition. Wear skin, eye respiratory protection. Contain spill and keep out of sewers. Use absorbent to soak up liquid. Use non-sparking equipment and shovel into waste container.

**WASTE DISPOSAL METHOD:** Material is a hazardous waste, No. U162. Dispose of waste in facility permitted for hazardous waste in accordance with local, state and federal regulations.

**STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Keep away from heat, sparks, flame, direct sunlight and elevated temperatures.

SECTION 8 - CONTROL MEASURES

**RESPIRATORY PROTECTION:** Reduce exposure in accordance with safe hygiene practice. If exposure limits are exceeded, use an MSHA-NIOSH approved respirator for organic vapors.

**VENTILATION:** Local Exhaust: Yes Mechanical: N.A. Special: N.A. Other: N.A.

**PROTECTIVE GLOVES:** Disposable vinyl gloves

**EYE PROTECTION:** Chemical eye goggles and full face protection if necessary

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eye wash station

**WORK/HYGIENIC PRACTICE:** Follow routine safe hygiene practices.

SECTION 9- PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

DATE: 01 March 2006

REVIEWED: 14 January 2009

REVISED: 23 August 2010

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.

FIRE - 4

TOXICITY - 2

NFPA  
REACTIVITY - 3

SPECIAL - P

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

## 1 Identification

- **Product identifier**

- **Trade name:** ALIKE (Liquid)

- **Relevant identified uses of the substance or mixture and uses advised against**

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- **Application of the substance / the mixture** Manufacture of dental prothesis

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

GC America Inc.

3737 W. 127th Street

Alsip, IL 60803

USA

sds@gcamerica.com

- **Information department:** Regulatory Affairs

- **Emergency telephone number:**

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900

Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Additional information:**

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200


Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 1)

- **Signal word** Danger
  - **Hazard-determining components of labeling:**  
methyl methacrylate (MMA)  
dimethacrylate\*\*  
methanol  
accelerant\*\*
  - **Hazard statements**  
Highly flammable liquid and vapor.  
Harmful if swallowed, in contact with skin or if inhaled.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.
  - **Precautionary statements**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Wear protective gloves / eye protection / face protection.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- 

Health = 2  
Fire = 3  
Reactivity = 2
- **HMIS-ratings (scale 0 - 4)**
- |            |   |
|------------|---|
| HEALTH     | 2 |
| FIRE       | 3 |
| REACTIVITY | 2 |

Health = 2  
Fire = 3  
Reactivity = 2
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

80-62-6	methyl methacrylate (MMA)	80-90%
67-56-1	methanol	5-10%
	dimethacrylate**	1-5%
	accelerant**	1-5%
	UV-light absorber**	1-5%

(Contd. on page 3)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

**Trade name:** ALIKE (Liquid)

(Contd. of page 2)

· **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Do not use mouth to mouth or mouth to nose resuscitation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· **After eye contact:**

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** Allergic reactions

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water

· **Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

· **Advice for firefighters**

· **Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

(Contd. on page 4)

-US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 3)

- Keep away from ignition sources
- Avoid contact with the eyes and skin.
- Wear protective clothing.
- **Environmental precautions:**
  - Do not allow product to reach sewage system or any water course.
  - Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**
  - Ensure adequate ventilation.
  - Absorb liquid components with liquid-binding material.
  - Dispose of the collected material according to regulations.
- **Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
  - Observe instructions for use.
  - Ensure good ventilation/exhaustion at the workplace.
  - Do not inhale dust / smoke / mist.
  - Prevent formation of aerosols.
  - Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:**
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
  - Do not spray on a naked flame or any incandescent material.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Store in a cool location.
  - Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
  - Observe instructions for use / storage.
  - Keep receptacle tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
  - Protect from heat and direct sunlight.
  - Store in a cool place.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· <b>Components with limit values that require monitoring at the workplace:</b>	
<b>80-62-6 methyl methacrylate (MMA)</b>	
PEL	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm

(Contd. on page 5)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 4)

REL Long-term value: 410 mg/m<sup>3</sup>, 100 ppmTLV Short-term value: 410 mg/m<sup>3</sup>, 100 ppm  
Long-term value: 205 mg/m<sup>3</sup>, 50 ppm  
(SEN) NIC-DSEN**67-56-1 methanol**PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppmREL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm  
Long-term value: 260 mg/m<sup>3</sup>, 200 ppm  
SkinTLV Short-term value: 328 mg/m<sup>3</sup>, 250 ppm  
Long-term value: 262 mg/m<sup>3</sup>, 200 ppm  
Skin; BEI**accelerant\*\***

WEEL Long-term value: 0.5 ppm

· **Ingredients with biological limit values:****67-56-1 methanol**BEI 15 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Methanol (background, nonspecific)· **Additional information:** The lists that were valid during the creation were used as basis.· **Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· **Breathing equipment:** Suitable respiratory protective device recommended.· **Protection of hands:** Protective gloves· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless

(Contd. on page 6)

-US-



# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 5)

· <b>Odor:</b>	Methacrylic
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	64 °C (147 °F)
· <b>Flash point:</b>	12 °C (54 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	Undetermined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Heating may cause an explosion. Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	2.1 Vol %
<b>Upper:</b>	12.5 Vol %
· <b>Vapor pressure:</b>	Not determined.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	8.7 %
<b>VOC content:</b>	98.9 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** Danger of polymerization.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions**  
Spontaneous polymerization can be caused in unstabilized product e.g. by ambient heat.  
Danger of receptacles bursting because of high vapor pressure if heated.  
Exothermic polymerization.

(Contd. on page 7)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

**Trade name:** ALIKE (Liquid)

(Contd. of page 6)

- **Conditions to avoid** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- **Incompatible materials:**
  - Reacts with peroxides and other radical forming substances.
  - Reacts with amines.
  - Reacts with heavy metals.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**67-56-1 methanol**

Oral	LD50	13000 mg/kg (rat (f+m))
Dermal	LD50	12800 mg/kg (rabbit)

**accelerant\*\***

Oral	LD50	1650 mg/kg (rat (f+m))
Dermal	LD50	> 2000 mg/kg (rat (f+m))
Inhalative	LC50/4 h	254 mg/l (rat (f+m))

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

- **Sensitization:**

- Sensitization possible through inhalation.
- Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

methyl methacrylate (MMA)	3
hydroquinone (HQ)	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

- IARC Group 1: The agent is carcinogenic to humans.
- IARC Group 2A: The agent is probably carcinogenic to humans.
- IARC Group 2B: The agent is possibly carcinogenic to humans.
- IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.
- IARC Group 4: The agent is probably not carcinogenic to humans.
- NTP K: Known to be human carcinogen.
- NTP R: Reasonably anticipated to be human carcinogen.

US

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 7)

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

<b>67-56-1 methanol</b>
-------------------------

EC50/48h (static) 10000 mg/l (daphnia magna) (static)
---

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:** Generally not hazardous for water

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**

- **DOT, ADR, IMDG, IATA** UN1993

- **UN proper shipping name**

- **DOT** Flammable liquids, n.o.s. (Methyl methacrylate monomer, stabilized, Methanol)

- **ADR** 1993 Flammable liquids, n.o.s. (Methyl methacrylate monomer, stabilized, Methanol)

- **IMDG, IATA** FLAMMABLE LIQUID, N.O.S. (METHYL METHACRYLATE MONOMER, STABILIZED, METHANOL)

- **Transport hazard class(es)**

- **DOT**



- **Class**

3 Flammable liquids

(Contd. on page 9)

US

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200


Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 8)

· Label	3
· ADR, IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· EMS Number:	F-E,S-E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1993, Flammable liquids, n.o.s. (Methyl methacrylate monomer, stabilized, Methanol), 3, II

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act)

### · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

### · Section 313 (Specific toxic chemical listings):

methyl methacrylate (MMA)

methanol

### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

### · Carcinogenic categories

#### · EPA (Environmental Protection Agency)

methyl methacrylate (MMA)

E, NL

#### · TLV (Threshold Limit Value established by ACGIH)

methyl methacrylate (MMA)

A4

hydroquinone (HQ)

A3

(Contd. on page 10)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: ALIKE (Liquid)

(Contd. of page 9)

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

methyl methacrylate (MMA)

dimethacrylate\*\*

methanol

accelerant\*\*

- **Hazard statements**

Highly flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves / eye protection / face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

- **Department issuing SDS:** Regulatory Affairs

- **Contact:**

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

- **Date of preparation / last revision** 04/20/2015 / -

- **Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 11)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

**Trade name:** ALIKE (Liquid)

(Contd. of page 10)

IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 2: Flammable liquids, Hazard Category 2  
 Acute Tox. 4: Acute toxicity, Hazard Category 4  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1  
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

• **Sources**

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem ([www.echemportal.org](http://www.echemportal.org))

• **Notes:**

CAS Registry Number is a Registered Trademark of the American Chemical Society.  
 CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- \* **Data compared to the previous version altered.** This version replaces all previous versions.

• **Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

US