

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

074146429

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

074146304 074146312 074146403 074146452 074146460 074146478 074146486

# KERR

## Material Safety Data Sheet

in accordance with Community Regulation 2006/1907/EC (R.E.A.Ch.)

Revision Date: 17<sup>th</sup> September 2009

### SECTION 1

#### Product & Company identification

1.1 Product name

**AL-GI-NOT Base Paste (All viscosities and set times, cartridge & bulk)**

1.2 Uses/Application:

Dental impression material.

1.3 Company (Name, address and info phone number)

**Kerr Corporation**

1717 West Collins Avenue

92867 Orange – CALIFORNIA (U.S.A.)

00-800-41-050-505

1.4 Emergency phone (according to communitarian directive 99/45/EC, article 17)

+39.081.8508.325 (08.00-17.00, European time, GMT+1)

E-mail address: [safety@kerrhawe.com](mailto:safety@kerrhawe.com)

### SECTION 2

#### Hazard identification

2.1 Hazard classification (according to communitarian directives 67/548/EEC & 99/45/EC)

None.

2.2 Other hazard

None.

### SECTION 3

#### Composition/Information on Ingredients

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

3.1 Hazardous ingredients

HAZARDOUS INGREDIENTS	%	HAZARD SYMBOLS	RISK PHRASES	CAS N.	EINECS N.
None	N/A	N/A	N/A	N/A	N/A

3.2 Other non-hazardous ingredients

Quartz and hydrophobic silica.

**SECTION 4****First aid measures**

- 4.1 Treatment for eye contact: Flush with water for 15 minutes. Get medical attention.
- 4.2 Treatment for skin contact: Flush with water, then wash with soap and water.
- 4.3 Treatment for inhalation (breathing): Move individual to fresh air.
- 4.4 Treatment for ingestion (swallowing): Do not give fluids or induce vomiting. Get medical attention.

**SECTION 5****Fire-fighting Measures**

- 5.1 Suitable extinguishing media: Water spray, carbon dioxide and dry chemical.
- 5.2 Forbidden extinguishing media: None known.
- 5.3 Special fire fighting measures: None known.
- 5.4 Unusual fire and explosion hazards: Irritating fumes may develop when product is heated. Avoid eye and skin contact. Do not breathe fumes.
- 5.5 Special protection equipment: Sealed overall.

**SECTION 6****Accidental Release Measures**

- 6.1 Personal Precautions: Follow recommended precautions listed in other sections.
- 6.2 Environmental Precautions: Material should not be allowed to drain into sewers.
- 6.3 Reclaiming Methods: Absorb spill with paper towels and transfer into suitable containers.

**SECTION 7****Handling and Storage** (according to article 5 of communitarian directive 98/24/EC)

- 7.1 Handling Precautions: Avoid heating of the product.
- 7.2 Precautions in case of Fire and Explosion: Extinguish all ignition sources.
- 7.3 Storage Conditions: Store in a cool, dry area.
- 7.4 Suggested container(s): Original sealed containers provided by manufacturer.
- 7.5 Indication for Combined Storage: Avoid contact with oxidizing agents.
- 7.6 Environmental precautions: Do not allow product to reach sewers and rivers.
- 7.7 Other Precautions: Use according to directions.

<b>SECTION 8</b>	
<b>Exposure controls/personal protection</b>	
8.1 Exposure Limits:	For <b>Quartz</b> : <u>TWA/TLV</u> : 0,025 mg/m <sup>3</sup> ; For <b>Hydrophobic silica</b> : <u>TWA/TLV</u> : 6 mg/m <sup>3</sup> ; <u>TWA/PEL</u> : 10 mg/m <sup>3</sup> <i>Note: the above occupational exposure limits are referred to substances at native state and therefore intended as pure reference. These chemicals are dispersed into a complex matrix and therefore not easily available.</i>
8.2 Exposure control measures	
8.2.1 Precautionary Measures: (according to communitarian directives 89/686/EEC & article 4 of 98/24/EC)	
Ventilation:	<u>Local Exhaust Ventilation</u> : Use the product in a well ventilated area. <u>Special Ventilation</u> : None. <u>Mechanical (General) Ventilation</u> : Should be sufficient. <u>Other Ventilation</u> : None.
Respiratory Protection:	Not required.
Hands Protection:	Impervious rubber or nitrile gloves.
Eyes Protection:	Safety glasses. Do not wear contact lenses.
Skin Protection:	Handle in accordance with good personal hygiene and safety practices.
Other Protective Equipments:	It would be better use a lab coat.
<i>Measures listed in this paragraph are to be considered as indications and NOT prescriptions (89/656/EEC)</i>	
8.2.2 Environment exposure control measures Not Applicable.	

<b>SECTION 9</b>	
<b>Physical and Chemical Properties</b>	
9.1 General information	
<u>Appearance</u> : Light yellow paste	<u>Odour</u> : Slight fruity odour
9.2 Information related to health, safety and environment	
<u>pH</u> : Not determined (N/D)	<u>Relative density</u> : Not available
<u>Boiling point</u> : Not applicable (N/A)	<u>Specific gravity</u> : ~ 1,25 g/ml
<u>Flash point</u> : 142°C	<u>Solubility</u> : Insoluble in water
<u>Flammability</u> : Not flammable.	<u>Partition coefficient n-octanol/water</u> : N/D
<u>Lower Explosivity Limit (L.E.L.)</u> : N/A	<u>Viscosity</u> : N/D
<u>Upper Explosivity Limit (U.E.L.)</u> : N/A	<u>Vapour density (air = 1)</u> : N/D
<u>Oxidizing properties</u> : None	<u>Evaporation rate (n-butane = 1)</u> : N/A
<u>Vapour pressure</u> : N/D	<u>Melting point</u> : N/A
9.3 Other information (according to communitarian directives 94/9/EC):	
<u>Miscibility</u> : N/A.	<u>Conducibility</u> : N/A
<u>Solubility in Lipids</u> : N/A	<u>Gases Group</u> : N/A

**SECTION 10**  
**Stability and Reactivity**

Stability: Stable.

10.1 Conditions to avoid: Elevated temperatures or open flame.

10.2 Materials to avoid (incompatibility): Oxidizing agents.

10.3 Hazardous decomposition products: Not applicable.

Other precautions:

Hazardous Polymerization Products: Will not occur.

Safety significance in case of change in physical appearance: None known

Stabilizers: Product is not stabilized.

**SECTION 11**  
**Toxicological Information**

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

None.

Effects and hazards of eye contact: May cause irritation.

Effects and hazards of skin contact: May cause mild irritation.

Effects and hazards of Inhalation (Breathing): May cause low or mild irritation.

Effects and hazards of Ingestion (Swallowing): Although ingestion is an unlike event, the product may be harmful if swallowed.

Effects for prolonged Exposure: Unknown.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

<b>Hydrophobic silica</b>	LD <sub>50</sub> (oral rat):	> 5000 mg/Kg
<b>Quartz (silica)</b>	LD <sub>50</sub> (oral rat):	> 22500 mg/Kg

**SECTION 12****Ecological Information**

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: Not available

12.4 Bioaccumulative potential: Not available.

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

Aquatic toxicity data for single ingredient:

<b>Quartz (silica)</b>	LC <sub>50</sub> (carp):	> 10000 mg/lt (72 hours)
------------------------	--------------------------	--------------------------

**SECTION 13****Disposal considerations**

Dispose of in accordance of local regulations.

**SECTION 14****Transport information**14.1 Sea transportation (IMDG)

The product is not regulated.

14.2 Air transportation (ICAO/IATA)

The product is not regulated.

14.3 Transportation by Road/Railway (RID/ADR)

The product is not regulated

**SECTION 15** (Classification according to communitarian directives 67/548/EEC & 99/45/EC)**Regulatory information**

Hazard labelling not required.

This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

**SECTION 16****Other information**16.1 Risk phrases of all ingredients

None.

16.1.1 Safety phrases of all ingredients

None.

16.2 Sources of key data used to compile the Safety Data Sheet:European Chemicals Bureau (ECB – [www.ecb.jrc.it](http://www.ecb.jrc.it))European chemical Substances Information System (ESIS - [www.ecb.jrc.it/esis](http://www.ecb.jrc.it/esis))A.C.G.I.H. ([www.acgih.org](http://www.acgih.org))N.I.O.S.H. ([www.cdc.gov/niosh/](http://www.cdc.gov/niosh/))O.S.H.A. ([www.osha.gov/](http://www.osha.gov/))U.E. ([www.europa.eu/index\\_it.htm](http://www.europa.eu/index_it.htm))I.A.R.C. ([www.iarc.fr/](http://www.iarc.fr/))N.T.P. ([www.ntp.niehs.nih.gov](http://www.ntp.niehs.nih.gov))European Community Directives:

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of personal protective equipment at the workplace (third individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at work.

Document modification history: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

**CAUTION: PRODUCT FOR PROFESSIONAL USE**

**The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.**

### 1 . Identification of the material and supplier

**Names**

**Product name** : AlgiNot  
**ADG** : UN3082  
**Manufacturer** : **Kerr Australia Pty Limited**  
 Unit 10, 112-118 Talavera Road  
 North Ryde, NSW 2113  
 Australia  
 Telephone no.: 1 800 643 603  
 Email general queries: kerrrust.orders@sybrondental.com  
 Email technical queries: peter.green@sybrondental.com

**Emergency telephone number** : 61 401 690 670 (24 hours)

**Uses**

**Area of application** : Professional applications.  
**Material uses** : Dental product: Impression material.  
**Product type** : Paste.

### 2 . Hazards identification

**Classification** : Xi; R36  
 N; R51/53  
**Risk phrases** : R36- Irritating to eyes.  
 R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**Safety phrases** : S61- Avoid release to the environment. Refer to special instructions/safety data sheet.  
**Statement of hazardous/dangerous nature** : HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

Health effects are based on the uncured material.

### 3 . Composition/information on ingredients

**Mixture** : Yes.

Ingredient name	CAS number	Concentration
Quartz	14808-60-7	30-60
Siloxanes and Silicones, di-Me	63148-62-9	30-60
Nonylphenol, branched, ethoxylated	68412-54-4	<10
Platinum, 1,3-diethenyl-1,1,3,3-tetramethyldisiloxane complexes	68478-92-2	<10

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**



## 4 . First-aid measures

### First-aid measures

- Inhalation** : No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.
- Skin contact** : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.
- Eye contact** : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
- Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Advice to doctor** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5 . Fire-fighting measures

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.  
In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Hazchem code** : •3Z

## 6 . Accidental release measures

- Personal precautions** : Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely
- Environmental precautions** : Low release. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
- Methods for cleaning up**
- Small spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.
- Large spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

## 7 . Handling and storage

- Handling** : No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose of in a safe manner.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
- Combustible liquid** Not applicable.

## 8 . Exposure controls/personal protection

### Occupational exposure limits

Ingredient name	Exposure limits
Quartz	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 0.1 mg/m <sup>3</sup> 8 hours. Form: Respirable dust

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### Exposure controls

- Engineering measures** : No special measures are required for small quantities under normal and intended conditions of product use.
- Hygiene measures** : No special measures are required for small quantities under normal and intended conditions of product use.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Respiratory** : No special measures are required for small quantities under normal and intended conditions of product use.
- Skin** : No special measures are required for small quantities under normal and intended conditions of product use.
- Environmental exposure controls** : No special measures are required for small quantities under normal and intended conditions of product use.

## 9 . Physical and chemical properties

<b>Physical state</b>	: Liquid. [Paste.]
<b>Colour</b>	: Various
<b>Odour</b>	: Fruity. [Slight]
<b>Boiling point</b>	: Not available.
<b>Melting point</b>	: Not available.
<b>Vapour pressure</b>	: Not available.
<b>Relative density</b>	: 1.25 [Water = 1]
<b>Flash point</b>	: 142°C (287.6°F)
<b>Flammable limits</b>	: Not available.
<b>Vapour density</b>	: Not available.
<b>pH</b>	: Not available.
<b>Viscosity</b>	: Not available.
<b>Auto-ignition temperature</b>	: Not available.
<b>Solubility</b>	: Insoluble in the following materials: cold water and hot water.

## 10 . Stability and reactivity

<b>Chemical stability</b>	: The product is stable.
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
<b>Conditions to avoid</b>	: Elevated temperature. Keep away from open flames.
<b>Materials to avoid</b>	: Reactive or incompatible with the following materials: oxidizing materials.
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11 . Toxicological information

### Potential acute health effects

<b>Inhalation</b>	: No known significant effects or critical hazards.
<b>Ingestion</b>	: No known significant effects or critical hazards.
<b>Skin contact</b>	: No known significant effects or critical hazards.
<b>Eye contact</b>	: Irritating to eyes.

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Siloxanes and Silicones, di-Me	LC50 Inhalation Vapour	Rat	>44 mg/l	1 hours
	LD50 Dermal	Rabbit	>2000 g/kg	-
	LD50 Oral	Rat	>5000 g/kg	-

**Conclusion/Summary** : Based on the criteria of the protocol, this product is considered cytotoxic per ISO 10993-5.

### Potential chronic health effects

#### Chronic toxicity

**Conclusion/Summary** : Not available.

#### Irritation/Corrosion

## 11 . Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Siloxanes and Silicones, di-Me	Eyes - Mild irritant	Rabbit	-	1 hours 100 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 100 microliters	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 microliters	-

**Conclusion/Summary** : Not available.

### Sensitiser

**Conclusion/Summary**

#### **Skin**

: Kligman score: Grade I (weak sensitizer)

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

**Chronic effects** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

**Inhalation** : No specific data.

**Ingestion** : No specific data.

**Skin** : No specific data.

**Eyes** : Adverse symptoms may include the following:  
irritation  
watering  
redness

**Target organs** : Contains material which may cause damage to the following organs: kidneys, lungs, upper respiratory tract, skin, eyes, testes.

## 12 . Ecological information

**Ecotoxicity** : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Siloxanes and Silicones, di-Me	Acute LC50 44.5 ppm Fresh water	Daphnia - Daphnia magna - Instar	48 hours
	Acute LC50 3160 µg/l Fresh water	Fish - Ictalurus punctatus	96 hours

**Conclusion/Summary** : Not available.

## 12 . Ecological information

### Other ecological information

#### Persistence/degradability

Conclusion/Summary : Not available.

#### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Nonylphenol, branched, ethoxylated	5.39	37	low



Other adverse effects : No known significant effects or critical hazards.

## 13 . Disposal considerations





Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## 14 . Transport information



### International transport regulations

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O.S. (Nonylphenol, branched, ethoxylated)	9	III	 	<p>The product is not regulated as a dangerous good when transported by road or rail in either an IBC, or in other container types if ≤500 kg. The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.</p> <p><b>Hazchem code</b> •3Z</p> <p><b>Special provisions</b> 274, 331, 335, AU01</p>

## 14 . Transport information

ADR	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O.S. (Nonylphenol, branched, ethoxylated)	9	III	 	<p>This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.</p> <p><b><u>Hazard identification number</u></b> 90</p> <p><b><u>Limited quantity</u></b> 5 L</p> <p><b><u>Special provisions</u></b> 274, 335, 601, 375</p> <p><b><u>Tunnel code</u></b> (E)</p>
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O.S. (Nonylphenol, branched, ethoxylated). Marine pollutant (Nonylphenol, branched, ethoxylated)	9	III	 	<p>This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.</p> <p><b><u>Emergency schedules (EmS)</u></b> F-A, S-F</p> <p><b><u>Special provisions</u></b> 274, 335, 969</p>

## 14 . Transport information

IATA	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Nonylphenol, branched, ethoxylated)	9	III	 	<p>This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.</p> <p><b><u>Passenger and Cargo Aircraft</u></b>  Quantity limitation: 450 L  Packaging instructions: 964</p> <p><b><u>Cargo Aircraft Only</u></b>  Quantity limitation: 450 L  Packaging instructions: 964</p> <p><b><u>Limited Quantities - Passenger Aircraft</u></b>  Quantity limitation: 30 kg  Packaging instructions: Y964</p> <p><b><u>Special provisions</u></b>  A97, A158, A197</p>
------	--------	--	---	-----	--	--

PG\* : Packing group

## 15 . Regulatory information

### Standard Uniform Schedule of Medicine and Poisons

Not regulated.

### Control of Scheduled Carcinogenic Substances

<u>Ingredient name</u>	<u>Schedule</u>
Quartz	Prohibited [For abrasive blasting at a concentration of greater than 1%]

**Australia inventory (AICS)** : All components are listed or exempted.

**EU Classification** : Xn; R48/20  
Xi; R36  
N; R51/53

## 16 . Other information

**Person who prepared the MSDS** :

**Date of previous issue** : No previous validation

**Date of issue/ Date of revision** : 5/20/2015

**Version** : 1

 Indicates information that has changed from previously issued version.

### Disclaimer

## 16 . Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.