SAFETY DATA SHEETS

This SDS packet was issued with item:

071805373

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071784099 071805407 071851252 074082269

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071017052 071805365 071805381 071805399 071837202

546899

Safety Data Sheet

Product Name CAULK 50% Tooth CONDITIONER LIQUID CAULK 34% Tooth CONDITIONER GEL.	MSDS Code Number 546899
Trac Synonyms C 50% Tooth CONDITIONER LIQUID 34% Tooth CONDITIONER GEL	Date (16 Less Restrone) 10/01/13
Man, iret DENTSPLY/Caulk	Address 38 West Clarke Avenue, Milford DE 19963-1805 http://www.caulk.com. http://www.dentsply.com
Grades or Minor Variant Identities Bottles and Syringes	(302) 422-4511 (8:00 AM = 4:30 PM Eastern Time)
Product Use (for Canada) Not Applicable	1.margency Telephone Number (302) 422-4511 (8:00 AM = 4:30 PM Eastern Time)

2. Hazard(s) Identification



Causes severe skin burns and eye damage

Causes severe skin burns and eye damage.

Do not breathe in dost or mist.

Wash hands thoroughly after handling. Wear protective gloves.

If SWALLOWED: Rine month, Do NOT induce vomining.

IF ON SKIN: Remove immediately all contaminated clothing. Rines skin with water.

ITSHIALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing,

Immediately call a POISON Center or physician.

IF IN EYEN: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rin

Store locked up.

Dispose of contents/container in accordance with local regulations.

 3. Composition of Ingredients – Tooth Conditioner Liquid
Hazardous Components

 The State of the Conditioner Liquid

 The State of the Conditioner Li C.A.S. Number Exposure Limits 7664-38-2 1 mg/M

 $\begin{array}{c|c} \textbf{3. Composition of Ingredients} - \textbf{Tooth Conditioner Gel} \\ \hline & C.A.S. \, \textbf{Number} \\$ Hazardous Components
Phosphoric Acid
Other Information: Blue colorant is a fluorescent organic dye

	4. First Aid Measures		
Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	IF IN EYES: Runse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist consult physician.	Not Applicable	Not Applicable
Skin	IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If symptoms persist consult physician.	Not Applicable	Not Applicable
Inhalation	IF INHALED: Remove victim to fresh air and keep at a rest position comfortable for breathing. Immediately call a poison center or if symptoms persist, consult physician.	Not Applicable	Not Applicable
Ingestion	IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. If symptonis persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable



5. Fire and Explosion Data

Flashpernt Mithod: Not Applicable	Flammable (Explosive) Limits in Air LEL Not Established - U. L. Not Established	Autorgation Temperature: Not Applicable	Other Not Applicable
Flame Propagation of Burning Rate (for Solids) Not Applicable	Properties Contributing to Fite Intensity. Nor Applicable	Hominability Classification Not Applicable	
Extinguishing Media: Use extinguishing i	pedra squisble for surrounding mea	Extinguishing Media to Avoid. Water with fu	II jet
Protection and Procedures for Firefighter	c. Firefighters should wear self-contained respiratory protects	ve devices	-
Unusual Eure and Explosion Hazards: For	mation of toxic gases is possible during heating or in case of	Tity.	

nce material is a pute, scoop up bulk material and place in a unifold water (stand, symmotine, distormer, and binders, universe pill Leak (Centup Procedures and Equipment, Africah with logod binding indenial (stand, sermiculate, distormer, and binding in alternal (stand, sermiculate, distormer, and sermiculate, distormer, and sermiculate, distormer, and sermiculate, distormer, and sermiculate, and sermiculate, and sermiculate, distormer, and sermiculate, and ceal Instructions. Not Applicable Reporting Requirements: Not Applicable

7. Handling and Storage

miled for derital use only. Handling of this product should be by trained demai healthcare professionals of









tive Equipment (PPL) for Sormal Use	PPE for Emergencies
Safety Glasses	Not Applicable
be impermeable and resistant to the product	Not Applicable
Not required for normal volumes used in Dental office.	
Protective work clothing	
	led and contaminated clothing.
nd Equipment: Not Applicable	

Appearance: Lujuid is clear. Get is blue colored paste:		Odos Acrid
Normal Physical State: Liquid, Gel is a paste.		Melung Point: Not Applicable
Specific Gravity, 1.3 g-em	Solubility in Water Not Soluble	pH = 2
Vapor Pressare (mm Hg): Not Established	Vapor Density (AIR 1) Not Applicable	Evaporation Rate (Butyl Acetate 1) Not Applicable

10. Stability and Reactivity Data

	11. TOXICO	logical informa	HOH	
Toxicity Data, Epidemiology Studies, Material is a corrosive acid and as			Effects, Reproductive Effects, or Structure pranes	Activity Data
Overview: Material is c	orrosive.			
Signs and Symptoms	Single, Repeated, or	Seventy (Mild.	Acute and Chronic Health Effect(s)	Target

	Signs and Symptoms	Single, Repeated or Lifetime Exposure	Severity (Mild. Moderate, Severe)	Acute and Chronic Health Effect(s)	Organ(s)
140	Material is corrosive and may cause irritation	Single & Repeated	Severe	Irritation and possible corneal damage due to the corrosive nature of product	Net Applicable
Skin	Material is commisse and may cause impation.	Single & Repeated	Moderate to severe depending on contact time	Irritation due to the corrorrie nature of the product	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is continue and may cause irritation	Not Applicable	Moderate	Instation due to the comoive nature of the product	Not Applicable
13ther	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Appheable

12. Ecological Information

Toxicity Data, Emanoumental Fate, Physical Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard classal (Self-assessmentslightly) bazardous for water. Do not allow unfolled product or large quantities of it to reach ground water, water streams or sewage system. Toxic to full: Also possenous for fish and plankten in water bodies. Toxic for aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with bousehold garbage. Do not allow product to reach sewage system.

Dispose of moterial as solid waste in a close container. Dispose of in accordance with Federal, State and Local regulations: Properties (Physical Chemical). Affecting Disposal: Dispose of Insternal as solid waste in a closed container.





14. Transport Information

Regulated for Shipping: Yes DOT Shipping Name: Corrosive Liquid, n.o.s. (contains Phosphoric Acid) Packing Group: II

Do Changes in Quantities, packaging, or shipment method change product Hazard Class: X UN Identification Number: 1760 classification? Yes

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations. CLRCLA 10 Reportable Controls. CASA '7664-38-2 Phosphoric Acid '500 pounds (2268Kp) Many states have more unagent release. Services of the product of the PAT Acid (Software Controlled Product). The PAT Acid (Software Controlled Product) and the product of the PAT Acid (Software Controlled Product). The product of the product are fused on the TSCA inventory.

U.S. State Regulations California Proposition 63: This product does not contain any chemicals, which are on the California Proposition 65 list.

Canada WHMS, Worlphee Unactions Marcials Information System in the product are fused on the California Proposition 65 list.

Canada WHMS, Worlphee Unactions Marcials Information System in the product are fused on the California Proposition 65 list.

Listentional Regulations, Canadian Environmental Protection Act, This product to accordingly product.

International Regulations, Canadian Environmental Protection Act, This product to accordingly product.

International Regulations, canadian Environmental Protection Act, This product to accordingly product.

International Regulations, canadian Environmental Protection Act, This product is a medical device and not subject to chemical notification requirements. Sol This institute of the product of

16. Other Information
ten wheat prains, flasseed, natural rubber, or natural latex.

To the best of our knowledge this product does not contain gluter, wheat grains, flasteed, natural All components are synthetically produced; note are deviced from a animal products.

All components are synthetically produced; note are deviced from a animal products.

This nefformation is based on our present showledge, thowever, the shall not constitute a guarant legally shall contractual relationship.

The attached select data sheet covers the dangers and measures to be taken when large quantums.

1. Product and Company Identification

Product Name	SDS Code Number
Prime & Bond Elect® Universal Dental Adhesive	534801
Trade Name & Synonyms	Date of Last Revision
Prime & Bond Elect® Universal Dental Adhesive	07/31/15
Manufacturer:	Address
DENTSPLY Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Dental Bonding Agent	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

2. Hazard(s) Identification



Warning Highly Flammable Liquid and Vapour

Keep away from heat/sparks/open flames / hot surfaces.
No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection. Ground / Bond container and receiving equipment. Use explosion-proof electrical lighting equipment. Use only non-sparking tools.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated

clothing. Rinse skin with water / shower.

In case of fire: Use CO₂ sand or extinguishing powder.



Warning Causes Skin Irritation

Wash hands thoroughly after handling.
Wear protective gloves
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get Medical Advice/attention.
Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Acetone	67-64-1	500 ppm	< 50
Urethane Dimethacrylate Resin	105883-40-7	Not Applicable	< 20
Dipentaerythritol pentaacrylate phosphate	87699-25-0	Not Applicable	< 20
Polymerizeable dimethacrylate resin	1709-71-3 / 868-77-9	Not Applicable	< 20
Polymerizeable trimethacrylate resin	3290-92-4	Not Applicable	< 15

4. First Aid Measures

Routes of	First Aid Instructions	Immediate	Delayed Effects
Exposure		Medical Attention	
Eye	Rinse opened eye for several minutes under running water.	Not Applicable	Not Applicable
	If symptoms persist consult physician.		
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable
Note to Phys	sicians (Treating, Testing and Monitoring): Treat symptomatically.		

5. Fire and Explosion Data

Flashpoint Method: 2°C (36°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not	Other: Not	
Pensky-Marten Closed Cup	LEL: 2.5 vol. % UEL: 12. 8 vol. %	Applicable	Applicable	
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not	Flammability Classification: 3		
(for Solids): Not Applicable	Applicable			
Extinguishing Media: CO ₂ , sand or extinguishing powder.		Extinguishing Media to Avoid: Do not us	e water or water	
with full jet.				
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.				
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.				

6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust).

Scoop up bulk material and place in a labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product	Other Engineering Controls: Not Applicable	e	
Routes of Entry	Personal Protective Equipm	nent (PPE) for Normal Use	PPE for Emergencies	
Eye/Face	Safety	Glasses	Not Applicable	
Skin	The glove material has to be imper	neable and resistant to the product.	Not Applicable	
Inhalation	Not required for normal vol	umes used in Dental office.	Not Applicable	
Body Protection	Protective w	ork clothing	Not Applicable	
General Hygiene (Considerations and Work Practices: Keep away from foodstuf	s, beverages and feed. Immediately remove all soil	led and contaminated clothing.	
Wash hands before	e breaks and at end of work. Avoid contact with the eyes and	skin.		
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective Measures and Equipment: Not Applicable				

9. Physical and Chemical Characteristics

Appearance: Light yellow liquid.			Odor: Acetone like with characteristic sweet acrylic ester odor.		
Normal Physical State: Low viscosity liquid			Melting Point: Not Determined Boiling Point		Boiling Point: 57°C (135°F)
Specific Gravity: ~0.9 g/cm ³	Solub	oility in Water: Partially	pH: 2.5		
Vapor Pressure (mm Hg): Not Applicable Vapor Density (AIR=1):		Not Applicable	Evaporation Rate (Butyl Acetate=1): Not Applicab		
Other: Not Applicable					

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents.			
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, peroxides and irritating gases.			
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.		
Stability? ⊠Stable ☐Unstable	Conditions to Avoid: High Temperatures, ignition sources.		

11. Toxicological Information

Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.							
Toxicity Data, E	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:						
Product is an irri	Product is an irritant to skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an						
irritating effect.	irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and						
methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.							
Routes of	Signs and Symptoms	Single, Repeated,	Severity (Mild,	Acute and Chronic Health Effect(s)			
Exposure		or Lifetime	Moderate, Severe)		Target		
		Exposure			Organ(s)		
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes		
Skin	Material may be an irritant and may	Single & Repeated	Moderate	Irritation or possible allergic response.	Yes		
	be absorbed through the skin.			Severe allergic response may result			
	_			in breathing difficulties.			

Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Yes
	may cause central nervous system			those of acute inhalation. Causes respiratory	
	effects characterized by nausea,			tract irritation. May cause motor incoordination	
	headache, dizziness,			and speech abnormalities.	
	unconsciousness and coma.				
Ingestion	May cause irritation of the digestive	Single & Repeated	Mild	Not Applicable	No
	tract.				
Other: Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
nervous system					

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 0 Specific Hazard = None

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

14. Transport Information

Regulated for Shipping: Yes Proper Shipping Name: Acetone Solution	1	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change	Hazard Class: 3	UN Identification Number: 1090
product classification? Yes		
Other: Not Applicable		



15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: RQ is 5,000 pounds (2268Kg) for CAS# 67-64-1 Acetone. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

Section 313 Toxic Chemicals: This product does not contain any chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water. SARA Codes: CAS # 67-64-1 Acute, chronic, flammable.

Other: Canada WHMIS for the acetone, classification of B2, D2B. Acetone CAS#67-64-1 is on the Canadian Ingredient Disclosure List.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.