# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071805381

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071805407

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071805365 071805373 071805399

# MATERIAL SAFETY DATA SHEET 1.1 Product Trade Name: Prime & BondTM 2.1 Universal Light-Cured Dental Adhesive System 1.2 Part (Item) Number: 934300 SECTION I 1.3 Division Name : DENTSPLY Caulk : DENTSPLY Caulk : 38 W. Clarke Avenue : Milford DE 19963-0359 : (800) 424-9300 (Chemirec) : (302) 422-4511 : 10/07/96 Date Revised 10/07/8 1.4 Address 1.5 Emergency Phone Number 1.6 Phone Number for Information 1.7 Date Prepared SECTION II - Hazardous Ingredients/Identity Information Hazardous Components OSHA PEL ACGIH TLV Other Limits Acetone 750 ppm SECTION III - Physical/Chemical Characteristics : 55 ~ 56°C : 233 mbar @ 20°C 3.6 Specific Gravity: approx. 0.79 g/ml. 3.7 Melting Point: 95°C 3.8 Evaporation rate: N.E. 3.1 Boiling point 3.2 Vapor pressure 3.3 Vapor density 3.4 Solubility in water 3.3 Vapor density : N.E. 3.4 Solubility in water : 100% soluble 3.5 Appearance and odor: Light yellow liquid with acetone odor SECTION IV - Fire and Explosion Hazard Data 4.1 Flash point (method used) 4.1 Flash point (method used) 4.2 Flammability (explosive limits) LEL: 2.5 vol. % UEL: 13.0 vol. % 4.3 Extinguishing media : CO<sub>2</sub>, dry chemical, water fog, foam . Wear MSHA/NIOSH approved, pressure demand, self-contained breathing apparatus SECTION V - Reactivity Data 5.1 Stability 5.2 Conditions to avoid (stability) 5.3 Incompatibility (materials to avoid) 5.4 Hazardous decomposition or byproducts 5.5 Hazardous polymerization 5.6 Conditions to avoid (polymerization) : Unstable: Stable: X : Visible light, high temperature, humidity : Strong oxidants, alkali metals, halogens : Methacrylates, acrylates, irritant gasses : May occur: Will not occur: X : Light and temperature

SECTION VI - Health Hazard Data				
6.1 Route(s) of entry	: Inhalation?: Yes Skin?: Yes Ingesting?: Yes			
6.2 Health hazards (scute and chronic)	<ul> <li>Eye Contact: May esuse irritation and possible corneal damage. Individuals sensitive to (methjacyrlates may develop allergic response. Possible assigna on prolonged exposure.</li> </ul>			
6.3 Carcinogenicity	: NTP?: Not listed TARC monographs?: Not listed OSHA regulated?; No			
6.4 Signs and symptoms of exposure	<ul> <li>Eye Contact: Irritation and possible corneal damage. Dermal irritation or possible allergic reaction.</li> </ul>			
6.5 Medical conditions generally aggravated by	exposure: Open sores or wounds on skin. Known sensitivity to scrytles.			
6.6 Emergency first aid procedures	Ingestion: Contail physician. Skin Contact Immediately wash affected area with plenty of water and scap. Eve Contact: Flush with water for at least 15 minutes then consult physician.			
SECTION VII - Precautions for Safe Ha	andling and Use			
7.1 Steps to be taken in case material is released	for spilled: Absorb spill with inert materials such as vermiculity or dry sand then place in an appropriate container for disposal.			
7.2 Waste disposal methods	: Dispose of in accordance with all applicable Federal, State, and Local regulations.			
7,3 Precautions to be taken in handling and stor	<ul> <li>A void prolonged exposure above 100°F. Store away from exidizing agent such as peroxides.</li> </ul>			
7.4 Other precautions	: Store away from food.			
SECTION VIII - Coutrol Measures				
8.1 Respiratory protection	: Self contained breathing apparatus during high vapor concentrations.			
8.2 Ventilation	<ul> <li>Local exhaust is recommended. Mechanical ventilation using explosion-proof motors is acceptable.</li> </ul>			
8.3 Protective gloves	: Latex or rubber gloves.			
8.4 Eye protection	: Selicty goggics.			
	nt : Eye wash, safety shower. : Observe normal care when working with chemicals.			
8.5 Other protective clothing or equipment				

NFPA HAZARD CLASSIFICATIONS			
Health	_1		
Flammability	3		
Reactivity 0			
Specific Hazard			

NFPA - National Fire Protection Association

N.A. - Not Applicable N.E. - Not Established

534399 (10/96)

1. Product and Company Identification

Product Name	SDS Code Number
Prime & Bond Elect® Universal Dental Adhesive	534801
Trade Name & Synonyms	Date of Last Revision
Prime & Bond Elect® Universal Dental Adhesive	07/31/15
Manufacturer:	Address
DENTSPLY Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Dental Bonding Agent	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

## 2. Hazard(s) Identification



Warning Highly Flammable Liquid and Vapour

Keep away from heat/sparks/open flames / hot surfaces.
No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection. Ground / Bond container and receiving equipment. Use explosion-proof electrical lighting equipment. Use only non-sparking tools.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated

clothing. Rinse skin with water / shower.

In case of fire: Use CO<sub>2</sub> sand or extinguishing powder.



Warning Causes Skin Irritation

Wash hands thoroughly after handling.
Wear protective gloves
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get Medical Advice/attention.
Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Acetone	67-64-1	500 ppm	< 50
Urethane Dimethacrylate Resin	105883-40-7	Not Applicable	< 20
Dipentaerythritol pentaacrylate phosphate	87699-25-0	Not Applicable	< 20
Polymerizeable dimethacrylate resin	1709-71-3 / 868-77-9	Not Applicable	< 20
Polymerizeable trimethacrylate resin	3290-92-4	Not Applicable	< 15

### 4. First Aid Measures

Routes of	First Aid Instructions	Immediate	Delayed Effects				
Exposure		Medical Attention					
Eye	Rinse opened eye for several minutes under running water.	Not Applicable	Not Applicable				
	If symptoms persist consult physician.						
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable				
Inhalation	Supply fresh air	Not Applicable	Not Applicable				
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable				
Other	Not Applicable	Not Applicable	Not Applicable				
Note to Phys	Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.						

# 5. Fire and Explosion Data

Flashpoint Method: 2°C (36°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not	Other: Not		
Pensky-Marten Closed Cup	LEL: 2.5 vol. % UEL: 12. 8 vol. %	Applicable	Applicable		
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not	Flammability Classification: 3			
(for Solids): Not Applicable	Applicable				
Extinguishing Media: CO <sub>2</sub> , sand or extinguishing powder.		Extinguishing Media to Avoid: Do not us	e water or water		
with full jet.					
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.					
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.					

#### 6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust).

Scoop up bulk material and place in a labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

### 7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

## 8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product	Other Engineering Controls: Not Applicabl	e	
Routes of Entry	Personal Protective Equipn	nent (PPE) for Normal Use	PPE for Emergencies	
Eye/Face	Safety 6	Glasses	Not Applicable	
Skin	The glove material has to be imperi	neable and resistant to the product.	Not Applicable	
Inhalation	Not required for normal vol	Not required for normal volumes used in Dental office.		
Body Protection	Protective work clothing Not Applie		Not Applicable	
General Hygiene (	Considerations and Work Practices: Keep away from foodstuff	s, beverages and feed. Immediately remove all soi	led and contaminated clothing.	
Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.				
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective Measures and Equipment: Not Applicable				

# 9. Physical and Chemical Characteristics

Appearance: Light yellow liquid.		Odor: Acetone like with characteristic sweet acrylic ester odor.			
Normal Physical State: Low viscosity liquid		Melting Point: Not Determined Boiling Point: 57°C (135°F)		Boiling Point: 57°C (135°F)	
Specific Gravity: ~0.9 g/cm <sup>3</sup>	Solub	oility in Water: Partially	pH: 2.5		
Vapor Pressure (mm Hg): Not Applicable		Not Applicable	Evaporation Rate (	Butyl Acetate=1): Not Applicable	
Other: Not Applicable					

### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents.		
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, peroxides and irritating gases.		
Hazardous Polymerization: ☐May Occur ☐May Not Occur ☐Conditions to Avoid: High Temperatures, ignition sources.		
Stability? ⊠Stable ☐Unstable Conditions to Avoid: High Temperatures, ignition sources.		

### 11. Toxicological Information

Emergency C	Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.					
Toxicity Data, E	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:					
Product is an irri	Product is an irritant to skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an					
irritating effect.	Sensitization: Repeated or prolonged co	ntact with the unpolyn	nerized material may	cause sensitization for persons allergic to acrylate	es and	
methacrylates. T	his product shows the following dangers	s according to internall	y approved calculation	on methods for composite materials: Irritant.		
Routes of	Signs and Symptoms	Single, Repeated,	Single, Repeated, Severity (Mild, Acute and Chronic Health Effect(s)			
Exposure		or Lifetime	Moderate, Severe)		Target	
Exposure Organ(s)				Organ(s)		
Eye	Material can cause irritation.	ritation. Single Moderate Irritation and possible corneal damage Yes				
Skin	Material may be an irritant and may	Single & Repeated	Moderate	Irritation or possible allergic response.	Yes	
	be absorbed through the skin.			Severe allergic response may result		
	_			in breathing difficulties.		

Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Yes
	may cause central nervous system			those of acute inhalation. Causes respiratory	
	effects characterized by nausea,			tract irritation. May cause motor incoordination	
	headache, dizziness,			and speech abnormalities.	
	unconsciousness and coma.				
Ingestion	May cause irritation of the digestive	Single & Repeated	Mild	Not Applicable	No
	tract.				
Other: Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
nervous system					

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 0 Specific Hazard = None

# 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

#### 13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

14. Transport Information

Regulated for Shipping: Yes   Proper Shipping Name: Acetone Solution	1	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change	Hazard Class: 3	UN Identification Number: 1090
product classification? Yes		
Other: Not Applicable		



#### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: RQ is 5,000 pounds (2268Kg) for CAS# 67-64-1 Acetone. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

Section 313 Toxic Chemicals: This product does not contain any chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water. SARA Codes: CAS # 67-64-1 Acute, chronic, flammable.

Other: Canada WHMIS for the acetone, classification of B2, D2B. Acetone CAS#67-64-1 is on the Canadian Ingredient Disclosure List.

#### 16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.