## **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

077115504

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070982231 70982231

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077115512 077115520

Printing date 02.01.2014

Revision: 02.01.2014

## 1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Quick Up Catalyst
- · Application of the substance / the preparation Luting and repair material for attachments
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- Information in case of emergency: Poison Control Center Main: +49 (0)6131-19240

#### 2 Hazards identification

· Hazard description:

Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 43 May cause sensitisation by skin contact.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Additional information: Use only for intended scope of application

#### 3 Composition/information on ingredients

- · Chemical characterization
- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
CAS: 72869-86-4 EINECS: 276-957-5	Urethanedimethacrylate	R 52/53	25-50%	
CAS: 6606-59-3	HEDMA	Xi, N; R 36/37/38-51/53	5-10%	
	benzoyl peroxyde	Xi, E, O; R 3-7-36-43	≤ 2.5%	

#### 4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

#### 5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 2)

Printing date 02.01,2014 Revision: 02.01.2014

Trade name: Quick Up Catalyst

· Measures for cleaning/collecting: Pick up mechanically.

(Contd. of page 1)

#### 7 Hundling and storage

- · Handling:
- Information for safe handling: For dental use only.
- Information about fire and explosion protection: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: See storage instructions on package

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work

Protection of hands:



Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### 9 Physical and chemical properties · General Information Form: Pasty Colour: Whitish Odour: Characteristic Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. Product is not selfigniting. · Self-igniting: Danger of explosion: Product does not present an explosion hazard. Density: Not determined. (Contd. on page 3)

Printing date 02.01.2014 Revision: 02.01.2014

Trade name: Quick Up Catalyst

(Contd. of page 2)

· Solubility in / Miscibility with

water:

Not miscible or difficult to mix.

#### 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Dangerous reactions No dangerous reactions known.
- Dangerous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

· Sensitisation May cause sensitisation by skin contact.

#### 12 Ecological information

- · Additional ecological information:
- General notes:

Water hazard class I (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

#### 13 Disposal considerations

- Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · Maritime transport IMDG:
- · Marine pollutant: No

#### 15 Regulatory information

Labelling according to EU guidelines:
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 4)

Printing date 02.01.2014

Revision: 02.01.2014

Trade name: Quick Up Catalyst

(Contd. of page 3)

· Code letter and hazard designation of product:



Xi Irritant

- · Hazard-determining components of labelling: benzoyl peroxyde
- · Risk phrases:
- 43 May cause sensitisation by skin contact.
- · Safety phrases:
- 24 Avoid contact with skin.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of water.
- 37 Wear suitable gloves.
- · Special labelling of certain preparations:

Contains benzoyl peroxyde. May produce an allergic reaction.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- · Contact: Tel.: +49 (0)4721-719-0

GB -

Printing date 02.01.2014

Revision: 02.01,2014

#### 1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Quick Up Adhesive
- · Application of the substance / the preparation Luting and repair material for attachments

Adhesive

· Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

- Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- Information in case of emergency: Poison Control Center Mainz +49 (0)6131-19240

#### 2 Hazards identification

· Hazard description:

Xi Irritant

F Highly flammable

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 11 Highly flammable.

R 36 Irritating to eyes.

R 43 May cause sensitisation by skin contact.

R 67 Vapours may cause drowsiness and dizziness.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
CAS: 67-64-1 EINECS: 200-662-2	acetone	Xi, F; R 11-36-66-67	50-100%	
CAS: 868-77-9 EINECS: 212-782-2	2-hydroxyethyl methacrylate	Xi; R 36/38	2.5-5%	

### 4 First aid measures

- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

#### 5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

GR

(Contd. on page 2)

Printing date 02.01.2014 Revision: 02.01.2014

Trade name: Quick Up Adhesive

(Contd. of page 1)

#### 6 Accidental release measures

- · Person-related safety precautions: Wear protective clothing.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

#### 7 Handling and storage

- · Handling:
- · Information for safe handling: For dental use only.
- · Information about fire and explosion protection; Keep ignition sources away Do not smoke.
- Storage:
- · Requirements to be met by storerooms and receptacles: See storage instructions on package
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

#### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### Ingredients with limit values that require monitoring at the workplace:

#### 67-64-I acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

· Protection of hands:



Protective gloves

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

· •

(Contd. on page 3)

Printing date 02.01.2014 Revision: 02.01.2014

Trade name: Quick Up Adhesive

(Contd. of page 2)

General Information		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Change in condition Melting point/Melting range: Boiling point/Boiling range:		
Flash point:	-19°C	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, mixtures are possible.	formation of explosive air/vapou
Density at 20°C:	0.8 g/cm³	
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	

#### 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

· Acute toxicity:

LD/LC50 values rei	evant for classification:
67-64-1 acetone	

Oral LD50 5800 mg/kg (rat)
Dermal LD50 20000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritani

· Sensitisation May cause sensitisation by skin contact.

#### 12 Ecological information

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 4)

Printing date 02.01.2014 Revision: 02.01.2014

Trade name: Quick Up Adhesive

(Contd. of page 3)

### 13 Disposal considerations

- Product:
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

Land transport ADR/RID (cross-border)



· ADR/RID class:

3 Flammable liquids.

· Danger code (Kemler): 33

UN-Number:

1090

· Packaging group:

II

· Hazard label:

Description of goods: 1090 ACETONE, mixture

- · Limited quantities (LQ) LQ4
- · Transport category
- · Tunnel restriction code D/E
- · Maritime transport IMDG:



- · IMDG Class:
- 3
- · UN Number:
- 1090
- · Label
- 3
- Packaging group:
- II
- · EMS Number:
- F-E,S-D
- Marine pollutant:
- No
- Proper shipping name: ACETONE, mixture
- · Air transport ICAO-TI and IATA-DGR:



- · ICAO/IATA Class:
- UN/ID Number:
- 1090
- · Label
- 3
- Packaging group:
- II

Proper shipping name: ACETONE, mixture

## 15 Regulatory information

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 5)

Printing date 02.01.2014 Revision: 02.01.2014

Trade name: Quick Up Adhesive

...

(Contd. of page 4)

#### · Code letter and hazard designation of product:





Xi Irritant F Highly flammable

#### Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

#### Risk phrases:

- 11 Highly flammable.
- 36 Irritating to eyes.
- 43 May cause sensitisation by skin contact.
- 67 Vapours may cause drowsiness and dizziness.

#### · Safety phrases:

- 16 Keep away from sources of ignition No smoking.
- 24 Avoid contact with skin.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of soap and water.
- 37 Wear suitable gloves.
- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

#### Special labelling of certain preparations:

Contains 2-hydroxyethyl methacrylate. May produce an allergic reaction.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- Contact: Tel.: +49 (0)4721-719-0

-GE

Printing date 02.01.2014

Revision: 02.01.2014

### I Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Quick Up base
- · Application of the substance / the preparation Luting and repair material for attachments
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

- Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- Information in case of emergency: Poison Control Center Main: +49 (0)6131-19240

#### 2 Hazards identification

- · Hazard description: Not applicable.
- Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Additional information: Use only for intended scope of application

#### 3 Composition/information on ingredients

- · Chemical characterization
- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compone	ents:		
CAS: 72869-86-4 EINECS: 276-957-5	Urethanedimethacrylate	R 52/53	25-50%
CAS: 6606-59-3	HEDMA	Xi, N; R 36/37/38-51/53	5-10%
	Catalyst	Xn, Xi; R 22-41	≤ 2.5%

### 4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

#### 5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting: Pick up mechanically.

(Contd. on page 2)

Printing date 02.01,2014

Revision: 02.01.2014

Trade name: Quick Up base

(Contd. of page 1)

#### 7 Handling and storage

- Handling:
- · Information for safe handling: For dental use only.
- Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

None

See storage instructions on package

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### 9 Physical and chemical properties General Information Form: Pasty Colour: Red Odour: Characteristic · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Self-igniting: Product is not selfigniting. Product does not present an explosion hazard. Danger of explosion: Not determined. Density: (Contd. on page 3)

Printing date 02.01.2014 Revision: 02.01.2014

Trade name: Quick Up base

(Contd. of page 2)

Solubility in / Miscibility with

water:

Not miscible or difficult to mix.

#### 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

#### 12 Ecological information

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

#### 13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

#### 15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 4)

Printing date 02.01.2014

Revision: 02.01.2014

Trade name: Quick Up base

(Contd. of page 3)

· Safety phrases:

- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of water.
- 36/37 Wear suitable protective clothing and gloves.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- · Contact: Tel.: +49 (0)4721-719-0

GB

Printing date 02.01.2014

Revision: 02.01.2014

## 1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Quick Up LC
- Application of the substance / the preparation Luting and repair material for attachments
- Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- Information in case of emergency: Poison Control Center Main: +49 (0)6131-19240

#### 2 Hazards identification

- · Hazard description: Not applicable.
- Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Additional information: Use only for intended scope of application

### 3 Composition/information on ingredients

- · Chemical characterization
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 72869-86-4 EINECS: 276-957-5	Urethanedimethacrylate	R 52/53	25-50%	
CAS: 6606-59-3	HEDMA	Xi, N; R 36/37/38-51/53	10-25%	

#### 4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

#### 5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- Measures for cleaning/collecting: Pick up mechanically.

#### 7 Handling and storage

- · Handling:
- · Information for safe handling: For dental use only.

(Contd. on page 2)

Printing date 02.01.2014

Revision: 02.01.2014

Trade name: Quick Up LC

Information about fire - and explosion protection: No special measures required.

(Contd. of page 1)

- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: See storage instructions on package

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### 9 Physical and chemical properties · General Information Form: Pasty Colour: Red Odour: Characteristic · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Self-igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Density: Not determined. Solubility in / Miscibility with Not miscible or difficult to mix. water:

#### 10 Stability and reactivity

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous reactions No dangerous reactions known.

(Contd. on page 3)

Printing date 02.01.2014

Revision: 02.01.2014

Trade name: Quick Up LC

· Dangerous decomposition products: No dangerous decomposition products known.

(Contd. of page 2)

#### 11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

#### 12 Ecological information

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

#### 13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · Land transport ADR/RID (cross-border)
- ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

#### 15 Regulatory information

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Majerials.

· Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of water.

37 Wear suitable gloves.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- · Contact: Tel.: +49 (0)4721-719-0

GB

Printing date 10/26/2016 Reviewed on 10/26/2016

### 1 Identification

- · Product identifier
- · Trade name: Quick up Adhesive
- · Application of the substance / the mixture Adhesive
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

#### 2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from open flames. - No smoking.

Avoid breathing vapours.

Wear protective gloves / eye protection.

Wear protective clothing.

Do not get in eyes, on skin, or on clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 2)

-US

Printing date 10/26/2016 Reviewed on 10/26/2016

Trade name: Quick up Adhesive

· vPvB: Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangero	us components:	
67-64-1	acetone	50-100%
	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	
868-77-9	2-hydroxyethyl methacrylate	2.5-5%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.

(Contd. on page 3)

Printing date 10/26/2016 Reviewed on 10/26/2016

Trade name: Quick up Adhesive

(Contd. of page 2)

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: See storage instructions on package
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  *Specific end use*(s) *No further relevant information available.* 

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 67-64-1 acetone (50-100%)

PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

#### · Ingredients with biological limit values:

#### 67-64-1 acetone (50-100%)

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

110

(Contd. on page 4)

Printing date 10/26/2016 Reviewed on 10/26/2016

Trade name: Quick up Adhesive

(Contd. of page 3)

9 Physical	and	ch	emical	properties
> I Try brown	002000	· ·		properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

· pH-value:

Form: Fluid
Color: Colorless
Odor: Characteristic

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point:

-19 °C (-2 °F)

Not determined.

· Auto igniting:

Product is not selfigniting.

· Danger of explosion:

Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Density at 20 °C (68 °F):

 $0.8 \ g/cm^3 (6.676 \ lbs/gal)$ 

· Solubility in / Miscibility with

Water:

Not miscible or difficult to mix.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• *Other information* No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### 67-64-1 acetone

 Oral
 LD50
 5800 mg/kg (rat)

 Dermal
 LD50
 20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 5)

Printing date 10/26/2016 Reviewed on 10/26/2016

Trade name: Quick up Adhesive

(Contd. of page 4)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN1090

 $\cdot$  UN proper shipping name

DOT Acetone mixture
 ADR 1090 Acetone mixture
 IMDG, IATA ACETONE mixture

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

(Contd. on page 6)

US

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/26/2016 Reviewed on 10/26/2016

Trade name: Quick up Adhesive

		(Contd. of page
· Label	3	
· ADR, IMDG, IATA		
· Class	3 Flammable liquids	
· Label	3	
· Packing group		
· DOT, ADR, IMDG, IATA	II	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	33	
· EMS Number:	F- $E$ , $S$ - $D$	
· Stowage Category	E	
· Transport in bulk according to Annex	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	UN 1090 ACETONE MIXTURE, 3, II	

· Safety, health and environmental regulation · Sara	ns/legislation specific for the substance or mixture
· Section 355 (extremely hazardous substance	es):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings	):
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive tox	icity for females:
None of the ingredients are listed	
· Chemicals known to cause reproductive tox	icity for males:
None of the ingredients are listed	
· Chemicals known to cause developmental to	xicity:
None of the ingredients are listed	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
67-64-1 acetone	
· TLV (Threshold Limit Value established by	ACGIH)
67-64-1 acetone	
· NIOSH-Ca (National Institute for Occupati	onal Safety and Health)

Printing date 10/26/2016 Reviewed on 10/26/2016

Trade name: Quick up Adhesive

(Contd. of page 6)

- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from open flames. - No smoking.

Avoid breathing vapours.

Wear protective gloves / eye protection.

Wear protective clothing.

Do not get in eyes, on skin, or on clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

*IF ON SKIN: Wash with plenty of water.* 

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Date of preparation / last revision 10/26/2016 / 14
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* \* Data compared to the previous version altered.