

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

077109275

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

077109267

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

077109259 077109283

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

## 1 Identification

- **Product identifier**
- **Trade name:** Futurabond DC Liquid 2
- **Application of the substance / the mixture** Bonding
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency telephone number:** Scientific department tel. +49 (0)4721-719-0

## 2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.  
Under FDA regulations this product is classified as a medical device.  
Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification of the substance or mixture**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- **Label elements**
- **Hazard pictograms** GHS02
- **Signal word** Danger
- **Hazard statements**  
Highly flammable liquid and vapor.
- **Precautionary statements**  
Wear protective gloves / protective clothing.  
If skin irritation occurs: Get medical advice/attention.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards** Use only for intended scope of application
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

64-17-5	ethanol	Flam. Liq. 2, H225	50-100%
	Initiator	Acute Tox. 3, H301	2.5-5%

## 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Seek medical treatment in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

**Trade name: Futurabond DC Liquid 2**

(Contd. of page 1)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** For dental use only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
See storage instructions on package
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

### 64-17-5 ethanol (50-100%)

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: **Futurabond DC Liquid 2**

(Contd. of page 2)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Characteristic
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
- **Flash point:** 21 °C (70 °F)
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Density at 20 °C (68 °F):** 0.87 g/cm<sup>3</sup> (7.26 lbs/gal)
- **Solubility in / Miscibility with Water:** Fully miscible.
- **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: **Futurabond DC Liquid 2**

(Contd. of page 3)

· **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **Primary irritant effect:**· **on the skin:**

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

· **on the eye:** No irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only.

This product is not an alcoholic beverage.

64-17-5 ethanol

1

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, ADR, IMDG, IATA**

UN1170

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: **Futurabond DC Liquid 2**

(Contd. of page 4)

· <b>UN proper shipping name</b>	
· <b>DOT</b>	Ethanol mixture
· <b>ADR</b>	1170 Ethanol mixture
· <b>IMDG</b>	ETHANOL (ETHYL ALCOHOL) mixture
· <b>IATA</b>	ETHANOL mixture

· **Transport hazard class(es)**· **DOT**

· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3

· **ADR, IMDG, IATA**

· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3

· **Packing group**

· <b>DOT, ADR, IMDG, IATA</b>	II
-------------------------------	----

· **Environmental hazards:**

· <b>Marine pollutant:</b>	No
----------------------------	----

· <b>Special precautions for user</b>	Warning: Flammable liquids
---------------------------------------	----------------------------

· <b>Danger code (Kemler):</b>	33
--------------------------------	----

· <b>EMS Number:</b>	F-E,S-D
----------------------	---------

· <b>Stowage Category</b>	A
---------------------------	---

· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
--	-----------------

· <b>UN "Model Regulation":</b>	UN 1170 ETHANOL MIXTURE, 3, II
---------------------------------	--------------------------------

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 · **Sara**

· <b>Section 355 (extremely hazardous substances):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Section 313 (Specific toxic chemical listings):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>TSCA (Toxic Substances Control Act):</b>
---

All ingredients are listed.
-----------------------------

· <b>Proposition 65</b>
-------------------------

· <b>Chemicals known to cause cancer:</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients are listed
------------------------------------

· <b>Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients are listed
------------------------------------

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/03/2016

Reviewed on 11/03/2016

**Trade name: Futurabond DC Liquid 2**

(Contd. of page 5)

**· Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

**· Cancerogenity categories**
**· EPA (Environmental Protection Agency)**

Initiator

I (oral)

**· TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms GHS02**
**· Signal word Danger**
**· Hazard statements**

Highly flammable liquid and vapor.

**· Precautionary statements**

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

**· Department issuing SDS: Scientific department**
**· Contact: Tel.: +49 (0)4721-719-0**
**· Date of preparation / last revision 11/03/2016 / 5**
**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

**· \* Data compared to the previous version altered.**

US