

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

074568002

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

070457028 074492591 074492633 074492641 074492674 074492716 074492724 074568010 074568028

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

**1 Identification**

· **Product identifier**

· Trade name: **Flexitime Light/ Medium Flow (base + cat)**

· **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Dental impression material

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Heraeus Kulzer GmbH  
Grüner Weg 11, D-63450 Hanau

Tel.: 0800 4372522

· **Information department:**

Marc Henn  
Tel. +1 (574) 2995444 / Fax: +1 (574) 2912542  
e-mail: marc.henn@kulzer-dental.com

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)  
GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

**2 Hazard(s) identification**

· **Classification of the substance or mixture**

The product is not classified according to the Globally Harmonized System (GHS).

· **Label elements**

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



· **HMIS-Ratings (Scale 0-4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**3 Composition/information on ingredients**

· **Chemical characterization: Mixtures**

· **Description:**

2-component silicone impression material comprising base paste and matching catalyst paste for addition curing

· **Dangerous components:**

27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide	< 2.5%
------------	---	--------

USA

(Contd. on page 2)

**Safety Data Sheet**  
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.12.2015

**Arkocrete Part A**

**SECTION 1: Identification of the substance/mixture and of the supplier**

**Product name:** Arkocrete Part A  
**Manufacturer/Supplier Trade name:**  
**Manufacturer/Supplier Article number:** Arkocrete Part A  
**Recommended uses of the product and restrictions on use:** 1:1 vol mix with Arkocrete Part B  
**Manufacturer Details:**

Tufco International L.L.C.  
 20811 Arkotex Rd.  
 Silcam Springs AR 72761  
 1-800-364-0836

**Emergency telephone number:**

**Chemtrek**  
 800-824-9300

**SECTION 2: Hazards identification**

**Classification of the substance or mixture:**

**Irritant**  
 Eye irritation, category 2B

Eye Irrit. 2; H319: Causes serious eye irritation.

**Signal word:** Warning**Hazard statements:**

Causes serious eye irritation.

**Precautionary statements:**

If medical advice is needed, have product container or label at hand.  
 Use personal protective equipment as required.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.  
 Continue rinsing.  
 Store in a well ventilated place. Keep container tightly closed.  
 Dispose of contents and container as instructed in Section 13.

**Other Non-GHS Classification:** None

**SECTION 3: Composition/information on ingredients**

**Ingredients:**

Ingredients:		
CAS 8001-79-4	#1 Castor Oil	45-75 %
CAS N/A	Proprietary Polyol ✓	10-30 %
		Percentages are by weight

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 05/12/2015

Reviewed on 05/12/2015

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 1)

**4 First-aid measures**

- **Description of first aid measures**
  - **General information** No special measures required.
  - **After skin contact** Generally the product does not irritate the skin.
  - **After eye contact** Rinse opened eye for several minutes under running water.
  - **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Seek immediate medical advice.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
  - **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:** No special measures required.
  - **Additional information** -

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).
- **Reference to other sections**  
See Section 13 for disposal information.  
See Section 8 for information on personal protection equipment.

**7 Handling and storage**

- **Precautions for safe handling**  
Please observe the additional instructions in the product's instructions for use.
  - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and receptacles:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**


- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

USA

**SECTION 15** (Classification according to communitarian directives 67/548/EEC & 99/45/EC)**Regulatory information**Risk phrases

36 Irritating to eyes.

Safety phrases

2 Keep out of the reach of children.  
 7 Keep container tightly closed  
 25 Avoid contact with eyes  
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**SECTION 16****Other information**16.1 Risk phrases of all ingredients

11 Highly flammable.  
 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
 35 Causes severe burns.  
 36/37/38 Irritating to eyes, respiratory system and skin.  
 67 Vapours may cause drowsiness and dizziness.

16.2 Sources of key data used to compile the Safety Data Sheet:

European Chemicals Bureau (ECB – [www.ecb.jrc.it](http://www.ecb.jrc.it))  
 European chemical Substances Information System (ESIS - [www.ecb.jrc.it/esis](http://www.ecb.jrc.it/esis))  
 A.C.G.I.H. ([www.acgih.org](http://www.acgih.org))  
 N.I.O.S.H. ([www.cdc.gov/niosh/](http://www.cdc.gov/niosh/))  
 O.S.H.A. ([www.osha.gov/](http://www.osha.gov/))  
 U.E. ([www.europa.eu/index\\_it.htm](http://www.europa.eu/index_it.htm))  
 I.A.R.C. ([www.iarc.fr/](http://www.iarc.fr/))  
 N.T.P. ([www.ntp.niehs.nih.gov](http://www.ntp.niehs.nih.gov))

Evidence of methyl Salicylate teratogenicity in animals:

- Dangerous Properties of Industrial Materials, Ed. Sax & Lewis, 7<sup>th</sup> Ed.
- Dushyant Gulati et al., Environmental Health Perspectives Supplements Volume 105, Number S1, February 1997.
- George P. Daston et al., Functional Teratogens of the Rat Kidney, Toxicological Sciences, Volume 11, Number 1 - Pp. 381-400, 1988.

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 2)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:** Not required.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

PVC or PE gloves

· **Eye protection:** Not absolutely necessary.

· **Body protection:** Light weight protective clothing

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Pasty  
· **Color:** Light grey  
Light green

· **Odor:** Odorless

· **Change in condition**

· **Melting point/Melting range:** undetermined

· **Boiling point/Boiling range:** undetermined

· **Flash point:** Not applicable

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density at 20 °C (68 °F):** 1.2 -1.4 g/cm<sup>3</sup> (10.014 -11.68 lbs/gal)

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Other information** No further relevant information available.

**10 Stability and reactivity**

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** none

· **Additional information:** -

**11 Toxicological information**

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

(Contd. on page 4)

USA

European Community Directives:

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of personal protective equipment at the workplace (third individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at work.

Document modification history: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

**CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 3)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
  - **General notes:** Avoid transfer into the environment.
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
  - **Recommendation**  
Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |                                     |      |
|-------------------------------------|------|
| · <b>UN-Number</b>                  |      |
| · DOT, ADR, ADN, IMDG, IATA         | Void |
| · <b>UN proper shipping name</b>    |      |
| · DOT, ADR, ADN, IMDG, IATA         | Void |
| · <b>Transport hazard class(es)</b> |      |
| · DOT, ADR, ADN, IMDG, IATA         |      |
| · Class                             | Void |
| · <b>Packing group</b>              |      |
| · DOT, ADR, IMDG, IATA              | Void |

(Contd. on page 5)

USA



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 453/2010  
Dental Use

**Date Issued :** 02/14/2013  
**SDS No :** 254-001.4  
**Date Revised :** 05/18/2015  
**Revision No :** 3

**Patterson Knitted Displacement Cord with Epinephrine**

---

**General statements**

), VESSEL (IMO/IMDG) ( SPECIAL PROVISIONS ), ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS SECTION 14: Transport information. **Section 15:** RoHS, SECTION 15: Regulatory information. **Section 16:** GENERAL STATEMENTS.

: N/A= Not Applicable

**Manufacturer disclaimer**

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 4)

- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:** -
- **UN "Model Regulation":** -

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA Section 355 (extremely hazardous substances)**  
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act)** None of the ingredients is listed.
- **Carcinogenicity categories**
- **TLV (Threshold Limit Value established by ACGIH)**  
None of the ingredients is listed.
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 05/12/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

· **\* Data compared to the previous version altered.**

USA

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.11.2012

Version number 4

Revision: 08.11.2012

<b>Trade name: <i>IPS e.max CAD</i></b>
---

(Contd. of page 2)

- *Specific end use(s)* No further relevant information available.

### 8 Exposure controls/personal protection

- *Additional information about design of technical facilities:* No further data; see item 7.
- *Control parameters*
- *Ingredients with limit values that require monitoring at the workplace:* Not required.
- *Additional information:* The lists valid during the making were used as basis.
- *Exposure controls*
- *Personal protective equipment:*
- *General protective and hygienic measures:* Usual hygienic measures for dental practice.
- *Respiratory protection:* Use respiratory protective device against the effects of dust.
- *Protection of hands:* Not required.
- *Material of gloves -*
- *Penetration time of glove material -*
- *Eye protection:*  
Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

### 9 Physical and chemical properties

- *Information on basic physical and chemical properties*
- *General Information*
- *Appearance:*

· <i>Form:</i>	Solid
· <i>Colour:</i>	According to product specification
· <i>Odour:</i>	Odourless
· <i>Odour threshold:</i>	Not determined.
· <i>pH-value:</i>	Not applicable.
- *Change in condition*

· <i>Melting point/Melting range:</i>	Undetermined.
· <i>Boiling point/Boiling range:</i>	Undetermined.
- *Flash point:* Not applicable.
- *Flammability (solid, gaseous):* Product is not flammable.
- *Self-igniting:* Not determined.
- *Danger of explosion:* Product does not present an explosion hazard.
- *Explosion limits:*

· <i>Lower:</i>	Not determined.
· <i>Upper:</i>	Not determined.
- *Vapour pressure:* Not applicable.
- *Density:* Not determined.
- *Relative density* Not determined.
- *Vapour density* Not applicable.
- *Evaporation rate* Not applicable.
- *Solubility in / Miscibility with water:* Insoluble.

(Contd. on page 4)

GB



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

## 1 Identification

· **Product identifier**

· **Trade name:** **Flexitime Light/ Medium Flow (base + cat)**

· **Application of the substance / the mixture** Dental impression material

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: [customer.servicehkna@kulzer-dental.com](mailto:customer.servicehkna@kulzer-dental.com)

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

## 2 Hazard(s) identification

· **Classification of the substance or mixture**

The product is not classified according to the Globally Harmonized System (GHS).

· **Label elements**

· **GHS label elements** Void


· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



Health = 0

Fire = 0

Reactivity = 0

· **HMIS-Ratings (Scale 0-4)**

HEALTH 0

Health = 0

FIRE 0

Fire = 0

REACTIVITY 0

Reactivity = 0

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:**

2-component silicone impression material comprising base paste and matching catalyst paste for addition curing

(Contd. on page 2)

USA



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 1)

**· Dangerous components:**

27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide Acute Tox. 4, H332; Eye Irrit. 2A, H319	0-5%
------------	--	------

**4 First-aid measures**

- **Description of first aid measures**
  - **General information** No special measures required.
  - **After skin contact** Generally the product does not irritate the skin.
  - **After eye contact** Rinse opened eye for several minutes under running water.
  - **After swallowing**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.  
Seek immediate medical advice.
- **Information for doctor**
  - **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
  - **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:** No special measures required.
- **Additional information** -

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).
- **Reference to other sections**  
See Section 13 for disposal information.  
See Section 8 for information on personal protection equipment.
- 

**7 Handling and storage**

- **Handling**
  - **Precautions for safe handling**  
Please observe the additional instructions in the product's instructions for use.

(Contd. on page 3)

USA



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 2)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and receptacles:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

    - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
  - **Personal protective equipment**
    - **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.
    - **Breathing equipment:** Not required.
    - **Protection of hands:**

Check protective gloves prior to each use for their proper condition.  
recommended

      - **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
      - **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
      - **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR  
Nitrile rubber, NBR
    - **Eye protection:** Not absolutely necessary.
    - **Body protection:** Light weight protective clothing

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
  - **General Information**
    - **Appearance:**
      - **Form:** Pasty
      - **Color:** Light grey  
Light green

(Contd. on page 4)

USA



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 3)

· <b>Odor:</b>	Odorless
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	undetermined
· <b>Boiling point/Boiling range:</b>	undetermined
· <b>Flash point:</b>	Not applicable
· <b>Flammability (solid, gaseous)</b>	Not applicable.
· <b>Ignition temperature:</b>	
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	1.2 -1.4 g/cm <sup>3</sup> (10.014 -11.68 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Not miscible or difficult to mix
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not determined.
· <b>kinematic:</b>	Not determined.
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** none
- **Additional information:** -

USA

(Contd. on page 5)





**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 4)

**11 Toxicological information**

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**Polydimethylsiloxan**

Oral	LD50	> 5000 mg/kg (rat)
------	------	--------------------

**Polydimethylsiloxan**

Oral	LD50	> 5000 mg/kg (rat)
------	------	--------------------

Sensitization	Sensib.	nicht sensibil. (guinea pig) (OECD 406; nach Magnusson-Kligman)
---------------	---------	---

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Avoid transfer into the environment.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

USA

(Contd. on page 6)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 5)

**13 Disposal considerations**

- **Waste treatment methods**
  - **Recommendation**  
Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b>	
· DOT, ADR, ADN, IMDG, IATA	Void
· <b>UN proper shipping name</b>	
· DOT, ADR, ADN, IMDG, IATA	Void
· <b>Transport hazard class(es)</b>	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· <b>Packing group</b>	
· DOT, ADR, IMDG, IATA	Void
· <b>Environmental hazards:</b>	
· Marine pollutant:	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	-
· <b>UN "Model Regulation":</b>	Void

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **SARA Section 355 (extremely hazardous substances)**  
None of the ingredients is listed.
  - **TSCA (Toxic Substances Control Act)** None of the ingredients is listed.
  - **Carcinogenicity categories**
    - **TLV (Threshold Limit Value established by ACGIH)**  
None of the ingredients is listed.
  - **GHS label elements** Void
  - **Hazard pictograms** Void

(Contd. on page 7)

USA



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 06/03/2017

Reviewed on 06/03/2017

**Trade name: Flexitime Light/ Medium Flow (base + cat)**

(Contd. of page 6)

- **Signal word** Void
- **Hazard statements** Void
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H319 Causes serious eye irritation.
  - H332 Harmful if inhaled.
- **Date of preparation / last revision** 06/03/2017 / 2
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMS: Hazardous Materials Identification System (USA)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - Acute Tox. 4: Acute toxicity – Category 4
  - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- **\* Data compared to the previous version altered.**

USA