

SAFETY DATA SHEETS

This SDS packet was issued with item:

070897306

N/A

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 1 of 10

Patterson Alginate Tray Adhesive

SECTION 1: Identification

Product identifier

Product name: Patterson Alginate Tray Adhesive

Product code: 070897306

Recommended use of the product and restriction on use

Relevant identified uses: Dentistry

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Supplier

Patterson Dentaire Canada Inc.
1205 boul Henri-Bourassa West
Montreal (Québec) H3M 3E6
+1 514-745-4040

Emergency telephone number:

Canada

CHEMTREC

Within USA and Canada: 1-800-424-9300 (CHEMTREC, 24 hours)

Outside USA and Canada: +1-703-527-3887 (CHEMTREC, 24 hours)

SECTION 2: Hazard identification

GHS classification:

Flammable gases, category 1

Liquified gases

Skin irritation, category 2

Eye irritation, category 2A

Reproductive toxicity, category 2

Specific target organ toxicity - single exposure, category 3, central nervous system

Acute aquatic hazard, category 3

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 2 of 10

Patterson Alginate Tray Adhesive

H280 Contains gas under pressure; may explode if heated
H220 Extremely flammable gas
H315 Causes skin irritation
H319 Causes serious eye irritation
H361 Suspected of damaging fertility or the unborn child
H336 May cause drowsiness or dizziness
H402 Harmful to aquatic life

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
P264 Wash skin thoroughly after handling
P280 Wear protective gloves/protective clothing/eye protection/face protection
P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P271 Use only outdoors or in a well-ventilated area
P273 Avoid release to the environment
P377 Leaking gas fire. Do not extinguish unless leak can be stopped safely
P381 Eliminate all ignition sources if safe to do so
P321 Specific treatment (see supplemental first aid instructions on this label).
P362 Take off contaminated clothing and wash before reuse
P302+P352 If on skin: Wash with soap and water
P332+P313 If skin irritation occurs: Get medical advice/attention
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
P308+P313 If exposed or concerned: Get medical advice/attention
P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell
P410+P403 Protect from sunlight. Store in a well ventilated place
P405 Store locked up
P403+P233 Store in a well ventilated place. Keep container tightly closed
P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 67-63-0	2-Proanol	20-30
CAS number: 68476-85-7	Liquefied Petroleum Gas	15-25
CAS number: 108-88-3	Toluene	5-10

Additional Information: None

SECTION 4: First-aid measures

Description of first-aid measures

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 3 of 10

Patterson Alginate Tray Adhesive

General notes:

Not determined or not available.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Contents under pressure

In a fire or if heated, a pressure increase will occur and the container may burst or explode

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 4 of 10

Patterson Alginate Tray Adhesive

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Do not puncture, crush, or incinerate containers, even when empty.

Protect cylinders from physical damage.

Conditions for safe storage, including any incompatibilities:

Protect from freezing and physical damage.

Protect from direct sunlight.

Store in a cool, well-ventilated area.

Store cylinders upright.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	2-Proanol	67-63-0	Alberta TWA 8-hr: 492 mg/m ³ (200 ppm); STEL 15-min: 984 mg/m ³ (400 ppm)

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 5 of 10

Patterson Alginate Tray Adhesive

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	2-Proanol	67-63-0	British Columbia TWA 8-hr: 200 ppm; STEL 15-min 400 ppm
	2-Proanol	67-63-0	Manitoba TLV-TWA 8-hr: 200 ppm; STEL 15-min 400 ppm
	2-Proanol	67-63-0	Ontario TWA 8-hr: 200 ppm; STEL 15-min: 400 ppm
	2-Proanol	67-63-0	Quebec TWA 8-hr: 983 mg/m ³ (400 ppm); STEL 15-min: 1,230 mg/m ³ (500 ppm)
	2-Proanol	67-63-0	Saskatchewan TWA 8-hr: 200 ppm; STEL 15-min: 400 ppm
	Toluene	108-88-3	Alberta OELs - 8-Hour TWA Exposure Limit: 50 ppm (188 mg/m ³)
	Toluene	108-88-3	British Columbia OELs - 8-Hour TWA Exposure Value: 20 ppm
	Toluene	108-88-3	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 20 ppm
	Toluene	108-88-3	Ontario OELs - 8-Hour TWA Exposure Value: 20 ppm
	Toluene	108-88-3	Quebec OELs - 8-Hour TWA Exposure Value: 50 ppm (188 mg/m ³)
	Toluene	108-88-3	Saskatchewan OELs - 8 Hour Average Contamination Limit: 50 ppm
	Toluene	108-88-3	Saskatchewan OELs - 15 Minute Average Contamination Limit: 60 ppm

Biological limit values:

Substance	Identifier	Determinant	Sampling time	Permissible limits
2-Proanol	67-63-0	Acetone	End of shift at end of workweek.	40 mg/L

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 6 of 10

Patterson Alginate Tray Adhesive

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Clear, amber liquid
Odor:	Characteristic
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	-48°F (-42.1°C)
Flash point:	-115°F (-104°C)
Evaporation rate:	> 1.0
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	9.5
Explosion limit lower:	2.1
Vapor pressure:	6,300 mmHg at 68°F (20°C)
Vapor density:	Not determined or not available.
Density:	2.01
Relative density:	0.84 g/cm ³
Solubilities:	Slight soluble.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	842°F (450°C)
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 7 of 10

Patterson Alginate Tray Adhesive

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Causes skin irritation

Product data:

No data available.

Substance data:

Name	Result
Toluene	Irritating to the skin.

Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data:

No data available.

Substance data:

Name	Result
2-Proanol	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
2-Proanol	Group 3 - Not classifiable as to its carcinogenicity to humans
Toluene	Group 3 - Not classifiable as to its carcinogenicity to humans

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 8 of 10

Patterson Alginate Tray Adhesive

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Suspected of damaging fertility or the unborn child

Product data:

No data available.

Substance data:

Name	Result
Toluene	Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure)

Assessment: May cause drowsiness or dizziness

Product data:

No data available.

Substance data:

Name	Result
2-Proanol	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness.
Toluene	Component affects the central nervous system.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Harmful to aquatic life

Product data: No data available.

Substance data: No data available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 9 of 10

Patterson Alginate Tray Adhesive

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.


SECTION 13: Disposal considerations

Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	UN1950
UN proper shipping name	Aerosols, Flammable
UN transport hazard class(es)	2.1 
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	UN1950
UN proper shipping name	Aerosols, Flammable
UN transport hazard class(es)	2.1 
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN1950
------------------	--------


Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.21.2017

Page 10 of 10

Patterson Alginate Tray Adhesive

UN proper shipping name	Aerosols, Flammable
UN transport hazard class(es)	2.1 
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL): This product is an FDA regulated device and not subject to chemical notification requirements.

Non-domestic substances list (NDSL): Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-4-0

HMIS: 2-4-0

Initial preparation date: 11.21.2017

End of Safety Data Sheet