# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

070893982

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070893974 070893990



According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 1 of 9

# **Patterson PIT AND FISSURE SEALANT**

# **SECTION 1: Identification**

#### **Product identifier**

**Product name:** Patterson PIT AND FISSURE SEALANT **Product code:** 070893974, 070893982, 070893990

### Recommended use of the product and restriction on use

Relevant identified uses: Dental material for use by dental professional

only

**Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

### Manufacturer or supplier details

### Manufacturer:

#### Supplier

Patterson Dentaire Canada Inc. 1205 boul Henri-Bourassa West Montreal (Québec) H3M 3E6 +1 514-745-4040

### **Emergency telephone number:**

## Canada

### **CHEMTREC**

Within USA and Canada: 1-800-424-9300 (CHEMTREC, 24 hours)
Outside USA and Canada: +1-703-527-3887 (CHEMTREC, 24 hours)

# **SECTION 2: Hazard identification**

# GHS classification:

Eye irritation, category 2A
Skin irritation, category 2
Skin sensitization, category 1
Specific target organ toxicity - single exposure, category 3, respiratory irritation

### Label elements

### **Hazard pictograms:**



Signal word: Warning

# **Hazard statements:**

H319 Causes serious eye irritation H315 Causes skin irritation

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 2 of 9

### **Patterson PIT AND FISSURE SEALANT**

H317 May cause an allergic skin reaction

H335 May cause respiratory irritation

### **Precautionary statements:**

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P271 Use only outdoors or in a well-ventilated area

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

# Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: N/A	Uncured methacrylate ester monomers	55-60
CAS number: 112945-52-5	Silica, amorphous, fumed, crystfree	<5

Additional Information: None

# **SECTION 4: First-aid measures**

### **Description of first-aid measures**

#### General notes:

Not determined or not available.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Take precautions to ensure your own safety

Remove source of exposure or move person to fresh air

Get medical advice if you feel unwell or concerned

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 3 of 9

### **Patterson PIT AND FISSURE SEALANT**

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

### After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Not determined or not available.

#### **Delayed symptoms and effects:**

Not determined or not available.

# Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not available.

#### Notes for the doctor:

Not determined or not available.

### **SECTION 5: Fire-fighting measures**

#### **Extinguishing media**

### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

### **Unsuitable extinguishing media:**

Not determined or not applicable.

# Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

## Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

# **Special precautions:**

Not determined or not applicable.

## **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

#### **Environmental precautions:**

Should not be released into the environment

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 4 of 9

### **Patterson PIT AND FISSURE SEALANT**

Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

### SECTION 7: Handling and storage

### **Precautions for safe handling:**

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

# Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### **Personal protection equipment**

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 5 of 9

### **Patterson PIT AND FISSURE SEALANT**

#### **General hygienic measures:**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance (physical state, color):	off-white paste
Odor:	faint characteristic
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	Not determined or not available.
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	<1 mm Hg/ 133 Pa/ Id:B
Vapor density:	>1
Density:	Not determined or not available.
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

#### Other information

# SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

# **Chemical stability:**

Stable under normal conditions of use and storage.

# Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

None known.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 6 of 9

### **Patterson PIT AND FISSURE SEALANT**

# Incompatible materials:

None known.

# Hazardous decomposition products:

None known.

# **SECTION 11: Toxicological information**

#### **Acute toxicity**

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

#### Skin corrosion/irritation

**Assessment:** Causes skin irritation

Product data:
No data available.
Substance data:

Name	Result
Silica, amorphous, fumed,	Irritating to the skin.
crystfree	

### Serious eye damage/irritation

**Assessment:** Causes serious eye irritation

Product data: No data available.

# Substance data:

Name	Result
Silica, amorphous, fumed, crystfree	Irritating effect on the eyes.

# Respiratory or skin sensitization

**Assessment:** May cause an allergic skin reaction

**Product data:**No data available.

Substance data: No data available.

#### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

# International Agency for Research on Cancer (IARC):

Name	Classification
Silica, amorphous, fumed, crystfree	Group 3 - Not classifiable as to its carcinogenicity to humans

National Toxicology Program (NTP): None of the ingredients are listed.

# Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** 

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 7 of 9

### **Patterson PIT AND FISSURE SEALANT**

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: May cause respiratory irritation

Product data: No data available. Substance data:

Name	Result
Silica, amorphous, fumed, crystfree	Component affects the respiratory system.

# Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

**Aspiration toxicity** 

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

#### Information on likely routes of exposure:

No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

#### Other information:

No data available.

# **SECTION 12: Ecological information**

#### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

### Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

### **Bioaccumulative potential**

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 8 of 9

# **Patterson PIT AND FISSURE SEALANT**

**Product data:** No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.
Substance data: No data available.
Other adverse effects: No data available.

#### **SECTION 13: Disposal considerations**

# **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

# **SECTION 14: Transport information**

# **Canadian Transportation of Dangerous Goods (TDG)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### **SECTION 15: Regulatory information**

## **Canada regulations**

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.28.2017 Page 9 of 9

### **Patterson PIT AND FISSURE SEALANT**

#### **Domestic substances list (DSL):**

112945-52-5	Silica, amorphous, fumed, crystfree	Listed
-------------	-------------------------------------	--------

Non-domestic substances list (NDSL): Not determined.

# **SECTION 16: Other information**

# Abbreviations and Acronyms: None

#### Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 1-0-1 **HMIS:** 1-0-1-0

Initial preparation date: 11.28.2017

**End of Safety Data Sheet**