

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

071387745

N/A

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Primeprint Model

UFI: AYPY-60YS-400H-E40K; CSKY-G0F2-T006-XGF6; DCPY-P050-0001-SQX4

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Ligth-curing resin for the generative fabrication of dental models.

### 1.3. Details of the supplier of the safety data sheet

|                         |                     |                           |
|-------------------------|---------------------|---------------------------|
| Company name:           | DETAX GmbH & Co. KG |                           |
| Street:                 | Carl-Zeiss-Strasse  |                           |
| Place:                  | D-76275 Ettlingen   |                           |
| Telephone:              | +49 7243/510-0      | Telefax: +49 7243/510-100 |
| e-mail:                 | post@detax.de       |                           |
| Internet:               | www.detax.de        |                           |
| Responsible Department: | Emergency number:   |                           |

+49 7243/510-0

This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

### 1.4. Emergency telephone number:

+49 7243/510-0

This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 - 4.00 p.m.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Reproductive toxicity: Repr. 1B

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage the unborn child.

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

aliphatic urethane acrylate


tripropyleneglycol diacrylate

tetrahydrofurfuryl methacrylate THFMA purified grade

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

**Signal word:** Danger

**Pictograms:**


according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 2 of 10

#### Hazard statements

|       |  |
|-------|--|
| H317  | May cause an allergic skin reaction.               |
| H319  | Causes serious eye irritation.                     |
| H360D | May damage the unborn child.                       |
| H412  | Harmful to aquatic life with long lasting effects. |

#### Precautionary statements

|           |   |
|-----------|---|
| P201      | Obtain special instructions before use.   |
| P261      | Avoid breathing dust/fume/gas/mist/vapours/spray.   |
| P280      | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water.  |
| P308+P313 | IF exposed or concerned: Get medical advice/attention.  |
| P362+P364 | Take off contaminated clothing and wash it before reuse.                                      |
| P501      | Dispose of contents/ container in accordance with local and national regulations.             |

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

##### Hazardous components

| CAS No      | Chemical name   |              |                  | Quantity  |
|-------------|---|--------------|------------------|-----------|
|             | EC No   | Index No     | REACH No         |           |
|             | GHS Classification  |              |                  |           |
|             | acrylated resin   |              |                  | 10 - 40 % |
|             | Eye Irrit. 2; H319  |              |                  |           |
|             | aliphatic urethane acrylate   |              |                  | 1 - 15 %  |
|             | 906-949-5   |              | 01-2120266262-60 |           |
|             | Skin Sens. 1B, Aquatic Chronic 2; H317 H411   |              |                  |           |
| 42978-66-5  | tripropylenglycol diacrylate  |              |                  | 1 - 10 %  |
|             | 256-032-2   |              | 01-2119484613-34 |           |
|             | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Chronic 2; H315 H319 H317 H335 H411 |              |                  |           |
| 2455-24-5   | tetrahydrofurfuryl methacrylate THFMA purified grade  |              |                  | 1 - 15 %  |
|             | 219-529-5   |              |                  |           |
|             | Repr. 1B, Skin Sens. 1, Aquatic Chronic 3; H360D H317 H412  |              |                  |           |
| 75980-60-8  | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide   |              |                  | 0,1 - 5 % |
|             | 278-355-8   | 015-203-00-X |                  |           |
|             | Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361f H317 H411  |              |                  |           |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide  |              |                  | 0,1 - 5 % |
|             | 423-340-5   | 015-189-00-5 | 01-2119489401-38 |           |
|             | Skin Sens. 1, Aquatic Chronic 4; H317 H413  |              |                  |           |

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

**Primeprint Model**

Revision date: 17.12.2020

Product code: 935

Page 3 of 10

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 4 of 10

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed.

##### Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

##### Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of lighth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

#### 7.3. Specific end use(s)

Lighth-curing resin for the generative fabrication of dental models.  
For use by trained specialist staff.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                 |   |
|-----------------|---|
| Physical state: | liquid:                                       |
| Colour:         | several shades, according to the product name |
| Odour:          | faintly like esters                           |

#### Test method

|           |                |
|-----------|----------------|
| pH-Value: | not determined |
|-----------|----------------|

#### Changes in the physical state

|                |                |
|----------------|----------------|
| Melting point: | not determined |
|----------------|----------------|

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 5 of 10

|  |                                  |
|--|----------------------------------|
| Initial boiling point and boiling range: | not determined                   |
| Flash point:                             | >100 °C DIN 51755                |
| <b>Flammability</b>                      |                                  |
| Solid:                                   | not applicable                   |
| Gas:                                     | not applicable                   |
| Lower explosion limits:                  | not determined                   |
| Upper explosion limits:                  | not determined                   |
| <b>Auto-ignition temperature</b>         |                                  |
| Solid:                                   | not applicable                   |
| Gas:                                     | not applicable                   |
| Decomposition temperature:               | >=190 °C                         |
| <b>Oxidizing properties</b>              |                                  |
| Not oxidizing.                           |                                  |
| Vapour pressure:<br>(at 20 °C)           | <1 hPa                           |
| Density (at 20 °C):                      | 1,09 g/cm <sup>3</sup> DIN 51757 |
| Water solubility:                        | practically insoluble            |
| <b>Solubility in other solvents</b>      |                                  |
| not determined                           |                                  |
| Partition coefficient:                   | not determined                   |
| Vapour density:                          | not determined                   |
| Evaporation rate:                        | not determined                   |
| <b><u>9.2. Other information</u></b>     |                                  |
| Solid content:                           | not determined                   |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Reacts with : strong oxidising agents, strong alkaline or acidic materials.

### 10.4. Conditions to avoid

Ultra-violet light and daylight initiate polymerisation of the product. Therefore keep only in tightly closed containers away from any sources of light at 15°C - 28°C / 59°F - 82 °F.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 6 of 10

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

| CAS No      | Chemical name                                      |                  |         |          |        |
|-------------|--|------------------|---------|----------|--------|
|             | Exposure route                                     | Dose             | Species | Source   | Method |
|             | acrylated resin                                    |                  |         |          |        |
|             | oral   | LD50 >2000 mg/kg | Rat     |          |        |
|             | dermal   | LD50 >2000 mg/kg | Rabbit  |          |        |
|             | aliphatic urethane acrylate                        |                  |         |          |        |
|             | oral   | LD50 >5000 mg/kg | Rat     | OECD 401 |        |
| 42978-66-5  | tripropylene glycol diacrylate                     |                  |         |          |        |
|             | oral   | LD50 6200 mg/kg  | Rat     |          |        |
|             | dermal   | LD50 >2000 mg/kg | Rabbit  |          |        |
| 75980-60-8  | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide    |                  |         |          |        |
|             | oral   | LD50 >5000 mg/kg | Rat     |          |        |
|             | dermal   | LD50 >2000 mg/kg | Rat     |          |        |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide |                  |         |          |        |
|             | oral   | LD50 >2000 mg/kg | Rat     | OECD 401 |        |
|             | dermal   | LD50 >2000 mg/kg | Rat     | OECD 402 |        |

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (aliphatic urethane acrylate; tripropylene glycol diacrylate; tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

#### Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. (tetrahydrofurfuryl methacrylate THFMA purified grade)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 7 of 10

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| CAS No      | Chemical name  |               |              |         |                                   |          |
|-------------|--|---------------|--------------|---------|-----------------------------------|----------|
|             | Aquatic toxicity                                     | Dose          | [h]   [d]    | Species | Source                            | Method   |
|             | aliphatic urethane acrylate                          |               |              |         |                                   |          |
|             | Acute algae toxicity                                 | ErC50<br>mg/l | >0,68        | 72 h    | (algae)                           | OECD 201 |
|             | Acute crustacea toxicity                             | EC50<br>mg/l  | >1,2         | 48 h    | (daphnia)                         | OECD 202 |
| 42978-66-5  | tripropylene glycol diacrylate                       |               |              |         |                                   |          |
|             | Acute fish toxicity                                  | LC50<br>mg/l  | 4,5-10       | 96 h    | Leuciscus idus<br>(golden orfe)   |          |
|             | Acute algae toxicity                                 | ErC50         | >28 mg/l     | 72 h    | Desmodesmus<br>subspicatus.       |          |
|             | Acute crustacea toxicity                             | EC50<br>mg/l  | 88,7         | 48 h    | Daphnia magna (Big<br>water flea) |          |
| 2455-24-5   | tetrahydrofurfuryl methacrylate THFMA purified grade |               |              |         |                                   |          |
|             | Acute fish toxicity                                  | LC50<br>mg/l  | 34,7         | 96 h    |                                   |          |
|             | Acute algae toxicity                                 | ErC50<br>mg/l | >100         | 72 h    |                                   |          |
| 75980-60-8  | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide      |               |              |         |                                   |          |
|             | Acute algae toxicity                                 | ErC50<br>mg/l | >2,01        | 72 h    | Scenedesmus<br>subspicatus        |          |
|             | Acute crustacea toxicity                             | EC50<br>mg/l  | 3,53         | 48 h    | Daphnia magna (Big<br>water flea) |          |
|             | Acute bacteria toxicity                              |               | (>1000 mg/l) | 3 h     | Activated sludge                  |          |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide   |               |              |         |                                   |          |
|             | Acute fish toxicity                                  | LC50<br>mg/l  | >0,09        | 96 h    | Brachydanio rerio<br>(zebra-fish) | OECD 203 |
|             | Acute algae toxicity                                 | ErC50<br>mg/l | >0,26        | 72 h    | Desmodesmus<br>subspicatus.       | OECD 201 |
|             | Acute crustacea toxicity                             | EC50<br>mg/l  | >1,175       | 48 h    | Daphnia magna (Big<br>water flea) | OECD 202 |
|             | Crustacea toxicity                                   | NOEC<br>mg/l  | >0,008       | 21 d    | Daphnia magna (Big<br>water flea) | OECD 211 |
|             | Acute bacteria toxicity                              |               | (>100 mg/l)  | 3 h     | OECD 209                          |          |

### 12.2. Persistence and degradability

The product has not been tested.

| CAS No      | Chemical name  |       |    |        |
|-------------|--|-------|----|--------|
|             | Method   | Value | d  | Source |
|             | Evaluation   |       |    |        |
|             | aliphatic urethane acrylate                            |       |    |        |
|             | OECD 301B  | 22%   | 28 |        |
| 75980-60-8  | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide        |       |    |        |
|             |  | 0-10% | 28 |        |
|             | Not readily biodegradable (according to OECD criteria) |       |    |        |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide     |       |    |        |
|             | CO2 formation (% of the theoretical value).            | 1%    | 29 |        |
|             | Not readily biodegradable (according to OECD criteria) |       |    |        |

### 12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 8 of 10

The product has not been tested.

#### Partition coefficient n-octanol/water

| CAS No      | Chemical name                                      | Log Pow |
|-------------|--|---------|
| 75980-60-8  | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide    | 3,1     |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | 5,8     |

#### BCF

| CAS No      | Chemical name                                      | BCF   | Species                       | Source   |
|-------------|--|-------|-------------------------------|----------|
| 75980-60-8  | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide    | 47-55 | Cyprinus carpio (Common Carp) |          |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | <5    | Cyprinus carpio (Common Carp) | OECD 305 |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

Not identified as PBT/ vPvB substances

#### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

##### 14.1. UN number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

##### 14.1. UN number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 9 of 10

#### Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulatory information

- Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
 Water hazard class (D): 3 - strongly hazardous to water  
 Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

- ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road )  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Eye Irrit. 2; H319      | Calculation method       |
| Skin Sens. 1; H317      | Calculation method       |
| Repr. 1B; H360D         | Calculation method       |
| Aquatic Chronic 3; H412 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

- H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H360D May damage the unborn child.  
 H361f Suspected of damaging fertility.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 H413 May cause long lasting harmful effects to aquatic life.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primeprint Model

Revision date: 17.12.2020

Product code: 935

Page 10 of 10

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*