

SAFETY DATA SHEETS

This SDS packet was issued with item:

070387647

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070387621 070387639 070387654 070387688 070387696 070387704 070455774 070476333 070876573 070876581



M A T E R I A L S A F E T Y D A T A S H E E T

24-Hour Emergency #: (U.S.) 1-800-535-5053 / (Outside U.S.) 352-323-3500

SECTION I: Product & Company Identification

Product Name: **D-Lish® 5% NaF Varnish**
Catalog Numbers: 211420, 211450, 212420, 212450, 213420, 213450, 214420, 214450, 218450
Product Class: Fluoride Varnish
Manufactured for: Young Dental Manufacturing
13705 Shoreline Court East
Earth City, MO 63045
1.800.325.1881

SECTION II: Health Hazard Information

Appearance: Colorless, viscous fluid with aroma characteristic of flavor
Health Hazards: No irritant or sensitizing effects
Other hazards: Material should only be used with extreme caution in individuals who may have limited control over their swallowing reflex (e.g. pre-school children and the disabled)
NFPA Ratings: Health (0); Flammability (3); Reactivity (0)

SECTION III: Hazardous Components

Component	CAS #	%	Toxicity Data
Sodium Fluoride	7681-49-4	2.5 – 5%	LD50 (oral rat) 52mg/kg
Ethanol	64-17-5	10 – 25%	N/A

SECTION IV: First Aid Procedures

Ingestion – Swallowing larger amounts can lead to nausea, vomiting and/or diarrhea. Seek medical attention.
Eye contact – Rinse opened eye for several minutes under running water.
Inhalation – Supply fresh air; seek medical attention if irritation persists.
Skin contact – Generally the product does not irritate the skin.

SECTION V: Fire Fighting Measures

Extinguishing media: Water, carbon dioxide, foam, dry chemicals; fight larger fires with water or alcohol resistant foam

Special fire-fighting instructions: None

Fire and explosion hazards: N/A

SECTION VI: Accidental Release Measures

Wear protective equipment. Keep unprotected persons away. Do not allow to enter sewers, surface or ground water. Pick up mechanically.

SECTION VII: Handling and Storage

Handling: For dental use only. Keep ignition sources away.

Storage: Do not store together with acids. Keep receptacle tightly sealed.

SECTION VIII: Personal Protection

Protective wear: Not required

Ventilation: Local Exhaust. No respiratory protection required.

Hygiene measures: Keep away from food, beverages and feed. Wash hands after use.

SECTION IX: Physical and Chemical Properties

Solubility:	Not soluble in water
Boiling point:	Unknown
pH:	Unknown
Density @ 20°C (68°F):	1.02 g/cm ³ (8.512 lbs/gal)
Melting point:	Unknown
Flash point:	36°C (97°F)
Appearance:	Colorless, viscous fluid with aroma characteristic of flavor

SECTION X: Stability and Reactivity

Stability:	Stable
Materials/conditions to avoid:	N/A
Hazardous decomposition of byproducts:	None known
Hazardous polymerization:	Will not occur
Possible hazardous reactions:	Contact with acids releases toxic gases
Explosion hazard:	None; product is not self-igniting

SECTION XI: Toxicological Information

No irritant or sensitizing effects. No ingredients are listed on IARC or NTP lists.

SECTION XII: Ecological Information

Do not allow undiluted product or large quantities to reach ground water or sewage system. Water hazard class 1 (self-assessment)

SECTION XIII: Disposal Considerations

Dispose of in accordance with all Federal, State and Local regulations. Do not dispose with household garbage.

SECTION XIV: Transport Information

UN number: UN1170

UN proper shipping name: DOT, IATA: Ethanol Solution

ADR: 1170 Ethanol Solution (Ethyl Alcohol Solution)

IMDG: Ethanol Solution (Ethyl Alcohol Solution)

DOT, ADR, IMDG, IATA hazard class: 3 Flammable liquids

Marine pollutant: No

SECTION XV: Regulatory Information

No ingredients are listed in any of the following: Section 355 (extremely hazardous substances), Section 313 (specific toxic chemical listings), chemicals known to cause cancer per Proposition 65, EPA

All ingredients are listed in the TSCA (Toxic Substances Control Act).

SECTION XVI: Other Information

N/A

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Young Dental Manufacturing makes no recommendation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for particular purpose.

NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.

YOUNG™

SAFETY DATA SHEET

SECTION I: Identification

Product Identifier:

Product Name: D-Lish® 5% Sodium Fluoride Varnish
Part/Item Number: 295732, 295733, 212420, 212450, 213420, 213450, 214420, 214450, 218450, 295484

Recommended Use of the Substance or Mixture and Restrictions on Use:

Recommended Use: Dental varnish
Restrictions on Use: For professional use only

Details of the Supplier:

Manufactured for: Young Dental Manufacturing
13705 Shoreline Court East
Earth City, MO 63045
1.800.325.1881

Emergency Phone Number:

Infotrac:
24-Hour Number- (U.S.) 1-800-535-5053
Outside U.S.- 1-352-323-3500

SECTION II: Hazard(s) Identification

Health effects are based on the unmixed/uncured material.

Classification of the Substance or Mixture:

Health Hazard	Physical Hazard
Acute Toxicity Category 4	Flammable Liquid Category 3

Label Elements:

Hazard Symbol:



Signal Word: Warning

Hazard Statement(s):

Flammable liquid and vapour.
Harmful if swallowed

Precautionary Statement(s):

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Wear protective gloves/eye protection.
Wear protective clothing.
Avoid breathing vapours.
IF SWALLOWED: Call a doctor if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards: Material should only be used with extreme caution in individuals who may have control over their swallowing reflex (e.g. pre-school children and the disabled). Use only for intended scope of application.

SECTION III: Composition/Information on Ingredients

Mixture:

Component	CAS #	WT%
Ethanol	64-17-5	10-25%
Sodium Fluoride	7681-49-4	2.5-5%

SECTION IV: First-Aid Measures

Description of First Aid Measures:

Inhalation – Supply fresh air; consult doctor in case of complaints.

Skin contact – Generally the product does not irritate the skin.

Eye contact – Rinse opened eye for several minutes under running water.

Ingestion – Swallowing of larger amounts can lead to nausea, vomiting and/or diarrhea. Immediately call a doctor.

Most Important Symptoms and Effects, Acute and Delayed: No further relevant information available.

Indication of Any Immediate Medical Attention and Special Treatment Needed: No further relevant information available.

SECTION V: Firefighting Measures

Extinguishing media: Suitable extinguishing agents include CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special Hazards Arising from the Substance or Mixture: No further relevant information available.

Advice for Fire-Fighters: No further relevant information available.

SECTION VI: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Wear protective equipment. Keep unprotected persons away.

Environmental Precautions: Do not allow to enter sewers/surface or ground water.

Methods and Materials for Containment and Cleaning Up: Pick up mechanically.

SECTION VII: Handling and Storage

Precautions for Safe Handling: For dental use only.

Conditions for Safe Storage, Including Any Incompatibilities: Keep ignition sources away – Do not smoke. Do not store together with acids. See storage instructions on package. Keep receptacle tightly sealed.

SECTION VIII: Exposure Controls/Personal Protection

Control Parameters:

Occupational Exposure Limits:			
Component	PEL	REL	TLV
Ethanol	Long-term value: 1900 mg/m ³ , 1000 ppm	Long-term value: 1900 mg/m ³ , 1000 ppm	Short-term value: 1880 mg/m ³ , 1000 ppm

Exposure Controls:

Appropriate Engineering Controls – Not applicable

Individual Protection Measures (PPE) – The usual precautionary measures for handling chemicals should be followed.

SECTION IX: Physical and Chemical Properties

Information on Physical and Chemical Properties:	
Appearance:	Colorless fluid
Odor:	Characteristic of flavor
Odor Threshold:	Not available
pH:	Not determined
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	36 °C (97 °F)
Evaporation rate (Butyl Acetate =1):	Not available
Flammability (solid, gas):	Not applicable
Upper/lower flammability or exposure limits:	Not available
Vapor pressure:	Not available
Vapor density (Air = 1):	Not available
Density at 20 °C (68 °F):	1.02 g/cm ³ (8.512 lbs/gal)
Solubilit(ies):	Not miscible or difficult to mix
Partition coefficient: n-octano/water	Not available
Auto-ignition temperature:	Product is not self-igniting
Decomposition temperature:	Not available
Viscosity:	Not determined

SECTION X: Stability and Reactivity

Reactivity: None known

Chemical Stability: Not available

Possibility of hazardous reactions: Contact with acids releases toxic gases.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION XI: Toxicological Information

Potential Health Effects:

Eye Contact – No irritating effect

Skin Contact – No irritant effect or sensitizing effects known

Acute Toxicity Data:

Sodium Fluoride – LD50 (oral rat) 52mg/kg

Medical Conditions Aggravated by Exposure: Individuals with pre-existing skin disease may be at increased risk from exposure. May cause skin sensitization in susceptible individuals.

Carcinogenicity: Sodium fluoride and ethanol are not known to be a carcinogen or potential carcinogen by NTP (National Toxicological Program) or OSHA (Occupational Safety and Health Administration). IARC (International Agency for the Research of Cancer) lists ethanol as Group 1 but in alcoholic beverages consumption only. This product is not an alcoholic beverage.

SECTION XII: Ecological Information

Toxicity: No further relevant information available

Persistence and Degradability: No further relevant information available

Bio-accumulative potential: No further relevant information available

Mobility in Soil: No further relevant information available

Other Adverse Effects: Do not allow undiluted product or large quantities of it to reach ground water, water course, or sewage system. Water hazard class I (self-assessment): slightly hazardous for water

SECTION XIII: Disposal Considerations

Waste treatment methods recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings recommendation: Dispose of in accordance with all Federal, State and Local regulations.

SECTION XIV: Transport Information

DOT:

Proper Shipping Name – Ethanol solution

Hazard Class – 3

UN Number – UN 1170

Packing Group – III

Packaging - See 49 CFR 173.203 for authorized specification non-bulk packagings.

Limited Quantity and Consumer Commodity Exception - See 49 CFR 173.150 for limited quantity and consumer commodity exceptions (valid until 12/31/2020). Inner packagings which do not exceed 5 L and outer packagings not exceeding 30 kg are authorized.

Hazardous Substances (RQ) – Ethanol is not listed as a hazardous substance.

IATA:

Proper Shipping Name – Ethanol solution

Hazard Class – 3

UN Number – UN 1170

Packing Group – III

Limited Quantity Exception – See Packing Instruction Y344. Up to 5 L maximum quantity per inner package (depending on type of package used) and 10 L / 30 kg gross weight maximum per package. Combination packages are required.

Consumer Commodity Exception - See Packing Instruction Y963. If inner packages are not more than 500 mL and material is packaged for consumer use, it may be reclassified as ID8000, Consumer Commodity, Class 9. Gross weight is 30 kg.

Passenger Aircraft Limitation - See Packing Instruction 355. Up to 10 L maximum quantity per inner package (depending on inner package used) and 60 L maximum net quantity per package. Combination and single packages are permitted

Cargo Aircraft Limitation - See Packing Instruction 366. Up to 25 L maximum quantity per inner package (depending on inner package used) and 220 L maximum net quantity per package. Combination and single packages are permitted.

IMDG/IMO:

Proper Shipping Name – Ethanol (Ethyl Alcohol)

Hazard Class – 3

UN Number – UN 1170

Packing Group – III

SECTION XV: Regulatory Information

US State Regulations:

California Proposition 65:

Chemicals known to cause cancer- None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females – None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males – None of the ingredients are listed.

Chemicals known to cause developmental toxicity – Ethanol

US Federal Regulations:

SARA TITLE III:

Section 355 – None of the ingredients are listed.

Section 313 – **None of the ingredients are listed.**

EPA Toxic Substances Control Act (TSCA) Status – All ingredients are listed.

International Regulations: Not determined

SECTION XVI: Other Information

Supersedes: 22 October 2015

Date Revised: 07 August 2017

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Young Dental Manufacturing makes no recommendation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for particular purpose.

NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.
