SAFETY DATA SHEETS

This SDS packet was issued with item:

070413831

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070413740 070413823

Printing date 01/26/2017 Reviewed on 01/26/2017

1 Identification

- · Product identifier
- · Trade name: Futurabond M+
- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · Hazard pictograms GHS02, GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves / eye protection.

Wear protective clothing.

Keep container tightly closed.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 2)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

_	s components:	
868-77-9	2-hydroxyethyl methacrylate	10-25%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
1565-94-2	BIS GMA	10-25%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
64-17-5	ethanol	10-25%
	Flam. Liq. 2, H225	
	Acidic adhesive monomer	2.5-5%
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
	Catalyst	≤ 2.5%
	Acute Tox. 3, H301	
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Reviewed on 01/26/2017

Safety Data Sheet acc. to OSHA HCS

Printing date 01/26/2017

Trade name: Futurabond M+

(Contd. of page 2)

See Section 13 for disposal information.

Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: See storage instructions on package Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

*

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:



Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
 - · General Information
- · Appearance:

Form:

Characteristic ColorlessFluidColor: · Odor:

Not determined. · Odor threshold:

Not determined.

· Change in condition · pH-value:

Undetermined. Melting point/Melting range: (Contd. on page 4)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+

	(Contd. of page
Boiling point/Boiling range:	Undetermined.
· Flash point:	35 °C (95 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured Irritant to skin and mucous membranes.

- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (I	nternational Agency for Research on Cancer)	
64-17-5	thanol	1
128-37-0	2,6-di-tert-butyl-p-cresol	3
· NTP (No	ational Toxicology Program)	
None of	the ingredients is listed.	

(Contd. on page 5)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- $\cdot \textit{Persistence and degradability} \ \textit{No further relevant information available}.$
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

7 / 7			c	
4 4 5	ransport	TIN	orma	TON

1 U	
· UN-Number · DOT, ADR, IMDG, IATA	UN1170
· UN proper shipping name · DOT · ADR · IMDG · IATA	- Ethanol 1170 Ethanol ETHANOL (ETHYL ALCOHOL) ETHANOL
· Transport hazard class(es) · DOT	-





· Class	3 Flammable liquids
. I ahal	3

· ADR, IMDG, IATA



Class 3 Flammable liquids

(Contd. on page 6)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+

		(Contd. of page 5
· Label	3	
· Packing group	-	
· DOT, ADR, IMDG, IATA	III	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	30	
· EMS Number:	F- E , S - D	
· Stowage Category	A	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	UN 1170 ETHANOL, 3, III	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed

· TLV (Threshold Limit Value established by ACGIH)

64-17-5	ethanol	<i>A3</i>
128-37-0	2,6-di-tert-butyl-p-cresol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

(Contd. on page 7)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+

(Contd. of page 6)

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves / eye protection.

Wear protective clothing.

Keep container tightly closed.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Date of preparation / last revision 01/26/2017 / 23
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

Printing date 01/26/2017 Reviewed on 01/26/2017

1 Identification

- · Product identifier
- · Trade name: Futurabond M+ DCA
- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

· Classification of the substance or mixture



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves / eye protection.

Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangero	ous components:		
64-17-5	ethanol	Flam. Liq. 2, H225	50-100%
	Initiator	Acute Tox. 3, H301	≤ 2.5%
	Catalyst	Eye Dam. 1, H318 Acute Tox. 4, H302	≤ 1.0%

US

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+DCA

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See storage instructions on package
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+DCA

(Contd. of page 2)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

9 I nysicui unu chemicui properites	

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless
Odor: Characteristic
Odor threshold: Not determined.

• pH-value: Not determined.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.

• Flash point: $18 \, ^{\circ}C \, (64 \, ^{\circ}F)$

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

• **Density at 20 °C** (68 °F): $0.82 \text{ g/cm}^3 (6.843 \text{ lbs/gal})$

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Other information No further relevant information available.

- H

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+ DCA

(Contd. of page 3)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured

- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+DCA

(Contd. of page 4)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1170
· UN proper shipping name	-
DOT	Ethanol solutions
ADR	1170 Ethanol solutions
· IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION
· Transport hazard class(es)	-
· DOT	
· · · · · · · · · · · · · · · · · · ·	
Class	3 Flammable liquids
Label	3
· ADR, IMDG, IATA	
· ADR, IMDG, IATA · Class	3 Flammable liquids
· ADR, IMDG, IATA · Class	·
· ADR, IMDG, IATA · Class · Label	3 Flammable liquids
ADR, IMDG, IATA Class Label Packing group	3 Flammable liquids
ADR, IMDG, IATA Class Label Packing group DOT, ADR, IMDG, IATA	3 Flammable liquids 3
ADR, IMDG, IATA Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards:	3 Flammable liquids 3
ADR, IMDG, IATA Class Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant:	3 Flammable liquids 3 - II
ADR, IMDG, IATA Class Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	3 Flammable liquids 3 - II No
ADR, IMDG, IATA Class Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Danger code (Kemler): EMS Number:	3 Flammable liquids 3 - II No Warning: Flammable liquids
ADR, IMDG, IATA Class Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Danger code (Kemler): EMS Number:	3 Flammable liquids 3 - II No Warning: Flammable liquids 33
· ADR, IMDG, IATA · Class · Label · Packing group · DOT, ADR, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category · Transport in bulk according to Ann MARPOL73/78 and the IBC Code	3 Flammable liquids 3 II No Warning: Flammable liquids 33 F-E,S-E A

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 6)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+DCA

(Contd. of page 5)

A3

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Cancerogenity categories

· EPA (Environmental Protection Agency)

Initiator I (oral)

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves / eye protection.

Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Date of preparation / last revision 01/26/2017 / 15
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 7)

Printing date 01/26/2017 Reviewed on 01/26/2017

Trade name: Futurabond M+DCA

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

** Data compared to the previous version altered.

(Contd. of page 6)

He