

SAFETY DATA SHEETS

This SDS packet was issued with item:

070909655

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070909754 070909762 070909770 070909788

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 1 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

SECTION 1: Identification

Product identifier

Product name: Patterson Ultrasonic Solution

Product code: 070909655, 070909754, 070909762, 070909770,
070909788

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Canada

Patterson Dentaire Canada Inc.
1205 boul Henri-Bourassa West
Montreal, Quebec H3M 3E6
+1 514 745 4040

Emergency telephone number:

Canada

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

Outside USA and Canada: +1-703-527-3887 (24 hours)

SECTION 2: Hazard identification

GHS classification:

Flammable liquids, category 3

Serious eye damage, category 1

Label elements

Hazard pictograms:



Signal Word: Danger

Hazard statements:

H226 Flammable liquid and vapour

H318 Causes serious eye damage

Precautionary statements:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 2 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical, ventilating, and lighting equipment.

P242 Use non-sparking tools

P243 Take action to prevent static discharges

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P370+P378 In case of fire: Use agents recommended in Section 5 to extinguish.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

P403+P235 Store in a well-ventilated place. Keep cool

P501 Dispose of contents and container in accordance with local regulations.

Hazards not otherwise classified:

None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 68130-47-2	Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-C8-10-alkyl ethers, phosphates	1-5
CAS number: 497-19-8	Sodium carbonate	1-5
CAS number: 67-63-0	Propan-2-ol	1-5

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 3 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Product is flammable. Exposure to sources of ignition may cause physical injury.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

Skin/eye burns require immediate treatment.

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Dry chemical, CO₂, water spray or alcohol-resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Flammable liquid. Will be easily ignitable by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Evacuate non-essential personnel. Ventilate closed spaces before entering. Consider initial evacuation for 300 meters in all directions. If tank/rail car is involved in the fire, ISOLATE for 800 meters in all directions. Fight fire from a maximum distance. Move containers from fire area if you can do it without risk. Use water spray/fog for cooling fire exposed containers. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Always stay away from tanks engulfed in fire. For massive fire, use

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 4 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

unmanned hose holders or monitor nozzles. If this is impossible, withdraw from area and let fire burn. Stand by, at a safe distance, with extinguisher ready for possible re-ignition. A vapor-suppressing foam may be used to reduce vapors. Avoid unnecessary run-off of extinguishing media which may cause pollution. Do not handle damaged containers unless specialized to do so.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. All equipment used when handling the product must be grounded. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating and lighting equipment. Take action to prevent static discharges. Handle containers with caution. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 5 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Sodium carbonate	497-19-8	8-Hour TWA: 10 mg/m ³ (inhalable particles [Recommended for insoluble particles with low toxicity and no established TLV])
	Sodium carbonate	497-19-8	8-Hour TWA: 3 mg/m ³ (respirable particles [Recommended for insoluble particles with low toxicity and no established TLV])
Alberta	Propan-2-ol	67-63-0	15-Minute STEL: 984 mg/m ³ (400 ppm)
	Propan-2-ol	67-63-0	8-Hour TWA: 492 mg/m ³ (200 ppm)
British Columbia	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm
	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
Manitoba	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm
	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
Ontario	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm
	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
Quebec	Propan-2-ol	67-63-0	15-Minute STEL: 1230 mg/m ³ (500 ppm)
	Propan-2-ol	67-63-0	8-Hour TWA: 983 mg/m ³ (400 ppm)
Saskatchewan	Propan-2-ol	67-63-0	15-Minute Contamination Limit: 400 ppm
	Propan-2-ol	67-63-0	8-Hour Contamination Limit: 200 ppm
New Brunswick	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 6 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Transparent blue liquid
Odor:	Mild chemical
Odor threshold:	Not determined or not available.
pH-value:	11.5 - 12.2
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	213°F (101°C)
Flash point:	126 °F (54°C) Tag Closed Cup (T.C.C)
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	Not determined or not available.
Relative density:	1.06 (Ref: water = 1)
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 7 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

Other information

Percent volatile	90.5%
------------------	-------

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources, static electricity and incompatible materials. Vapor accumulation in low or confined areas.

Incompatible materials:

Avoid contact with strong acids, metals, such as aluminum and tin.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Sodium carbonate	oral	LD50 Rat: 2800 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
Propan-2-ol	oral	LD50 Rat: 5840 mg/kg
	dermal	LD50 Rabbit: 12,800 mg/kg
	inhalation	LC50 Rat: 72.6 mg/L (4 hr - Vapor)

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Causes severe skin burns and eye damage.

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 8 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

Product data:

No data available.

Substance data:

Name	Result
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Causes serious eye damage.
Sodium carbonate	Causes serious eye irritation.
Propan-2-ol	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Propan-2-ol	May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 9 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

Eye contact; skin contact; inhalation; ingestion.

Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propan-2-ol	Fish LC50 Pimephales promelas: 10,000 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >10,000 mg/L (48 hr [immobilization])

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propan-2-ol	Aquatic Invertebrates NOEC Daphnia magna: 141 mg/L (16 d [growth])

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Propan-2-ol	The substance has a BOD5/ThOD ratio of 0.50, and is therefore considered to be readily degradable.

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Sodium carbonate	Substance dissociates fully in water; does not bioaccumulate.
Propan-2-ol	Bioaccumulation is not expected. BCF (aquatic species): 1.015 L/kg ww [QSAR]

Mobility in soil

Product data: No data available.

Substance data:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 10 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

Name	Result
Propan-2-ol	The substance is highly mobile in soil with a low potential for adsorption to soil and sediment. Koc at 20 °C: 3.478

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Sodium carbonate	PBT assessment does not apply to inorganic substances.
Propan-2-ol	This substance is not PBT.

vPvB assessment:

Sodium carbonate	vPvB assessment does not apply to inorganic substances.
Propan-2-ol	This substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	1993
UN proper shipping name	Flammable liquid, n.o.s. (Propan-2-ol)
UN transport hazard class(es)	3 
Packing group	III
Environmental hazards	None
Special precautions for user	None
Excepted quantities	E1
Passenger road and rail	60 L
Limited quantity	5L

International Maritime Dangerous Goods (IMDG)

UN number	1993
UN proper shipping name	Flammable liquid, n.o.s. (Propan-2-ol)

Safety Data Sheet


According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017


Page 11 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

UN transport hazard class(es)	3	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
EMS number	F-E, S-E	
Stowage category	A	
Excepted quantities	E1	
Limited quantity	5 L	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1993	
UN proper shipping name	Flammable liquid, n.o.s. (Propan-2-ol)	
UN transport hazard class(es)	3	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
ERG code	3L	
Excepted quantities	E1	
Passenger and cargo	60 L	
Cargo aircraft only	220 L	
Limited quantity	10 L	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL): All ingredients are listed or exempt.

Non-domestic substances list (NDSL): None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.11.2017

Page 12 of 12

Revision date: 07.18.2023

Patterson Ultrasonic Solution

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 11.11.2017

Revision date: 07.18.2023

End of Safety Data Sheet