

# SAFETY DATA SHEETS

**This SDS packet was issued with item:**

071378264

N/A

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

### 1 Identification

- **Product identifier**
- **Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)
- **Relevant identified uses of the substance or mixture and uses advised against**  
Dental material  
The product is intended for professional use.  
To avoid risks for humans and environment obtain instructions.
- **Application of the substance / the mixture** Manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
GC America Inc.  
3737 W. 127th Street  
Alsip, IL 60803  
USA  
  
SDS.gcamerica@gc.dental
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**  
During normal opening times (Monday–Friday 8:00 AM–5:00 PM Central Time): +1 (708) 597-0900  
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

### 2 Hazard identification

- **Classification of the substance or mixture**  
Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015.  
Respiratory Sensitizer - Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.
- **Additional information:**  
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.
- **Label elements**
- **GHS label elements**  
Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015.  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



(Contd. on page 2)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 1)

- **Signal word** Danger

- **Hazard-determining components of labeling:**

dimethacrylate component\*\*  
urethane dimethacrylate (UDMA)  
colorant\*\*  
resin\*\*

- **Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.

- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapours/spray.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves.  
[In case of inadequate ventilation] wear respiratory protection.  
If experiencing respiratory symptoms: Call a poison center/doctor.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition/Information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

	silane**	5 – 10% w/w
	dimethacrylate component**	3 – 7% w/w
CAS: 72869-86-4	urethane dimethacrylate (UDMA)	1 – 5% w/w
	colorant**	0.1 – 1% w/w
	resin**	0.1 – 1% w/w
CAS: 128-37-0	butylated hydroxytoluene	0.1 – 1% w/w

- **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

### 4 First aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.

- **After inhalation:**

Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.

(Contd. on page 3)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 2)

- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb liquid components with liquid-binding material.  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

CA

(Contd. on page 4)

## Safety Data Sheet according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
**GRADIA PLUS ONE BODY** (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 3)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Observe instructions for use.  
Ensure good ventilation/exhaustion at the workplace.  
Do not inhale dust / smoke / mist.  
Prevent formation of aerosols.  
Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Observe instructions for use / storage.
- **Specific end use(s)** No further relevant information available.

\*

### 8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Avoid contact with the eyes and skin.  
Immediately remove all soiled and contaminated clothing.
- **Breathing equipment:**



Suitable respiratory protective device recommended.

- **Protection of hands:**



Protective gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

CA

\*

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 4)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Pasty
Color:	According to product specification
· Odor:	Odorless
· Odor threshold:	Not determined.

· pH-value:	Not determined.
-------------	-----------------

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· Flash point:	Not applicable.
----------------	-----------------

· Flammability (solid, gaseous):	Not applicable.
----------------------------------	-----------------

· Ignition temperature:	Undetermined.
-------------------------	---------------

· Decomposition temperature:	Not determined.
------------------------------	-----------------

· Auto igniting:	Product is not self-igniting.
------------------	-------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
------------------------	-----------------------------------------------

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure:	Not determined.
-------------------	-----------------

· Density at 20 °C:	2 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

- **Solubility in / Miscibility with**

Water:	Insoluble.
--------	------------

· Partition coefficient (n-octanol/water):	Not determined.
--------------------------------------------	-----------------

(Contd. on page 6)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 5)

· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0 %
<b>Solids content:</b>	80.0 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon dioxide  
Carbon monoxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**CAS: 128-37-0 butylated hydroxytoluene**

Oral	LD50	10,700 mg/kg (guinea pig)
		1,040 mg/kg (mouse)
		2,930 mg/kg (rat (f+m))
Dermal	LD50	890 mg/kg (rat (f+m))

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

silicon dioxide, amorphous

3

(Contd. on page 7)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 6)

titanium dioxide	2B
colorant**	3
butylated hydroxytoluene	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

· **Repeated dose toxicity.** No further relevant information available.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

No further relevant information available.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**CAS: 128-37-0 butylated hydroxytoluene**

NOEC-value Ecol. other effects	0.07 mg/l (daphnia magna) 21 day, reproductive effects
--------------------------------	-----------------------------------------------------------

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German regulation, AwSV) (Self-assessment): slightly hazardous to water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

CA

(Contd. on page 8)



# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 7)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Dispose of contents / container in accordance with local / regional / national / international regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                                                                  |                 |
|----------------------------------------------------------------------------------|-----------------|
| · <b>UN-Number</b>                                                               |                 |
| · <b>DOT/TDG, ADR, ADN, IMDG, IATA</b>                                           | Void            |
| · <b>UN proper shipping name</b>                                                 |                 |
| · <b>DOT/TDG, ADR, ADN, IMDG, IATA</b>                                           | Void            |
| · <b>Transport hazard class(es)</b>                                              |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>                                               |                 |
| · <b>Class</b>                                                                   | Void            |
| · <b>Packing group</b>                                                           |                 |
| · <b>DOT/TDG, ADR, IMDG, IATA</b>                                                | Void            |
| · <b>Environmental hazards:</b>                                                  |                 |
| · <b>Marine pollutant:</b>                                                       | No              |
| · <b>Special precautions for user</b>                                            | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                                  | Void            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Canadian substance listings:**

- **Canadian Domestic Substances List (DSL)**

ethoxylated bisphenol-A dimethacrylate (Bis-EMA)

silane\*\*

dimethacrylate component\*\*

methacrylate\*\*

silicon dioxide, amorphous

titanium dioxide

colorant\*\*

(Contd. on page 9)

-CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 8)

triiron tetraoxide

resin\*\*

organic fluorophore\*\*

butylated hydroxytoluene

synergist\*\*

UV-light absorber\*\*

photoinitiator\*\*

stabilizer\*\*

photoinitiator\*\*

- **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

silane\*\*

dimethacrylate component\*\*

- **GHS label elements**

Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015.

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



- **Signal word** Danger

- **Hazard-determining components of labeling:**

dimethacrylate component\*\*

urethane dimethacrylate (UDMA)

colorant\*\*

resin\*\*

- **Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

[In case of inadequate ventilation] wear respiratory protection.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

- **Department issuing SDS:** Regulatory Affairs

(Contd. on page 10)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 05/13/2019

Version CA-EN-Rev 2

Reviewed on 05/13/2019

**Trade name:** GRADIA PLUS Paste Light Body (Shades: LB-Base D, LB-Base E, LB-Base CLF, LB-Base OD, LB-Base Opal, LB-Orange, LB-Red, LB-Yellow, LB-Blue, LB-Grey, LB-Milky, LB-Inlay E, LB-Inlay TD, LB-DW, and LB-ODW)  
GRADIA PLUS ONE BODY (Shades: LB-A, LB-B, LB-C, LB-D, and LB-W)

(Contd. of page 9)

- **Contact:**

Regulatory Affairs  
Telephone No. +1 (708) 597-0900  
SDS.gcamerica@gc.dental

- **Date of the latest revision of the safety data sheet** 05/13/2019 / 1

- **Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
HCS: Hazard Communication Standard (USA)  
MSDS: Material Safety Data Sheet  
SDS: Safety Data Sheet  
ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)  
ECHA: European Chemicals Agency  
OSHA: Occupational Safety and Health Administration (USA)  
TDG: Transportation of Dangerous Goods (Canada)  
LEL: Lower Explosive Limit  
UEL: Upper Explosive Limit  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) (Germany)  
NOEC: No-Observed-Effect Concentration  
IMDG Code: International Maritime Dangerous Goods Code  
DOT: Department of Transportation (USA)  
IATA: International Air Transport Association  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
WHMIS: Workplace Hazardous Materials Information System (Canada)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

- **Sources**

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem ([www.echemportal.org](http://www.echemportal.org))

- **Notes:**

CAS Registry Number® is a Registered Trademark of the American Chemical Society.  
CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- **\* Data compared to the previous version altered.** This version replaces all previous versions.

- **Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.