

SAFETY DATA SHEETS

This SDS packet was issued with item:

071456276

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071456268



Safety Data Sheet

Issue Date 20-Jun-2013

Revision Date: 25-Jun-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Acrilustre

Other means of identification

SDS # BDM-012
Product Code 00650, 00651

Recommended use of the chemical and restrictions on use

Recommended Use Buffing or polishing compound.

Details of the supplier of the safety data sheet

Supplier Address

Buffalo Dental Manufacturing Co. Inc.
159 Lafayette Drive
Syosset NY 11791

Emergency Telephone Number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

Company Phone Number 516-496-7200
800-828-0203

2. HAZARDS IDENTIFICATION

Classification

Appearance Solid pink cake

Physical State Solid

Odor Mild waxy

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Aluminum Oxide	1344-28-1	Proprietary
Barium Sulfate	7727-43-7	Proprietary

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash skin with soap and water.
Inhalation	Remove to fresh air. Call a physician.
Ingestion	Induce vomiting, but only if victim is fully conscious. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	Direct contact with eyes may cause temporary irritation. Inhalation of the dust may cause coughing and sneezing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Water may cause frothing.

Specific Hazards Arising from the Chemical

Non-flammable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
-----------------------------	--

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Sweep up and shovel into suitable containers for disposal. Buffing wheel wastes may contain combustible line.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid storing in hot areas.

Incompatible Materials Strong alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum Oxide 1344-28-1	TWA: 1 mg/m ³ respirable fraction	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-
Barium Sulfate 7727-43-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear protective gloves during grinding operations.

Respiratory Protection MSHA or NIOSH approved dust respirators may be required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	Mild waxy
Appearance	Solid pink cake	Odor Threshold	Not determined
Color	Pink		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not applicable	

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Flash Point	> 149 °C / > 300 °F	
Evaporation Rate	Not applicable	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not applicable	
Vapor Density	Not applicable	
Specific Gravity	>1.2	(1=Water)
Water Solubility	Not Applicable	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong alkalis.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Avoid contact with eyes.

Skin Contact

Avoid contact with skin.

Inhalation

Avoid inhalation of dust.

Ingestion

May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum Oxide 1344-28-1	> 5000 mg/kg (Rat)	-	-
Stearic acid 57-11-4	-	> 5 g/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Barium Sulfate 7727-43-7	Toxic soluble

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Aluminum Oxide - 1344-28-1	1344-28-1	Proprietary	1.0
Barium Sulfate - 7727-43-7	7727-43-7	Proprietary	1.0

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum Oxide 1344-28-1	X	X	X
Barium Sulfate 7727-43-7	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date: 20-Jun-2013
Revision Date: 25-Jun-2013
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Issue Date: 23-Apr-2015

Revision Date: 19-Aug-2016

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Acrilustre

Other means of identification

SDS# BDM-012
Product Code 00650, 00651

Recommended use of the chemical and restrictions on use

Recommended use Buffing or polishing compound

Details of the supplier of the safety data sheet

Supplier Address

Buffalo Dental Manufacturing Co. Inc.
159 Lafayette Drive
Syosset, NY 11791

Emergency Telephone Number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)
Company Phone Number 516-496-7200
800-828-0203

2. HAZARDS IDENTIFICATION

Classification

Appearance Solid pink cake **Physical state** Solid **Odor** Mild waxy

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Aluminum Oxide	1344-28-1	45.0 - 75.0%

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First-Aid Measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult physician
Skin Contact	Wash skin with soap and water.
Inhalation	Remove to fresh air. Call a physician.
Ingestion	Induce vomiting, but only if victim is fully conscious. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	Direct contact with eyes may cause temporary irritation. Inhalation of the dust may cause coughing and sneezing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically
---------------------------	-----------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media	Water may cause frothing
---------------------------------------	--------------------------

Specific Hazards Arising from the Chemical

Non-flammable

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment if required.
-----------------------------	--

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Sweep up and shovel into suitable containers for disposal. Buffing wheel wastes may contain combustible line.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid storing in hot areas.

Incompatible Materials Strong alkalis

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum Oxide 1344-28-1	TWA: 1 mg/m ³ respirable fraction	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-
Barium Sulfate 7727-43-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear protective gloves during grinding operations.

Respiratory Protection MSHA or NIOSH approved dust respirators may be required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	Mild waxy
Appearance	Solid pink cake	Odor Threshold	Not determined
Color	Pink		
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	Not applicable		

<u>Property</u>	<u>Values</u>	<u>Remarks</u> • <u>Method</u>
Flash Point	>149°C/>300°F	
Evaporation Rate	Not applicable	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not applicable	
Vapor Density	Not applicable	
Specific Gravity	>1.2	(1=Water)
Water Solubility	Not applicable	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Specific Hazards Arising from the Chemical

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong Alkalis.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Avoid contact with eyes.

Skin Contact

Avoid contact with skin.

Inhalation

Avoid inhalation of dust.

Ingestion

May be harmful if swallowed.

Component Information

Component Information	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum Oxide 1344-28-1	>5000 mg/kg (Rat)	-	-
Stearic Acid 57-11-4	-	>5 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Component Information

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Other Adverse Effects

Not determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national, and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Barium Sulfate 7727-43-7	Toxic Soluble

14. TRANSPORT INFORMATION

Note	Please see current shipper paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated.
IATA	Not regulated.
IMDG	Not regulated.

15. REGULATORY INFORMATION

International Inventories

Not determined.

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Aluminum Oxide 1344-28-1	1344-28-1	Proprietary	1.0
Barium Sulfate 7727-43-7	7727-43-7	Proprietary	1.0

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum Oxide 1344-28-1	X	X	X
Barium Sulfate 7727-43-7	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined

Issue Date 20-Jun-2013
Revision Date 19-Aug-2016
Revision Note New Format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of this publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet