# **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 072052793

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072052561 072052629 072052652 072052660 072052702 072052710 072052728 072052736 072052744 072052777 072052785 072052801 072052819



#### COE FLEX (LEAD FREE) - CATALYST MATERIAL SAFETY DATA SHEET

Page 1 of 2

#### SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

#### MANUFACTURER

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900 Hours Mon.-Fri: 8:00 a.m.-5:00 p.m. C.S.T. Transportation Emergency No. 800-424-9300

# COMMON NAME:COE FLEX (Lead Free) CATALYSTCHEMICAL NAME:N. A.PRODUCT USE:Dental Impression Material

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed twopaste system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Cupric Hydroxide	20427-59-2	TWA=1mg/m <sup>3</sup> (as dust) (ACGIH)	LD50>1g/kg LC50>2mg/L	10-30
Titanium Dioxide	13463-67-7	TWA=10mg/m <sup>3</sup> (ACGIH)	N.E.	10-35
Silicon Dioxide	112926-00-8	TWA=10mg/m <sup>3</sup> (ACGIH)	N.E.	1-5
Chlorinated Fatty Acid Ester	68440-29-9	N.E.	N.E.	30-50

#### **SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

BOILING POINT:	N.E.
VAPOR PRESSURE:	N.E.
VAPOR DENSITY:	N.E.
SOLUBILITY IN WATER:	N.E.
COEFFICIENT OF OIL/W	ATER DISTRIBUTION: N.E.

#### SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: Non flammable

FLAMMABLE LIMITS: N.A.

APPEARANCE AND ODOR:

MELTING POINT: EVAPORATION RATE:

ODOR THRESHOLD:

SPECIFIC GRAVITY (H<sub>2</sub>O = 1): 1.8

N.E.

N.E.

N.E.

Light blue paste

**EXTINGUISHING MEDIA:** For surrounding fire use dry chemical, foam, carbon dioxide **SPECIAL FIRE FIGHTING PROCEDURES:** As appropriate for surrounding fire. **UNUSUAL FIRE AND EXPLOSION HAZARDS:** N.E. **HAZARDOUS COMBUSTION PRODUCTS:** Hydrogen chloride gas, carbon dioxide

#### **SECTION 5 - REACTIVITY DATA**

STABILITY:
POLYMERIZATION:

Stable X Will Not Occur X Unstable 
Will Occur

**CONDITIONS TO AVOID:** High heat

**INCOMPATIBILITY (Materials to Avoid):** Strong oxidizing and reducing agents **HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Hydrogen chloride, oxides of carbon



#### MS329120LF

#### **COE FLEX (LEAD FREE) - CATALYST**

#### SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		Х						
TERATOGENIC AFFECTS		Х						
REPRODUCTIVE TOXIN		Х						
CARCINOGENICITY		Х						
SENSITIZER		Х						
	•	•		•	•	•	•	•

 ROUTES OF ENTRY:
 Inhalation
 Skin
 Ingestion

**HEALTH HAZARD (Acute and Chronic):** Cupric Hydroxide may be corrosive to eye SIGNS AND SYMPTOMS OF OVEREXPOSURE: N.A. CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.A.

#### **EMERGENCY FIRST AID PROCEDURES:**

INGESTION: Induce vomiting, seek medical attention.SKIN: Wash with soap and water.EYES: Flush with water for 15 minutes. If irritation develops seek medical attention.

#### SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

**IN CASE OF RELEASE OR SPILL:** Scrape up and discard. **WASTE DISPOSAL METHOD:** In accordance with local, state, federal regulations. **STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Store in a cool, dry place

#### **SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Reduce exposure in accordance with good hygiene practice. If exposure limits are exceeded, use MSHA-NIOSH approved respirators for dusts, mists, fumes.

VENTILATION: Local Exhaust: N.A. Mechanical: N.A. Special: N.A. Other: N.A.

PROTECTIVE GLOVES: Disposable vinyl gloves recommended. EYE PROTECTION: Safety glasses OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N.A. WORK/HYGIENIC PRACTICE: N.A.

#### **SECTION 9- PREPARATION INFORMATION**

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR1910,1200 and W.H.M.I.S. CPR

 DATE:
 09 January 2006

 REVIEWWED:
 21 February 2012

# N.A. = NOT APPLICABLE

#### N.E. = NOT ESTABLISHED

\_\_\_\_\_

The information herein is given in good faith but no warranty expressed or implied is made.

		NFPA	
FIRE 1	TOXICITY 1	REACTIVITY 1	SPECIAL COR/OXY



Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**1** Identification

· Product identifier

• **Trade name:** COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

· Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental impression material
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- · Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

# 2 Hazard(s) identification

# Classification of the substance or mixtureSTOT SE 2H371-H335May cause damage to organs. May cause respiratory irritation.STOT RE 2H373May cause damage to organs through prolonged or repeated exposure.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.

#### · Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

(Contd. on page 2)


- USA

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)



Daligerous	components.	
68611-50-7	polysulfide polymer	50-70%
68611-50-7	polysulfide polymer	5-10%
	fatty acid**	1-5%
	peppermint oil	1-5%
	curing agent**	1-5%
8007-00-9	balsams, peru	< 1%
		(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

• Additional information:

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

### 4 First-aid measures

· Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Seek medical treatment.
- After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area. Avoid contact with the eyes and skin.

Wear protective clothing.

(Contd. on page 4)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

(Contd. of page 3)

• Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

- **Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Observe instructions for use. Avoid contact with the eves and skin.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### fatty acid\*\*

TLV Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup>

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- Material of gloves

(Contd. on page 5)

USA

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# • **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Information on basic physical and General Information	chemical properties
Appearance: Form: Color: Odor: Odor threshold:	Pasty White Sulfurous Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate	1.45 g/cm³ (12.1 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Insoluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

(Contd. of page 5)

 Solvent content: Organic solvents: VOC content:
 Other information

1.1 % 1.1 % No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Experience with humans:
- May cause damage to blood.
- May cause damage to kidneys.
- May cause damage to liver.
- May cause damage to testes.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Carcinogenic categories

<ul> <li>IARC (International Agency for Research on Cancer)</li> </ul>	
titanium dioxide	2B
silicon dioxide, amorphous	3
curing agent**	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
<ul> <li>Carcinogenic categories' legend:</li> <li>IARC Group 1: The agent is carcinogenic to humans.</li> <li>IARC Group 2A: The agent is probably carcinogenic to humans.</li> <li>IARC Group 2B: The agent is possibly carcinogenic to humans.</li> </ul>	
	(Contd. on page 7)

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
<ul> <li>UN proper shipping name</li> <li>DOT, ADR, ADN, IMDG, IATA</li> </ul>	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· Special precautions for user	Not applicable.	
		(Contd. on page 8)
		US/

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

\_

(Contd. of page 7)

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· UN "Model Regulation":

#### **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture
 SARA (Superfund Amendments and Reauthorization Act)

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

curing agent\*\*

• TSCA (Toxic Substances Control Act):

polysulfide polymer

titanium dioxide

fatty acid\*\*

curing agent\*\*

balsams, peru

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

titanium dioxide

curing agent\*\*

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

titanium dioxide

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling: polysulfide polymer curing agent\*\* titanium dioxide polysulfide polymer

• Hazard statements Causes skin irritation.

(Contd. on page 9)

A4

A3

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

(Contd. of page 8)

Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

Department incluing MCDC: Deputatory Affaire	
Department issuing MSDS: Regulatory Affairs	
Contact:	
Regulatory Affairs	
Telephone No. +1 (708) 597-0900	
sds@gcamerica.com	
· Date of preparation / last revision 02/24/2015 / -	
Abbreviations and acronyms:	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
HCS: Hazard Communication Standard (USA)	
MSDS: Material Safety Data Sheet	
SDS: Safety Data Sheet	
ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures	,
(European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA)	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the	
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
STOT SE 2: Specific target organ toxicity - Single exposure, Hazard Category 2	
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2	
Sources	
Manufacturers' MSDSs/SDSs	
<ul> <li>OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)</li> </ul>	
TOXNET (http://toxnet.nlm.nih.gov/)	
• ECHA (http://echa.europa.eu/)	
EnviChem (www.echemportal.org)	
(Contd. on page 10)	)
US/	

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: COE-FLEX (Lead-Free Base, Type/Set: Regular/Fast, Heavy/Regular, Injection/ Regular, and Regular/Regular)

(Contd. of page 9)

· Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

\*\* Data compared to the previous version altered. This version replaces all previous versions.

#### · Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.