

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

074312765

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

074312757

# MATERIAL SAFETY DATA SHEET

## SNOW WHITE PLASTER # 1

### 1 - IDENTIFICATION

**Manufacturer:** KerrLab  
**Address:** 1717 West Collins Avenue  
**City, State, Zip:** Orange, CA 92867  
**Telephone:** 1-800-KERR-123  
**24-Hour Emergency:** Chemtrec 1-800-424-9300  
International 1-703-527-3887  
**Date Prepared:** September 6, 2005

### 2 - COMPOSITION INFORMATION

#### Hazardous Ingredients

	CAS #	PEL	TLV	%
Calcium Sulfate Hemihydrate (Gypsum)	7778-18-9	5mg/m <sup>3</sup> (Respirable fraction)	10mg /m <sup>3</sup> (Total dust)	99

### 3 - PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point:** N/A  
**Specific Gravity (H<sub>2</sub>O = 1):** N/D  
**Vapor Pressure (mm Hg):** N/A  
**Melting Point:** N/A  
**Vapor Density (AIR = 1):** N/A  
**Solubility in Water:** Slightly soluble  
**Reactivity in Water:** N/A  
**Appearance and Odor:** An odorless white powder

### 4 - FIRE AND EXPLOSION HAZARD DATA

**Flash Point (Method Used):** N/A  
**Flammable Limits:** LEL: N/A UEL: N/A  
**Extinguishing Media:** Not combustible  
**Special Fire Fighting Procedures:** None  
**Unusual Fire and Explosion Hazards:** None

### 5 - REACTIVITY DATA

**Stability:** Stable  
**Conditions to Avoid:** Contact with acids  
**Incompatibility (Material to Avoid):** Acids  
**Hazardous Decomposition Products:** Above 1450 °C - sulfur dioxide and calcium oxide  
**Hazardous Polymerization:** Will not occur

### 6 - HEALTH HAZARD DATA

**Routes of Entry:**  
**Skin:** Particles may cause irritation.  
**Eyes:** Particles may cause irritation.  
**Inhalation:** Persons subjected to large amounts of this dust will be forced to leave area because of nuisance conditions: coughing, sneezing and nasal irritation from dust.  
**Ingestion:** If ingested, may result in an obstruction.  
**Carcinogenicity -** NTP: No  
**IARC Monographs:** No **OSHA Regulated Carcinogen:** No

### 7 - EMERGENCY FIRST AID PROCEDURES

**Skin:** Wash skin with soap and water.  
**Eyes:** Flush with water for 15 minutes to remove particles.  
**Inhalation:** Remove to fresh air  
**Ingestion:** None known

### 8 - PRECAUTIONS FOR SAFE HANDLING & USE

**Steps to be taken in case material is released or spilled:** Sweep or vacuum material from spillage into a waste container for disposal. Avoid dusting conditions.  
**Waste Disposal Method:** This material can be disposed of as inert solid in a landfill or by other procedures with are accepted under federal, state and local regulations.  
**Precautions to be taken in handling and storing:** Store in a cool, dry place with container sealed. Moisture or the presence of liquid water will harden the product during storage.

### 9 - CONTROL MEASURES

**Respiratory Protection (Specify Type):** When dusty conditions exist, wear an approved dust mask to guard against nuisance particles.  
**VENTILATION:**  
**Local Exhaust:** Provide general ventilation and local exhaust ventilation to meet TLV requirements.  
**Mechanical (General):** Usually sufficient  
**Protective Gloves:** Gloves are usually not necessary, but may be desirable in specific work situations.  
**Eye Protection:** Goggles may be needed to avoid particulate irritation of the eye.  
**Work/Hygiene Practices:** Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

### 10 - TRANSPORTATION INFORMATION

Not DOT regulated.

### 11 - SPECIAL INFORMATION

**HMIS (Hazardous Material Identification System) Rating:**  
H1 F0 R0  
[Hazard Index: 4 - Severe Hazard; 3 - Serious Hazard; 2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information contained in this sheet is, to the best of our knowledge, believed to be accurate.

## SAFETY DATA SHEET

### Section 1. Product And Company Identification

**Product Name:** Snow White Plaster #1

**Product Use:** Dental product: Stones and plasters

**Manufacturer:** Kerr Corporation  
1717 W. Collins Ave.  
Orange, CA 92867-5422  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** April 19, 2019

### Section 2. Hazards Identification

**GHS Classification:**

Combustible Dusts

Carcinogenicity Category 2

**Label Elements:**

Warning!



**Hazard Phrases**

May form combustible dust concentrations in air.

Suspected of causing cancer.

**Precautionary Phrases:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye or face protection.

IF exposed or concerned: Get medical attention.

Store locked up.

Dispose of contents and container in accordance with local and national regulations.

### Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount
Titanium dioxide	13463-67-7	1-5%

## Section 4. First Aid Measures

**Inhalation:** Immediately remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. If breathing has stopped, administer artificial respiration. Maintain an open airway. Get immediate medical attention.

**Skin Contact:** Flush thoroughly with water. Get medical attention if irritation or symptoms of exposure develop. Chemical burns must be treated promptly by a physician. Remove and launder contaminated clothing before re-use.

**Eye Contact:** Rinse thoroughly with water. Get medical attention if irritation occurs and persists. Chemical burns must be treated promptly by a physician.

**Ingestion:** Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Keep the victim calm and warm. Chemical burns must be treated promptly by a physician. Maintain an open airway. Get immediate medical attention.

**Most important symptoms and effects, acute and delayed:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes, nose, throat and lungs.

**Indication of immediate medical attention and special treatment, if needed:** Immediate medical attention is required if large quantities have been ingested or inhaled.

## Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Combustion may produce sulfur oxides, metal oxides, and calcium oxide.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

## Section 6: Accidental Release Measures

**Personal precautions, Protective equipment, and Emergency procedures:** Evacuate spill area and keep unprotected personnel away. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment. Do not breathe dust.

**Environmental Precautions:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Prompt cleanup and removal are necessary. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a

closed, labeled waste container. For large spills, approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid creating dusty conditions and prevent wind dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

**Section 7. Handling and Storage**

**Precautions for Safe Handling:** Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition. Prevent dust accumulation. Use with adequate ventilation. Remove and wash contaminated clothing before reuse. Electrical equipment and lightning should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

**Section 8. Exposure Controls / Personal Protection**

**Exposure Limits**

Chemical	Exposure Limit
Titanium dioxide	10 mg/m <sup>3</sup> TWA ACGIH TLV

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Use explosion-proof ventilation equipment.

**Respiratory Protection:** In operations where exposure levels are exceeded, an approved dust/mist respirator or supplied air respirator should be used. Equipment selection depends on contaminant type and concentration. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Hand protection:** Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.

**Eye Protection:** Chemical safety goggles are recommended if contact is possible.

**Skin Protection:** Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

**Hygiene measures:** Suitable eye and skin washing facilities should be available in the work area.

## Section 9. Physical and Chemical Properties

<b>Appearance:</b>	White powder	<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point/Range:</b>	Not available
<b>Flash Point:</b>	Not flammable	<b>Evaporation Rate:</b>	Not available
<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Flammability Limits:</b>	LEL: Not applicable UEL: Not applicable
<b>Vapor Pressure:</b>	Not available	<b>Vapor Density:</b>	Not available
<b>Relative Density:</b>	Not available	<b>Solubilities:</b>	Very slightly soluble in water
<b>Partition Coefficient: (N-Octanol/Water)</b>	Not available	<b>Autoignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available	<b>Viscosity:</b>	Not available

## Section 10. Stability and Reactivity

**Reactivity:** The product is not expected to be reactive.

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Avoid the creation of dust when handling and avoid all possible sources of ignition. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.

**Incompatible Materials:** Acids.

**Hazardous decomposition products:** None if stored normally.

## Section 11. Toxicological Information

### Potential Health Effects:

**Inhalation:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

**Skin Contact:** None known.

**Eye Contact:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

**Ingestion:** None known.

**Chronic Hazards:** Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.

**Skin Sensitization:** No adverse effects expected. Components are not sensitizers.

**Respiratory Sensitization:** No data available. This product is not expected to cause respiratory sensitization.

**Germ Cell Mutagenicity:** None of the components have shown mutagenic activity in animal studies.

**Carcinogen:** None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Developmental / Reproductive Toxicity:** None of the components have been shown to cause reproductive or developmental toxicity.

**Specific Target Organ Toxicity (Single Exposure):** No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** No data available.

**Aspiration Toxicity:** Not an aspiration hazard.

**Acute Toxicity Values:**

Titanium dioxide: LD50 Oral rat: >5000 mg/kg; LD50 Dermal rabbit: >5000 mg/kg;  
LC50 Inhalation rat: 6.8 mg/L/4 hr

**Section 12. Ecological Information**

**Toxicity:**

Titanium dioxide: 96 hr LC50 Fundulus heteroclitus >1000 mg/L;  
72 hr EC50 Pseudokirchneilla subcapitata 5.83 mg/L; 48 hr LC50 Daphnia magna 5.5 ppm

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative Potential:** Titanium dioxide has a BCF of 352, potential for bioaccumulative is low.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

**Section 13. Disposal Considerations**

**Disposal:** For unused product, dispose of in accordance with Federal and local regulations.

**Container Disposal:** Dispose of empty container in accordance with Federal and local regulations.

**Section 14. Transport Information**

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	None	Not Regulated	None	None	None
<b>EU ADR/RID</b>	None	Not Regulated	None	None	None
<b>IMDG</b>	None	Not Regulated	None	None	None
<b>IATA/ICAO</b>	None	Not Regulated	None	None	None

**Special Precautions for User:** None identified

**Transport in Bulk According to Annex II MARPOL 73/78 and the IBC Code:** Not applicable – product is transported only in packaged form.

**Section 15. Regulatory Information**

**U.S. Federal Regulations:**

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):** None

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**International Inventories**

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canada CEPA:** All of the components of this material are listed on the DSL or exempt.

**Section 16. Other Information**

**Effective Date:** April 19, 2019

**Supersedes Date:** May 27, 2015

**Revision Summary:** All Sections – New SDS format

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.