

SAFETY DATA SHEETS

This SDS packet was issued with item:

075219951

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075219969 075219977

REVISION DATE 15/01/2013

MATERIAL SAFETY DATA SHEET

ONE-UP BOND F Plus Bonding Agent A

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME ONE-UP BOND F Plus Bonding Agent A

PRODUCT USE Dental Adhesive. For dental professionals only.

SUPPLIER Tokuyama Dental America Inc. MANUFACTURER Tokuyama Dental Corporation
Tel: (877) 378 3548 (Toll-Free) 38-9, Taitou 1-chome, Taitou-ku,
Tokyo, Japan
TEL: +81-3-3835-7201

CONTACT PERSON <http://www.tokuyama-dental.com/contact.htm>

EMERGENCY TELEPHONE

Washington
National Capital Poison Center
3201 New Mexico Avenue, Suite 310 Washington, DC 20016
Telephone: +1 202 362 3867
Emergency telephone: 1 800 222 1222
Fax: +1 202 362 8377
E-mail: pc@poison.org
Web site: <http://www.poison.org>

San Francisco
California Poison Control System
at San Francisco General Hospital
University of California San Francisco, Box 1369
1001 Potrero Avenue, Bldg 5 Rm 2A21
San Francisco, California 94143-1369
Telephone: +1 415 643 3200
Emergency telephone: 1 800 222 1222
Fax: +1 415 502 6010
E-mail: coadmin@calpoison.org
Web site: <http://www.calpoison.org>

<http://www.who.int/ipcs/poisons/centre/en/>

2 HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

INHALATION

Irritating to respiratory system.

INGESTION

Slightly irritating. : DIGESTIVE SYSTEM.

SKIN CONTACT

Irritating to skin. Product has a defatting effect on skin. May cause sensitization by skin contact.

EYE CONTACT

Irritating and may cause redness and pain.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %
11-methacryloxy-1,1-undecanedicarboxylic acid (MAC-10)		108362-85-2	10-30%
bisphenol A polyethoxy dimethacrylate		41637-38-1	10-30%
dibutyl hydroxy toluene	204-881-4	128-37-0	< 1%
methacryloxyalkyl acid phosphate (phosphoric acid monomer)	258-053-2	52628-03-2	30-60%
METHYL METHACRYLATE	201-297-1	80-62-6	5-10%

4 FIRST-AID MEASURES

REVISION DATE 15/01/2013

ONE-UP BOND F Plus Bonding Agent A**GENERAL INFORMATION**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INHALATION

Move the exposed person to fresh air at once.

INGESTION

Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention if any discomfort continues.

SKIN CONTACT

Wash the skin immediately with soap and water.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

5 FIRE-FIGHTING MEASURES**EXTINGUISHING MEDIA**

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapors.

SPECIFIC HAZARDS

When heated and in case of fire, irritating vapours/gases may be formed.

PROTECTIVE MEASURES IN FIRE

Wear full protective clothing.

FLASH POINT (°C) 33.0°C

6 ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS**

Wear protective clothing as described in Section 8 of this material safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

7 HANDLING AND STORAGE**HANDLING**

All handling to take place in well-ventilated area.

STORAGE

Store under refrigerated conditions at temperatures between 0 to 10°C (32 to 50°F). Keep away from heat, direct sunlight, sparks and open flames.

STORAGE CLASS

Flammable liquid storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
METHYL METHACRYLATE	PEL	100 ppm	410 mg/m ³			
METHYL METHACRYLATE	ACGIH	50 ppm		100 ppm		A4, Sen
COMPONENT						IDLH
METHYL METHACRYLATE						1000 ppm

ACGIH=American Conference of Governmental Industrial Hygienists.

A4: Not Classifiable as a Human Carcinogen.

SEN: Sensitizer.

PROTECTIVE EQUIPMENT

REVISION DATE 15/01/2013

ONE-UP BOND F Plus Bonding Agent A**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

HAND PROTECTION

Wear protective gloves.

EYE PROTECTION

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid
COLOR	Light (or pale) Yellowish
ODOR	Characteristic
RELATIVE DENSITY	1.17
pH-VALUE, CONC. SOLUTION	< 7
FLASH POINT (°C)	33.0°C

10 STABILITY AND REACTIVITY

STABILITY

FLAMMABLE.

CONDITIONS TO AVOID

Keep away from heat, sparks and open flame. Protect against direct sunlight.

MATERIALS TO AVOID

Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Toxic gases are generated when heated.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

No data on possible toxic effects have been found.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

No data on possible environmental effects have been found.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

REVISION DATE 15/01/2013

ONE-UP BOND F Plus Bonding Agent A

DOT PROPER SHIPPING NAME	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
TDG SHIPPING NAME	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
IDENTIFICATION No.	1133
TUNNEL RESTRICTION CODE	(D/E)
CEFIC TEC(R) NO.	30GF1-III, 30GF1-sp
DOT HAZARD CLASS	3
DOT PACKING GROUP	III
U.S DOT HAZARD LABEL	Flammable Liquid
UN NO. SEA	1133
IMDG CLASS	3
IMDG PACK GR.	III
EMS	F-E, S-D
UN NO. AIR	1133
ICAO CLASS	3
AIR PACK GR.	III
TDG CLASS	3
TDG LABEL(S)	3
TDG PACKING GROUP	III

15 REGULATORY INFORMATION

INVENTORIES

COMPONENT	CAN	US	EU	AUS	JAP	KOR	CHN	PHLP
METHYL METHACRYLATE	No.	No.	EINECS	No.	No.	No.	No.	No.

COMPONENT	TSCA 12(b) Export Notification
METHYL METHACRYLATE	No.

US FEDERAL REGULATIONS

COMPONENT	SARA 302-TPQ	CERCLA-RQ	SARA 313
METHYL METHACRYLATE	Not Listed	1 000 lbs	1.0 %

CLEAN AIR ACT

COMPONENT	CAA Accidental Release Prevention
METHYL METHACRYLATE	Not Listed

US STATE REGULATIONS

COMPONENT	CAS	CA	FL	MA	MN	NJ	PA	RI
METHYL METHACRYLATE	80-62-6	Not Listed	Yes.	Yes.	Yes.	Yes.	Yes.	Yes.

REGULATORY REFERENCES

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

16 OTHER INFORMATION

REVISION DATE 15/01/2013

REVISION DATE 15/01/2013

ONE-UP BOND F Plus Bonding Agent A

DISCLAIMER

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.

Revision Date 01/05/2018

Revision 3

SAFETY DATA SHEET

ONE-UP BOND F Plus Bonding Agent A

1. IDENTIFICATION

Product Name	ONE-UP BOND F Plus Bonding Agent A
Identified uses	Dental Adhesive. For dental professionals only.
Supplier	Tokuyama Dental America Inc. Tel: (877) 378 3548 (Toll-Free)
Contact Person	http://www.tokuyama-dental.com/tdc/contact.html
Manufacturer	Tokuyama Dental Corporation 38-9, Taitou 1-chome, Taitou-ku, Tokyo 110-0016, Japan TEL: +81-3-3835-2261
Emergency Telephone	<p>California Poison Control System - San Francisco Division San Francisco General Hospital Bldg 5 Rm 2A21, 1001 Potrero Ave, San Francisco Emergency telephone number: 1 800 222 1222 E-mail address: coadmin@calpoison.org http://www.calpoison.org</p> <p>National Capital Poison Center 3201 New Mexico Ave, Ste 310, Washington DC Emergency telephone number: 1 800 222 1222 Telephone number: +1 202 362 3867 Facsimile numer: +1 202 362 8377 E-mail address: pc@poison.org http://www.poison.org</p>

2. HAZARD(S) IDENTIFICATION

Appearance	Liquid
Color	Light yellow
Odor	Characteristic
GHS Pictogram	



Signal Word Warning

Hazard Statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P271	Use only outdoors or in a well-ventilated area.

ONE-UP BOND F Plus Bonding Agent A

P305+351+338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+233

Store in a well-ventilated place. Keep container tightly closed.

P501

Dispose of contents/container in accordance with local regulations.

Contains

11-methacryloxy-1,1-undecanedicarboxylic acid

bisphenol A polyethoxy dimethacrylate

METHYL METHACRYLATE

GHS Classification

Physical and Chemical Hazards Flam. Liq. 3 - H226

Human health

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; STOT SE 3 - H335

Environment

Not classified.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

OSHA Regulatory Status

This Product is Hazardous under the OSHA Hazard Communication Standard.

General Information

May cause irritation to the respiratory system. IF SWALLOWED: Slightly irritating. (DIGESTIVE SYSTEM.) This chemical may cause skin/eye irritation. Product has a defatting effect on skin. May cause sensitization by skin contact.

3. COMPOSITION/INFORMATION ON INGREDIENTS**11-methacryloxy-1,1-undecanedicarboxylic acid****10-30%****CAS No.: 108362-85-2****EC No.:**

GHS Classification

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; STOT SE 3 - H335

bisphenol A polyethoxy dimethacrylate**10-30%****CAS No.: 41637-38-1****EC No.: 609-946-4**

GHS Classification

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; STOT SE 3 - H335

dibutyl hydroxy toluene**< 1%****CAS No.: 128-37-0****EC No.: 204-881-4**

GHS Classification

Aquatic Chronic 1 - H410

methacryloxyalkyl acid phosphate**30-60%****CAS No.: 52628-03-2****EC No.: 258-053-2**

GHS Classification

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319

ONE-UP BOND F Plus Bonding Agent A

METHYL METHACRYLATE	5-10%
CAS No.: 80-62-6	EC No.: 201-297-1
GHS Classification Flam. Liq. 2 - H225; Skin Irrit. 2 - H315; Skin Sens. 1 - H317; STOT SE 3 - H335	

4. FIRST-AID MEASURES

Description of first aid measures

General Information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once.

Ingestion

Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention if any discomfort continues.

Skin Contact

Wash the skin immediately with soap and water.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

Most important symptoms and effects, both acute and delayed

Inhalation

Irritating to respiratory system.

Ingestion

Slightly irritating. (DIGESTIVE SYSTEM.)

Skin Contact

Irritating to skin. Product has a defatting effect on skin. May cause sensitization by skin contact.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

CAUTION! First aid personnel must be aware of own risk during rescue! Wear suitable protective clothing.

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Flash point (°C)

33.0°C

Extinguishing Media

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

Specific Hazards

When heated and in case of fire, irritating vapors/gases may be formed.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Wear full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

ONE-UP BOND F Plus Bonding Agent A

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

All handling to take place in well-ventilated area.

Storage

Store under refrigerated conditions at temperatures between 0 to 10°C (32 to 50°F). Keep away from heat, direct sunlight, sparks and open flames.

Storage Class

Flammable liquid storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
dibutyl hydroxy toluene	ACGIH		2 mg/m ³			A4
METHYL METHACRYLATE	PEL	100 ppm	410 mg/m ³			
METHYL METHACRYLATE	ACGIH	50 ppm		100 ppm		A4, Sen
COMPONENT	IDLH					
METHYL METHACRYLATE	1000 ppm					

ACGIH=American Conference of Governmental Industrial Hygienists.

A4: Not Classifiable as a Human Carcinogen.

SEN: Sensitizer.

Protective Equipment



Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

Hand Protection

Wear protective gloves.

Eye Protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

ONE-UP BOND F Plus Bonding Agent A

Appearance	Liquid
Color	Light yellow
Odor	Characteristic
Solubility	No information available.

Initial boiling point and boiling range

Not available.

Melting point (°C)

Not available.

Relative density 1.17

Vapor density (air=1)

Not available.

Vapor pressure

Not available.

Evaporation rate

Not available.

pH-Value, Conc. Solution < 7

pH-Value, Diluted Solution

Not available.

Viscosity

Not available.

Decomposition temperature (°C)

Not available.

Odour Threshold, Lower

Not available.

Odour Threshold, Upper

Not available.

Flash point 33.0°C

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Partition Coefficient

(N-Octanol/Water)

Not available.

Explosive properties

Not available.

Other Flammability

Not available.

Oxidising properties

Not available.

10. STABILITY AND REACTIVITY

Reactivity

May polymerise.

Stability

FLAMMABLE.

Hazardous reactions:

Not available.

Conditions To Avoid

Keep away from heat, sparks and open flame. Protect against direct sunlight.

Materials To Avoid

Strong oxidizing agents.

Hazardous Decomposition Products

Toxic gases are generated when heated.

11. TOXICOLOGICAL INFORMATION

ONE-UP BOND F Plus Bonding Agent A

Acute toxicity:

Not available.

Skin Corrosion/Irritation:

Irritating to skin. Product has a defatting effect on skin.

Serious eye damage/irritation:

Irritating and may cause redness and pain.

Respiratory or skin sensitisation:

Respiratory sensitisation

Not available.

Skin sensitisation

:

May cause sensitization by skin contact.

Germ cell mutagenicity:

Not available.

Carcinogenicity:

METHYL METHACRYLATE

EPA: Not likely to be carcinogenic to humans

IARC Carcinogenicity

Butylated hydroxytoluene (BHT) , METHYL METHACRYLATE : IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP - Carcinogenicity

Not listed.

OSHA - Carcinogenicity

Not listed.

Reproductive Toxicity:

Not available.

Specific target organ toxicity - single exposure:

Irritating to respiratory system.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Not available.

Aspiration hazard:

Viscosity

Not available.

12. ECOLOGICAL INFORMATION

Toxicity

No data available.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not available.

Mobility:

No information available.

Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

Other adverse effects

Not known.

ONE-UP BOND F Plus Bonding Agent A

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

UN No. (DOT/TDG)	1133
UN No. (IMDG)	1133
UN No. (ICAO)	1133
DOT Proper Shipping Name	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
TDG Proper Shipping Name	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
DOT Hazard Class	3
DOT Hazard Label	Flammable Liquid
TDG Class	3
TDG Label(s)	3
IMDG Class	3
ICAO Class	3
Transport Labels	



DOT Pack Group	III
IMDG Pack Group	III
Air Pack Group	III
Environmentally Hazardous Substance/Marine Pollutant	No.

EMS	F-E, S-D
Special precautions for user	Not available.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes
Not applicable.

15. REGULATORY INFORMATION

Regulatory Status (US)

This Product is Hazardous under the OSHA Hazard Communication Standard.

Regulatory References

29 CFR 1910.1200(g) Federal Regulations (OSHA Standard).

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

METHYL METHACRYLATE; 1,000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

ONE-UP BOND F Plus Bonding Agent A

SARA 313 Emission Reporting

The following ingredients are listed.

METHYL METHACRYLATE

CAA Accidental Release Prevention

None of the ingredients are listed.

SARA (311/312) Hazard Categories

Fire Acute

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

METHYL METHACRYLATE

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

Rhode Island "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

Minnesota "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

New Jersey "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

Pennsylvania "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

International Inventories

EU - EINECS/ELINCS

The following ingredients are listed.

dibutyl hydroxy toluene

methacryloxyalkyl acid phosphate

METHYL METHACRYLATE

Canada – DSL/NDSL

The following ingredients are listed.

bisphenol A polyethoxy dimethacrylate

dibutyl hydroxy toluene

methacryloxyalkyl acid phosphate

METHYL METHACRYLATE

US - TSCA

The following ingredients are listed.

bisphenol A polyethoxy dimethacrylate

dibutyl hydroxy toluene

methacryloxyalkyl acid phosphate

METHYL METHACRYLATE

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

ONE-UP BOND F Plus Bonding Agent A

16. OTHER INFORMATION

Revision Comments

Revision Date	01/05/2018
Revision	3

Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.

Revision Date 08/05/2017

Revision 2

SAFETY DATA SHEET

ONE-UP BOND F Plus Bonding Agent B

1. IDENTIFICATION

Product Name ONE-UP BOND F Plus Bonding Agent B

Identified uses Dental Adhesive. For dental professionals only.

Supplier Tokuyama Dental America Inc.
Tel: (877) 378 3548 (Toll-Free)

Contact Person <http://www.tokuyama-dental.com/tdc/contact.html>

Manufacturer Tokuyama Dental Corporation
38-9, Taitou 1-chome, Taitou-ku, Tokyo
110-0016, Japan
TEL: +81-3-3835-2261

Emergency Telephone

California Poison Control System - San Francisco Division
San Francisco General Hospital
Bldg 5 Rm 2A21, 1001 Potrero Ave, San Francisco
Emergency telephone number: 1 800 222 1222
E-mail address: coadmin@calpoison.org
<http://www.calpoison.org>

National Capital Poison Center
3201 New Mexico Ave, Ste 310, Washington DC
Emergency telephone number: 1 800 222 1222
Telephone number: +1 202 362 3867
Facsimile numer: +1 202 362 8377
E-mail address: pc@poison.org
<http://www.poison.org>

2. HAZARD(S) IDENTIFICATION

Appearance Liquid

Color Yellow

Odor Characteristic

GHS Pictogram



Signal Word Warning

Hazard Statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+235	Store in a well-ventilated place. Keep cool.

ONE-UP BOND F Plus Bonding Agent B

P501 Dispose of contents/container in accordance with local regulations.

Contains

2-DIMETHYLAMINOETHYL METHACRYLATE
2-HYDROXYETHYL METHACRYLATE
METHYL METHACRYLATE

GHS Classification

Physical and Chemical Hazards	Flam. Liq. 3 - H226
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Not classified.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

OSHA Regulatory Status

This Product is Hazardous under the OSHA Hazard Communication Standard.

General Information

May cause irritation to the respiratory system. IF SWALLOWED: Slightly irritating. (DIGESTIVE SYSTEM.) This chemical may cause skin/eye irritation. Product has a defatting effect on skin. May cause sensitization by skin contact.

3. COMPOSITION/INFORMATION ON INGREDIENTS

2-DIMETHYLAMINOETHYL METHACRYLATE	1-5%			
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">CAS No.: 2867-47-2</td> <td style="width: 40%; text-align: center;">EC No.: 220-688-8</td> <td style="width: 30%;"></td> </tr> </table>		CAS No.: 2867-47-2	EC No.: 220-688-8	
CAS No.: 2867-47-2	EC No.: 220-688-8			
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317				

2-HYDROXYETHYL METHACRYLATE	30-60%			
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">CAS No.: 868-77-9</td> <td style="width: 40%; text-align: center;">EC No.: 212-782-2</td> <td style="width: 30%;"></td> </tr> </table>		CAS No.: 868-77-9	EC No.: 212-782-2	
CAS No.: 868-77-9	EC No.: 212-782-2			
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317				

dibutyl hydroxy toluene	< 1%			
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">CAS No.: 128-37-0</td> <td style="width: 40%; text-align: center;">EC No.: 204-881-4</td> <td style="width: 30%;"></td> </tr> </table>		CAS No.: 128-37-0	EC No.: 204-881-4	
CAS No.: 128-37-0	EC No.: 204-881-4			
GHS Classification Aquatic Chronic 1 - H410				

METHYL METHACRYLATE	5-10%			
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">CAS No.: 80-62-6</td> <td style="width: 40%; text-align: center;">EC No.: 201-297-1</td> <td style="width: 30%;"></td> </tr> </table>		CAS No.: 80-62-6	EC No.: 201-297-1	
CAS No.: 80-62-6	EC No.: 201-297-1			
GHS Classification Flam. Liq. 2 - H225; Skin Irrit. 2 - H315; Skin Sens. 1 - H317; STOT SE 3 - H335				

4. FIRST-AID MEASURES

Description of first aid measures

General Information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

ONE-UP BOND F Plus Bonding Agent B

Inhalation

Move the exposed person to fresh air at once.

Ingestion

Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention if any discomfort continues.

Skin Contact

Wash the skin immediately with soap and water.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

Most important symptoms and effects, both acute and delayed

Inhalation

Irritating to respiratory system.

Ingestion

Slightly irritating. (DIGESTIVE SYSTEM.)

Skin Contact

Irritating to skin. Product has a defatting effect on skin. May cause sensitization by skin contact.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

CAUTION! First aid personnel must be aware of own risk during rescue! Wear suitable protective clothing.

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Flash point (°C) 29.5°C

Extinguishing Media

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

Specific Hazards

When heated and in case of fire, irritating vapors/gases may be formed.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Wear full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

All handling to take place in well-ventilated area.

Storage

Store under refrigerated conditions at temperatures between 0 to 10°C (32 to 50°F). Keep away from heat, direct sunlight, sparks and open flames.

ONE-UP BOND F Plus Bonding Agent B

Storage Class

Flammable liquid storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
dibutyl hydroxy toluene	ACGIH		2 mg/m ³			A4
METHYL METHACRYLATE	PEL	100 ppm	410 mg/m ³			
METHYL METHACRYLATE	ACGIH	50 ppm		100 ppm		A4, Sen
COMPONENT						IDLH
METHYL METHACRYLATE						1000 ppm

ACGIH=American Conference of Governmental Industrial Hygienists.

A4: Not Classifiable as a Human Carcinogen.

SEN: Sensitizer.

Protective Equipment



Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

Hand Protection

Wear protective gloves.

Eye Protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Color	Yellow
Odor	Characteristic
Solubility	No information available.
Initial boiling point and boiling range	
	Not available.
Melting point (°C)	
	Not available.
Relative density	1.23
Vapor density (air=1)	
	Not available.
Vapor pressure	
	Not available.
Evaporation rate	
	Not available.
pH-Value, Conc. Solution	7

ONE-UP BOND F Plus Bonding Agent B

pH-Value, Diluted Solution

Not available.

Viscosity

Not available.

Decomposition temperature (°C)

Not available.

Odour Threshold, Lower

Not available.

Odour Threshold, Upper

Not available.

Flash point 29.5°C

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Partition Coefficient

(N-Octanol/Water)

Not available.

Explosive properties

Not available.

Other Flammability

Not available.

Oxidising properties

Not available.

10. STABILITY AND REACTIVITY

Reactivity

May polymerise.

Stability

FLAMMABLE.

Hazardous reactions:

Not available.

Conditions To Avoid

Keep away from heat, sparks and open flame. Protect against direct sunlight.

Materials To Avoid

Strong oxidizing agents.

Hazardous Decomposition Products

Toxic gases are generated when heated.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Not available.

Skin Corrosion/Irritation:

Irritating to skin. Product has a defatting effect on skin.

Serious eye damage/irritation:

Irritating and may cause redness and pain.

Respiratory or skin sensitisation:

Respiratory sensitisation

Not available.

Skin sensitisation

:

May cause sensitization by skin contact.

ONE-UP BOND F Plus Bonding Agent B

Germ cell mutagenicity:

Not available.

Carcinogenicity:

METHYL METHACRYLATE

EPA: Not likely to be carcinogenic to humans

IARC Carcinogenicity

METHYL METHACRYLATE , Butylated hydroxytoluene (BHT) : IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP - Carcinogenicity

Not listed.

OSHA - Carcinogenicity

Not listed.

Reproductive Toxicity:

Not available.

Specific target organ toxicity - single exposure:

Irritating to respiratory system.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Not available.

Aspiration hazard:

Viscosity

Not available.

12. ECOLOGICAL INFORMATION

Toxicity

No data available.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not available.

Mobility:

No information available.

Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

UN No. (DOT/TDG)	1133
UN No. (IMDG)	1133
UN No. (ICAO)	1133
DOT Proper Shipping Name	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
TDG Proper Shipping Name	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
DOT Hazard Class	

3

ONE-UP BOND F Plus Bonding Agent B

DOT Hazard Label

Flammable Liquid

TDG Class 3

TDG Label(s) 3

IMDG Class 3

ICAO Class 3

Transport Labels

DOT Pack Group III

IMDG Pack Group III

Air Pack Group III

Environmentally Hazardous Substance/Marine Pollutant

No.

EMS F-E, S-D

Special precautions for user Not available.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes

Not applicable.

15. REGULATORY INFORMATION

Regulatory Status (US)

This Product is Hazardous under the OSHA Hazard Communication Standard.

Regulatory References

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

US Federal Regulations
SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

METHYL METHACRYLATE; 1, 000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

METHYL METHACRYLATE

CAA Accidental Release Prevention

None of the ingredients are listed.

SARA (311/312) Hazard Categories

Fire Acute

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations
California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

ONE-UP BOND F Plus Bonding Agent B

METHYL METHACRYLATE

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE

dibutyl hydroxy toluene

METHYL METHACRYLATE

Rhode Island "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

Minnesota "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

METHYL METHACRYLATE

New Jersey "Right To Know" List

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE

dibutyl hydroxy toluene

METHYL METHACRYLATE

Pennsylvania "Right To Know" List

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE

dibutyl hydroxy toluene

METHYL METHACRYLATE

International Inventories

EU - EINECS/ELINCS

All ingredients are listed or exempt.

Canada – DSL/NDL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

16. OTHER INFORMATION

Revision Comments

Revision Date	08/05/2017
Revision	2

Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.