SAFETY DATA SHEETS

This SDS packet was issued with item: 075533492

N/A



Safety Data Sheet

Issue Date: 23-Apr-2013	Revision Date: 13-Jan-2015	Version 1
	1. IDENTIFICATION	
Product Identifier Product Name	C&B Metabond Base	
Other means of identification SDS #	S398	
UN/ID No	UN1247	
Recommended use of the chem	ical and restrictions on use	
Recommended Use	Dental Adhesive System.	
Details of the supplier of the safe Supplier Address Parkell, Inc. 300 Executive Drive Edgewood, NY 11717	iety data sheet	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	(631) 249-1134 INFOTRAC 1-352-323-3500 (International)	

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless, transparent liquid

Physical State Liquid

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin May be harmful if inhaled

<u>Signal Word</u> Danger

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation Highly flammable liquid and vapor

Page 1/9



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Get medical advice / attention IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Methyl methacrylate	80-62-6	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do not induce vomiting without medical advice. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms	Causes serious eye irritation and skin irritation. May cause an allergic skin reaction.
	Ingestion may cause headache, dizziness, nausea, tinnitus, dyspnea, etc. Inhalation can
	cause irritation of the upper respiratory tract and mucous membranes; at high
	concentrations, can cause symptoms similar to those which may be experienced upon
	ingestion.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Water. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. When exposed to flame, product emits toxic fumes and gases.

Hazardous Combustion Products Carbon monoxide.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.	
For Emergency Responders	Remove all sources of ignition. Ventilate the area.	
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.	

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Absorb small quantities on paper towels. Evaporate in safe place such as a fume hood. Allow sufficient time for evaporating vapors to completely clear the hood duct work. Burn the paper in a suitable location away from combustible materials. Large quantities can be collected and burned in a suitable combustion chamber.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store under pure nitrogen or sparge with nitrogen or oxygen-free gas. Store locked up.
Incompatible Materials	Polymerization catalysts such as peroxides, persulfates, light, heat, nitric acid and other strong oxidizers, ammonia and amines, and halogens and halogen compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl methacrylate	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
80-62-6	TWA: 50 ppm	TWA: 410 mg/m ³	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 410 mg/m ³
		(vacated) TWA: 410 mg/m ³	•

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

- Eye/Face Protection Safety glasses or full face shield.
- Skin and Body Protection Rubber or PVC gloves.

Respiratory Protection NIOSH-approved respiratory protection for organic gases if needed.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid		
Appearance	Colorless, transparent liquid	Odor	Not determined
Color	Colorless, transparent	Odor Threshold	Not determined
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	101 °C / 214 °F		
Flash Point	10 °C / 50 °F	Tag Closed Cup	
Evaporation Rate	Not applicable		
Flammability (Solid, Gas)	Liquid-not applicable		
Upper Flammability Limits	8.2%		
Lower Flammability Limit	1.7%		
Vapor Pressure	40 mm HG		
Vapor Density	3.45	(Air=1)	
Specific Gravity	0.944	(Water = 1)	
Water Solubility	Not determined		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization may occur, especially when heated or catalyzed.

Conditions to Avoid

Keep separated from incompatible substances. Avoid heat and light. Keep out of reach of children.

Incompatible Materials

Polymerization catalysts such as peroxides, persulfates, light, heat, nitric acid and other strong oxidizers, ammonia and amines, and halogens and halogen compounds.

Hazardous Decomposition Products

Thermal-oxidative degradation can produce toxic and corrosive materials, including carbon monoxide.

Page 5/9

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May cause an allergic skin reaction. May be harmful in contact with skin.
Inhalation	May cause respiratory irritation. May be harmful if inhaled.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl methacrylate	= 7872 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 4632 ppm (Rat) 4 h = 400 ppm
80-62-6			(Rat) 1 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

May cause an allergic skin reaction.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Methyl methacrylate		Group 3		
80-62-6				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure

May cause respiratory irritation.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Methyl methacrylate	170: 96 h	243 - 275: 96 h Pimephales		69: 48 h Daphnia magna
80-62-6	Pseudokirchneriella	promelas mg/L LC50 flow-		mg/L EC50
	subcapitata mg/L EC50	through 125.5 - 190.7: 96 h		_
		Pimephales promelas mg/L		
		LC50 static 170 - 206: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through 153.9 -		
		341.8: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 79: 96 h Oncorhynchus		
		mykiss mg/L LC50 flow-		
		through 79: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static 326.4 - 426.9: 96		
		h Poecilia reticulata mg/L		
		LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Methyl methacrylate	0.7
80-62-6	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl methacrylate	U162	Included in waste stream:		U162
80-62-6		F039		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Methyl methacrylate	Toxic
80-62-6	Ignitable

14. TRANSPORT INFORMATION

<u>Note</u> DOT	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1247 Methyl methacrylate monomer, stabilized 3 III
IATA UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1247 Methyl methacrylate monomer, stabilized 3 III
IMDG UN/ID No Proper Shipping Name Hazard Class Packing Group Marine Pollutant	UN1247 Methyl methacrylate monomer, stabilized 3 III This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Methyl methacrylate	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methyl methacrylate	1000 lb		RQ 1000 lb final RQ
80-62-6			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl methacrylate - 80-62-6	80-62-6	Proprietary	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methyl methacrylate	1000 lb			Х

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methyl methacrylate	Х	Х	Х
80-62-6			

16. OTHER INFORMATION NFPA Instability **Special Hazards Health Hazards** Flammability Not determined 2 3 2 **Health Hazards** Flammability **Physical Hazards Personal Protection** HMIS Not determined Not determined Not determined Not determined

Issue Date:	23-Apr-2013
Revision Date:	13-Jan-2015
Revision Note:	New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 9/9