

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

075556899

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

075556519 075556840 075556865 075556873 075556881

# Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012

ISSUED BY PASCAL

**Product Name:** Occlude®

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Occlude®  
Product Use: Aerosol Indicator Marking Spray  
Manufacturer Name Pascal International, Inc.  
Address 2929 NE Northup Way  
Bellevue, Washington 98004  
Emergency Telephone (Infotrac): 1-800-535-5053, 1-352-323-3500  
Telephone 1-425-827-4694, 1-800-426-8051  
Fax 1-425-827-6893

## 2. HAZARDS IDENTIFICATION

Hazard Irritating to eyes. Can is under pressure. Unusual fire and explosion hazard. Inhalation of large quantities of propellant may displace oxygen in lungs.

Risk Phrases R12: Highly flammable  
R18: Vapor may form flammable mixtures with air  
R36: Irritating to eyes.  
R20: Harmful by inhalation

Safety Phrases S2: Keep out of the reach of children  
S15: Keep away from heat.  
S23: Do not breathe vapor.  
S25: Avoid contact with eyes.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture	Chemical Entity	CAS No.	Proportion*	ACGIH TLV
Propellant	Isobutane	75-28-5	97%	1000 ppm
	N-Butane	106-97-8	2%	1000 ppm
	Propane	74-98-6	1%	1000 ppm

## 4. FIRST AID MEASURES

Inhalation Move to fresh air. If unconscious, give oxygen  
Ingestion Ingestion of normal quantities is non-toxic.  
Skin N/A  
Eye Flush with water for 15 minutes. Seek medical aid.

# Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

## 5. FIRE FIGHTING MEASURES

Extinguishing Media:	CO <sub>2</sub> , Foam, Dry Chemical, Water
Specific Hazards:	Extremely flammable and combustible. Temperature above 50°C/120°F may cause bursting and contents under pressure may discharge.
Precautions in connection with Fire:	Confine fire to immediate area. Use of self contained breathing apparatus is recommended. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:	Provide adequate ventilation.
Clean Up Procedure:	Use soap and water after propellant has been dispersed.

## 7. HANDLING AND STORAGE

Handling	Content is under pressure. Keep away from fire. Flammable. Do not puncture.
Storage	Content is under pressure. Store in a cool, dry area away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not puncture.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits	Not determined
Respiratory Protection	Dust mask recommended.
Eye Protection	Recommended
Hand Protection	Gloves recommended
Engineering Controls	Normal room ventilation
Biological Limit Values	Not determined

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Red or green powder dispensed as an aerosol.
Odor	Odorless

## Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

Vapor Pressure (mm Hg and Temperature)	(Isobutane @ 32° F) 1,519.0
Vapor Density (AIR=1)	(Isobutane) 2.01
Boiling Point	(Isobutane) 10.9° F
Freezing / Melting Point	Not Determined
Solubility in Water	Minimal
Specific Gravity	(Isobutane) 0.5631
Evaporation Rate	Not Determined
Water Reactive	N/A
Flash Point	120° F
Flammable Limits LEL	Maintain level below 0.25 LEL. May displace oxygen in air
Flammable Limits UEL	Not determined

### 10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Conditions to Avoid	N/A
Incompatible Materials	May react with oxidizing materials.
Hazardous Decomposition Products	None known
Hazardous Reactions	None known

### 11. TOXICOLOGICAL INFORMATION

Hazardous Ingredient:	N/A
Routes of Exposure:	N/A

### 12. ECOLOGICAL INFORMATION

Ecotoxicity	Contains no CFC's. Propellants are ecologically safe.
Persistence and Degradability	Not determined
Mobility	Not determined

### 13. DISPOSAL CONSIDERATIONS

Disposal Method and Containers	Empty containers may be disposed of in waste containers.
--------------------------------	--

# Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

Special Precautions	Do not incinerate. Do not crush. Dispose in accordance with all local, state and federal regulations.
---------------------	---

## 14. TRANSPORT INFORMATION

UN Number	UN1950
UN Proper Shipping Name	Aerosol, flammable
Class and Subsidiary Risk	2.1
Packing Group	N/A
Special Precautions for User	Maximum 75kg on passenger aircraft/rail.
Hazchem Code	1T

## 15. REGULATORY INFORMATION

Consumer Commodity	ORM-D, ID 8000
AICS (Australia)	All ingredients are listed
Precautionary Phrases:	For professional in-office use only. Keep out of reach of children.
Note:	Refer to applicable international, national, and local regulations and provisions.

## 16. OTHER INFORMATION

Legal Disclaimer:	Information contained in this MSDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.
-------------------	--

MSDS History	Date of Issue: April 16, 2012 Replaces Issue: April 15, 2009 Changes made to previous issue: No changes
--------------	---


# Safety Data Sheet

DATE OF ISSUE: August 25, 2023

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER	
Product Name	Occlude®
Product Use:	Aerosol Indicator Marking Spray
Manufacturer Name	Pascal International, Inc.
Address	2929 Northup Way Bellevue, Washington 98004 USA
Emergency Telephone (Infotrac):	1-800-535-5053, 1-352-323-3500
Telephone	1-425-827-4694, 1-800-426-8051
Fax	1-425-827-6893

2. HAZARDS IDENTIFICATION		
<b>GHS Classification &amp; Label Elements:</b>		
<b>Physical Hazard</b>		
<b>Flammable Aerosol</b>	Category 1	
<b>Label Elements:</b>		
<b>Signal Word:</b>	<b>Danger</b>	
<b>Hazard Statements:</b>		
H222 Extremely Flammable aerosol		
<b>Precautionary Statements</b>		
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
P211 Do not spray on an open flame or other ignition source.		
P251 Do not pierce or burn, even after use		

3. COMPOSITION / INFORMATION ON INGREDIENTS				
Mixture	Chemical Entity	CAS No.	Proportion*	ACGIH TLV
Propellant	Isobutane	75-28-5	97%	1000 ppm
	N-Butane	106-97-8	2%	1000 ppm
	Propane	74-98-6	1%	1000 ppm

4. FIRST AID MEASURES	
Inhalation	Move to fresh air. If unconscious, give oxygen
Ingestion	Ingestion of normal quantities is non-toxic.
Skin	N/A
Eye	Flush with water for 15 minutes. Seek medical aid.

# Safety Data Sheet

DATE OF ISSUE: August 25, 2023

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

5. FIRE FIGHTING MEASURES	
Extinguishing Media:	CO <sub>2</sub> , Foam, Dry Chemical, Water
Specific Hazards:	Extremely flammable and combustible. Temperature above 50°C/120°F may cause bursting and contents under pressure may discharge.
Precautions in connection with Fire:	Confine fire to immediate area. Use of self contained breathing apparatus is recommended. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES	
Emergency Procedures:	Provide adequate ventilation.
Clean Up Procedure:	Use soap and water after propellant has been dispersed.
Personal Precautions:	Dust mask

7. HANDLING AND STORAGE	
Handling:	Content is under pressure. Keep away from fire. Flammable. Do not puncture.
Storage:	Content is under pressure. Store in a cool, dry area away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not puncture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION	
Exposure Limits:	Not determined
Respiratory Protection:	Dust mask recommended.
Eye Protection:	Recommended
Hand Protection:	Gloves recommended
Engineering Controls:	Normal room ventilation
Biological Limit Values:	Not determined

9. PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Red or green powder dispensed as an aerosol.
Odor:	Odorless
Vapor Pressure (mm Hg and Temperature):	(Isobutane @ 32° F) 1,519.0
Vapor Density (AIR=1):	(Isobutane) 2.01
Relative Density:	Not determined
Boiling Point:	(Isobutane) 10.9° F
Freezing / Melting Point:	Not Determined
Solubility in Water:	Minimal

# Safety Data Sheet

DATE OF ISSUE: August 25, 2023

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

Specific Gravity:	(Isobutane) 0.5631
Evaporation Rate:	Not Determined
Water Reactive:	N/A
Flash Point:	120° F
Self-igniting:	Product is not self-igniting
Flammable Limits LEL:	Isobutane 1.6%. May displace oxygen in air
Flammable Limits UEL:	Not determined
Viscosity:	Not determined

10. STABILITY AND REACTIVITY	
Chemical Stability:	Stable
Reactivity:	Stable
Conditions to Avoid:	Keep away from fire.
Incompatible Materials:	May react with oxidizing materials.
Hazardous Decomposition Products:	None known
Hazardous Reactions:	None known

11. TOXICOLOGICAL INFORMATION	
Hazardous Ingredient:	N/A
Routes of Exposure:	N/A
<ul style="list-style-type: none"> <li>• Skin</li> <li>• Eyes</li> <li>• Sensitization</li> </ul>	No irritant effect No irritating effect No sensitizing effects known
Acute & Chronic Hazards:	None known

12. ECOLOGICAL INFORMATION	
Ecotoxicity:	Contains no CFC's. Propellants are ecologically safe. Not hazardous for water.
Persistence and Degradability:	Not determined
Bioaccumulative Potential:	Not determined
Mobility in Soil:	Not determined

13. DISPOSAL CONSIDERATIONS	
Disposal Method and Containers	Empty containers may be disposed of in waste containers.
Special Precautions	Do not incinerate. Do not crush. Dispose in accordance with all local, state and federal regulations.









# Safety Data Sheet

DATE OF ISSUE: August 25, 2023

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

14. TRANSPORT INFORMATION			
UN Number	UN1950		
UN Proper Shipping Name	Aerosol, flammable		
Class and Subsidiary Risk	2.1		
Packing Group	N/A		
Special Precautions for User	N/A		
Hazchem Code	1T		
EMS Numbers:	F-D, S-U		
Marine Pollutant:	No		
Australian Classification Statement (ADG):	Division 2.1 Flammable Gases		
Transport Required Labeling:			
Air Transport:			
Maritime Transport:			
Land Transport:			

15. REGULATORY INFORMATION	
Consumer Commodity:	ORM-D (Ground), ID 8000 (Air)
Precautionary Phrases:	For professional in-office use only. Keep out of reach of children.
AICS (Australia)	This product is a medical device and not subject to chemical notification requirements.
HSNO Act (New Zealand)	Group Standard #HSR002515 Aerosols (Flammable)
Poison Schedule:	None allocated
CA Prop 65:	No ingredients are subject to CA Prop 65 warning.
Note:	Refer to applicable international, national, and local regulations and provisions.

# Safety Data Sheet

DATE OF ISSUE: August 25, 2023

ISSUED BY PASCAL

<b>Product Name:</b>	Occlude®
----------------------	----------

<b>16. OTHER INFORMATION</b>	
Legal Disclaimer:	Information contained in this SDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.
<b>SDS History</b>	
Date of Issue:	August 25, 2023
Replaces Issue:	October 30, 2017
Changes made to previous issue:	Updated issue date to comply with mandated five-year requirement; Updated Australian and New Zealand requirements; Assigned group standard for HSNO Act (New Zealand) and added group number to section 15; Added CA Prop 65 requirements.