

SAFETY DATA SHEETS

This SDS packet was issued with item:

075906763

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075906789

MATERIAL SAFETY DATA SHEET: EUGENOL & EUGENOL-BASED PRODUCTS

IDENTITY:

Trade Name:

Root Canal Sealer Liquid
Eugenol

Code:

RSL, RSL-2
E-02, E-04, E-16

Chemical Description: 2-Methoxy-4-(2-propenyl) phenol
Product use: Dental cement component

SECTION I

Pulpdent Corporation
80 Oakland Street
Watertown, MA 02472 USA

Phone Numbers:
24 Hour Emergency: 1-800-535-5053
Customer Service: 1-800-343-4342 / 1-617-926-6666

Date prepared: September 1, 2008

SECTION II - HAZARDOUS INGREDIENTS

Ingredients

CAS Number

PEL/TLV

2-Methoxy-4-(2-propenyl) phenol

97-53-0

Not established

DOT HAZARD CLASSIFICATION: Non-hazardous

WHMIS CLASSIFICATION: D-2 (Irritation possible)

NFPA HMIS RATING: HEALTH: 2

FLAMMABILITY: 1

REACTIVITY: 0

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: 253°C

Specific Gravity: 1.067

Vapor Pressure: 0.01

Melting Point: -7.5°C

Vapor Density: >1.0

Solubility in water: Negligible

Odor Threshold: Not available

Appearance and Odor: Slightly yellow, oily liquid with clove odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: > 93°C (Closed Cup)

Flammable limits: Not established

Extinguishing Media: Water, foam, CO₂ and dry chemical.

Special Fire Fighting Procedures: Use standard procedures.

Hazardous Combustion Products: Burning liberates carbon monoxide, carbon dioxide and smoke.

SECTION V - REACTIVITY DATA

Stability: Stable, even at elevated temperatures.

Conditions to avoid: None

Incompatibility: Avoid strong oxidizing agents.

Hazardous Decomposition Products: None

Hazardous Polymerization: Does not occur

Conditions to avoid: None

MATERIAL SAFETY DATA SHEET: EUGENOL & EUGENOL-BASED PRODUCTS

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Minimal health hazard. May be irritating to skin or eyes.

<i>Route of Exposure</i>	<i>Signs & Symptoms</i>
Inhalation	None
Eye Contact	May be irritating.
Skin absorption	Not applicable
Skin Contact	May be irritating. Prolonged or repeated contact may cause allergic dermatitis.
Ingestion	May be irritating to mucous membranes. LD ₅₀ (oral rat): 2g / kg

Summary of Chronic Hazards: Prolonged/repeated skin contact may cause allergic dermatitis. Repeated ingestion of large amounts may cause liver damage.

Carcinogenicity	Not a carcinogen
Teratogenicity	None known
Mutagenicity	None known
Reproductive Toxicity	None known

Emergency First Aid Procedures:

Inhalation	Not applicable
Eye contact	Irrigate with water for 15+ minutes; seek medical care for persistent irritation.
Ingestion	Rinse mouth with water. Give milk or water to dilute. Seek emergency medical attention.
Skin contact	Remove contaminated clothes. Wash affected area with soap and water. If irritation persists, seek medical advice.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING & USE

Handling and Storage Precautions: Keep away from heat and flame. Keep container closed when not in use. Use with adequate ventilation.

Steps to Be Taken if Material is Released or Spilled: Small spills can be wiped up with cloth, paper, or standard absorbents (sand, sawdust, vermiculite, etc.) and placed in covered container. Wash area of spill.

Waste Disposal Method: Dispose of waste according to government regulations.

Other Precautions: Use good laboratory hygiene, i.e., no eating, drinking or smoking during use.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: None required.

Ventilation: No special ventilation recommended under anticipated conditions of normal use.

Protective Gloves: Oil resistant gloves recommended.

Eye Protection: Splash-resistant safety glasses

Other Protective Clothing or Equipment: Emergency eye wash fountain should be close by and maintained.

Work/Hygienic Practices: Wash hands after use.

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

MATERIAL SAFETY DATA SHEET: EUGENOL & EUGENOL-BASED PRODUCTS

IDENTITY:

Trade Name:

Root Canal Sealer Liquid
Eugenol

Code:

RSL, RSL-2
E-02, E-04, E-16

Chemical Description: 2-Methoxy-4-(2-propenyl) phenol
Product use: Dental cement component

SECTION I

Pulpdent Corporation
80 Oakland Street
Watertown, MA 02472 USA

Phone Numbers:
24 Hour Emergency: 1-800-535-5053
Customer Service: 1-800-343-4342 / 1-617-926-6666

Date prepared: September 1, 2008

SECTION II - HAZARDOUS INGREDIENTS

Ingredients

CAS Number

PEL/TLV

2-Methoxy-4-(2-propenyl) phenol

97-53-0

Not established

DOT HAZARD CLASSIFICATION: Non-hazardous

WHMIS CLASSIFICATION: D-2 (Irritation possible)

NFPA HMIS RATING: HEALTH: 2

FLAMMABILITY: 1

REACTIVITY: 0

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: 253°C

Specific Gravity: 1.067

Vapor Pressure: 0.01

Melting Point: -7.5°C

Vapor Density: >1.0

Solubility in water: Negligible

Odor Threshold: Not available

Appearance and Odor: Slightly yellow, oily liquid with clove odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: > 93°C (Closed Cup)

Flammable limits: Not established

Extinguishing Media: Water, foam, CO₂ and dry chemical.

Special Fire Fighting Procedures: Use standard procedures.

Hazardous Combustion Products: Burning liberates carbon monoxide, carbon dioxide and smoke.

SECTION V - REACTIVITY DATA

Stability: Stable, even at elevated temperatures.

Conditions to avoid: None

Incompatibility: Avoid strong oxidizing agents.

Hazardous Decomposition Products: None

Hazardous Polymerization: Does not occur

Conditions to avoid: None

MATERIAL SAFETY DATA SHEET: EUGENOL & EUGENOL-BASED PRODUCTS

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Minimal health hazard. May be irritating to skin or eyes.

<i>Route of Exposure</i>	<i>Signs & Symptoms</i>
Inhalation	None
Eye Contact	May be irritating.
Skin absorption	Not applicable
Skin Contact	May be irritating. Prolonged or repeated contact may cause allergic dermatitis.
Ingestion	May be irritating to mucous membranes. LD ₅₀ (oral rat): 2g / kg

Summary of Chronic Hazards: Prolonged/repeated skin contact may cause allergic dermatitis. Repeated ingestion of large amounts may cause liver damage.

Carcinogenicity	Not a carcinogen
Teratogenicity	None known
Mutagenicity	None known
Reproductive Toxicity	None known

Emergency First Aid Procedures:

Inhalation	Not applicable
Eye contact	Irrigate with water for 15+ minutes; seek medical care for persistent irritation.
Ingestion	Rinse mouth with water. Give milk or water to dilute. Seek emergency medical attention.
Skin contact	Remove contaminated clothes. Wash affected area with soap and water. If irritation persists, seek medical advice.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING & USE

Handling and Storage Precautions: Keep away from heat and flame. Keep container closed when not in use. Use with adequate ventilation.

Steps to Be Taken if Material is Released or Spilled: Small spills can be wiped up with cloth, paper, or standard absorbents (sand, sawdust, vermiculite, etc.) and placed in covered container. Wash area of spill.

Waste Disposal Method: Dispose of waste according to government regulations.

Other Precautions: Use good laboratory hygiene, i.e., no eating, drinking or smoking during use.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: None required.

Ventilation: No special ventilation recommended under anticipated conditions of normal use.

Protective Gloves: Oil resistant gloves recommended.

Eye Protection: Splash-resistant safety glasses

Other Protective Clothing or Equipment: Emergency eye wash fountain should be close by and maintained.

Work/Hygienic Practices: Wash hands after use.

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Safety Data SheetTrade Name: **PULPDENT ROOT CANAL SEALER POWDER AND LIQUID**

1.0 Commercial Product Name and Supplier	
1.1	Commercial product name / designation Root Canal Sealer Powder and Liquid
1.2	Application / Use Dental material for use by dental professional only.
1.2.2	SIC 851 Human health activity
1.2.3	Use Category 55
1.3	Manufacturer Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA Telephone: 1 617 926-6666 / Fax: 1 617 926-6262 Email: Pulpdent@pulpdent.com
1.4	Emergency Telephone Number 1-800-535-5053 (24 Hour / USA)
1.5	Authorized European Representative Advena Limited Tower Business Centre, 2nd Floor, Tower Street, Swatar, BKR 4013 Malta

2.0 Hazards Identification																																					
2.1	Classification																																				
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]																																				
	<table border="1"> <thead> <tr> <th></th> <th><u>Hazard Class</u></th> <th><u>Hazard Category</u></th> <th><u>Hazard Statement</u></th> </tr> </thead> <tbody> <tr> <td rowspan="5"><i>Powder</i></td> <td>Eye irritation</td> <td>2</td> <td>H319</td> </tr> <tr> <td>STOT SE</td> <td>3</td> <td>H335</td> </tr> <tr> <td>Skin irritation</td> <td>2</td> <td>H315</td> </tr> <tr> <td>Acute aquatic toxicity</td> <td>1</td> <td>H400</td> </tr> <tr> <td rowspan="6"><i>Liquid</i></td> <td>Eye irritation</td> <td>2</td> <td>H319</td> </tr> <tr> <td>STOT SE</td> <td>3</td> <td>H335</td> </tr> <tr> <td>Skin irritation</td> <td>2</td> <td>H315</td> </tr> <tr> <td>Skin sensitization</td> <td>1</td> <td>H317</td> </tr> <tr> <td>Respiratory sensitization</td> <td>1</td> <td>H334</td> </tr> <tr> <td>Harmful to aquatic life with long lasting effects.</td> <td>3</td> <td>H412</td> </tr> </tbody> </table>		<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Hazard Statement</u>	<i>Powder</i>	Eye irritation	2	H319	STOT SE	3	H335	Skin irritation	2	H315	Acute aquatic toxicity	1	H400	<i>Liquid</i>	Eye irritation	2	H319	STOT SE	3	H335	Skin irritation	2	H315	Skin sensitization	1	H317	Respiratory sensitization	1	H334	Harmful to aquatic life with long lasting effects.	3	H412
	<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Hazard Statement</u>																																		
<i>Powder</i>	Eye irritation	2	H319																																		
	STOT SE	3	H335																																		
	Skin irritation	2	H315																																		
	Acute aquatic toxicity	1	H400																																		
	<i>Liquid</i>	Eye irritation	2	H319																																	
STOT SE		3	H335																																		
Skin irritation		2	H315																																		
Skin sensitization		1	H317																																		
Respiratory sensitization		1	H334																																		
Harmful to aquatic life with long lasting effects.		3	H412																																		
2.1.2	Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases)																																				
	<i>Powder:</i> R 36/37/38-50/53 <i>Liquid:</i> R 36/37/38-42/43																																				
2.2	GHS Label Elements Hazard Pictograms																																				

Signal Word: **DANGER****Restricted to use by dental professional only.****Hazard Statements**

H315: Skin irritation. 2. May cause skin irritation.

H317: Sensitization. 1. May cause an allergic skin reaction.

H319: Eye irritation. 2. May cause eye irritation.

H334: Respiratory sensitization. 1. May cause allergy or asthma symptoms.

H335: STOT SE. 3. May cause respiratory irritation.

H400: Very toxic to aquatic life.

Safety Data SheetTrade Name: **PULPDENT ROOT CANAL SEALER POWDER AND LIQUID**

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements

P261: Avoid breathing dust/vapor/fume/gas/mist/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves and eye protection

P305+P351+P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

P342+P311: If experiencing respiratory symptoms, call a poison center or doctor/physician.

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

3.0 Composition

3.1 Chemical characterization of the preparation: Two-part, zinc oxide / eugenol dental cement

3.2 Hazardous ingredients

	CAS Number	Name of the Ingredient	Concentration	Classification according to 67/548/EEC	Classification according to Regulation (EC) No.1272/2008 (CLP).
Powder	1314-13-2	Zinc oxide	40-60%	Irritant, Xi R 36/37/38-50/53	Eye irritation, 2 STOT SE 3 Skin irritation, 2 Acute aquatic toxicity, 1
Liquid	97-53-0	Eugenol [2-Methoxy-4-(2-propenyl) phenol]	85-95%	Irritant; Xi, R 36/37/38-42/43	Eye irritation, 2 STOT SE 3 Skin irritation, 2 Skin sensitization, 1 Respiratory sensitization, 1 Harmful to aquatic life with long lasting effects, 3

4.0 First Aid Measures

4.1	General Information	May be irritating to eyes, respiratory system and skin. Do not inhale vapors. Liquid may cause sensitization by skin contact or inhalation. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.
4.2	Inhalation	Move to fresh air. If necessary, administer oxygen / artificial respiration and seek medical attention.
4.3	Skin Contact	Take off contaminated clothing. Wash skin thoroughly with soap / water.
4.4	Eye Contact	Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention.
4.5	Ingestion	Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes.
4.6	Precautions for first responders	Ventilate the area. Wear eye and skin protection.
4.7	Information for physicians	
	Symptoms	Irritation/redness in eyes, throat or on skin. Allergy or asthma symptoms
	Hazards	May be irritating to eyes, respiratory system and skin. May cause sensitization by skin contact or inhalation.

Safety Data SheetTrade Name: **PULPDENT ROOT CANAL SEALER POWDER AND LIQUID**

	Treatment	As above under First Aid.
5.0	Fire Fighting Measures	
5.1	Suitable extinguishing media	Foam, carbon dioxide and dry chemical. Water spray may be used to keep fire exposed containers cool.
5.2	Extinguishing media to avoid	Do not use direct water stream
5.3	Special exposure hazards in a fire	Burning liberates carbon monoxide, carbon dioxide and smoke. As with all unsaturated fats and oils, some porous materials (rags, insulation, clay) when wetted with eugenol, may undergo spontaneous combustion.
5.4	Special protective equipment for fire-fighters	Self-contained breathing apparatus.
6.0	Accidental Release Measures	
6.1	Personal precautions.	Ventilate area. Wear gloves, lab coat and safety glasses.
6.2	Environmental precautions	Contain spilled material. Follow all government regulations.
6.3	Method for clean up	Powder: Carefully sweep into dry, covered container. Avoid raising dust. Rinse area with water. Liquid: Absorb or wipe up spill with inert, absorbent material (paper towels or cloths). Collect for disposal in a covered container kept in a cool place. Wash area of spill with soap and water. Spills of Root Canal Liquid leave surfaces very slippery.
7.0	Handling and Storage	
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Cap powder / liquid immediately after use. Avoid cross-contamination.
7.2	Storage	Store tightly capped in original containers at cool room temperature (<25°C). Avoid direct, strong light, ignition sources, temperature extremes (>27°C/80°F, <5°C/40°F). Provided that the material has been stored properly, shelf life for unopened powder is 5 years from date of manufacture; shelf life for unopened liquid is 3 years.
7.3	Specific uses	Professional dental material
8.0	Exposure Controls / Personal Protection	
8.1	Exposure limit values	Zinc oxide: PEL: 5 mg/m ³ . TLV: 10 mg/m ³ . Eugenol: Not established
8.2	Exposure controls	
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use.
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any nuisance dust or airborne vapors.
8.2.1.2	Hand protection	Usual surgical gloves worn by dental staff will limit contact with material.
8.2.1.3	Eye protection	Usual safety glasses worn by dental staff.
8.2.1.4	Skin protection	Good personal hygiene and safety practices and wearing a lab coat.
8.2.1.5	Other controls	Emergency eye wash fountain close-by. Wash hands after use.
8.2.2	Environmental exposure controls	Neither powder nor liquid should be discharged into environment.

Safety Data SheetTrade Name: **PULPDENT ROOT CANAL SEALER POWDER AND LIQUID**

9.0 Physical and Chemical Properties			
9.1	Characteristics	<u>Powder</u>	<u>Liquid</u>
9.1.1	Appearance / Physical state / Color	Fine white powder	Colorless to pale yellow oily liquid
9.1.2	Odor	None	Oil of cloves
9.2	Important health, safety and environmental information		
9.2.1	pH	Not applicable	7.0
9.2.2	Boiling point	Not applicable	253°C
9.2.3	Flash point	Not applicable	112°C
9.2.4	Flammability (solid, gas)	Not determined	Not applicable
9.2.5	Explosive properties	Not applicable	Not applicable
9.2.6	Oxidizing properties	Not determined	Not an oxygen donor
9.2.7	Vapor pressure	< 1 mm Hg / 133 Pa	< 0.1 mm Hg
9.2.8	Specific gravity	5.650	1.064
9.2.9	Solubility in water	Nil	Slight
9.2.10	Partition coefficient	Not determined	Not determined
9.2.11	Viscosity	Not determined	Not determined
9.2.12	Vapor density	Not determined	Not determined
9.2.13	Evaporation rate	Not determined	Not determined
10.0 Stability and reactivity			
10.1	Conditions to avoid	Temperature > 38°C, light, air, cross-contamination.	
10.2	Materials to avoid	Powder: Strong oxidizing agents. Liquid: Ferric chloride, potassium permanganate.	
10.3	Hazardous decomposition products	Carbon monoxide and carbon dioxide.	
10.4	Further information	Eugenol is not pyrophoric, does not react with water, is not an oxygen donor and is shock stable.	
11.0 Toxicological information			
11.1	Acute toxicity	Minimal health hazard in the quantities present in this product and under normal conditions of use. Zinc oxide: TWA: 5 mg/m ³ Eugenol: Oral LD ₅₀ rat – 1930 mg/kg	
11.2	Irritation and corrosiveness	Both powder and liquid may be irritating to eyes, respiratory system or skin on contact or with prolonged exposure.	
11.3	Sensitization	Liquid may be sensitizing. Prolonged/frequent inhalation or skin contact may cause allergic reactions in susceptible individuals.	
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged exposure to large amounts of zinc oxide may cause dermatitis unless good personal hygiene is practiced. Prolonged exposure to powder/liquid may cause eye/respiratory irritation.	

Safety Data SheetTrade Name: **PULPDENT ROOT CANAL SEALER POWDER AND LIQUID**

11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known
11.6	Empirical data	Not available
11.7	Clinical experience	Zinc oxide / eugenol cements have been used safely and effectively in dental procedures for more than 70 years.
12.0	Ecological Information	
12.1	Ecotoxicity	Root Canal Sealer powder and Liquid should not be discharged into the environment. Both zinc oxide and eugenol are harmful to aquatic life.
13.0	Disposal Considerations	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
14.0	Transport Information	
14.1	Restrictions	Not regulated
15.0	Regulatory Information	
15.1	EU	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II medical device.
15.3	Health Canada	Class III medical device
16.0	Other information	
16.1	List of relevant R phrases	R 36/37/38, Irritating to eyes, respiratory system and skin. R 42/43, May be sensitizing by inhalation or skin contact. R 50/53, Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
16.2	Hazard Statements	H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritation. H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction. H334: Respiratory sensitization. 1. May cause allergy or asthma symptoms. H400: Very toxic to aquatic life. 1 H412: Harmful to aquatic life with long lasting effects. 3
16.3	Precautionary Statements	P261: Avoid breathing vapor. P273: Avoid release to the environment. P280: Wear protective gloves and eye protection P342+P311: If experiencing respiratory symptoms, call a poison center or doctor/physician. P305+P351+P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water. P333+P313: If irritation or rash occurs, get medical advice/attention.
16.4	Restrictions on use	For professional use only.

Safety Data Sheet

Trade Name: **PULPDENT ROOT CANAL SEALER POWDER AND LIQUID**

16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.5	Sources of key data	National Institute for Occupational Safety (NIOSH) US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.6	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the GHS SDS format and the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.
