

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

077109291

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

077109226 077109234 077109242

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/23/2010

Reviewed on 09/06/2010

## 1 Identification of substance

- **Product details**
- **Trade name:** Futurabond M
- **Application of the substance / the preparation** Bonding
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency information:** Scientific department tel. +49 (0)4721-719-0

## 2 Composition/Data on components

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

72869-86-4	Urethanedimethacrylate	25-50%
64-17-5	ethanol	10-25%
	Acidic adhesive monomer	5-10%
868-77-9	2-hydroxyethyl methacrylate	2.5-5%
	Catalyst	≤ 2.5%

## 3 Hazards identification

- **Hazard description:**  
Corrosive
- **Information pertaining to particular dangers for man and environment:**  
The product has to be labelled due to the calculation procedure of international guidelines.  
Causes burns.  
May cause sensitization by skin contact.
- **Classification system:**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0 - 4)**



Health = 3  
Fire = 3  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3  
Fire = 3  
Reactivity = 0

## 4 First aid measures

- **After inhalation:** Seek medical treatment in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

## 5 Fire fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/23/2010

Reviewed on 09/06/2010

Trade name: **Futurabond M**

(Contd. of page 1)

· **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Use neutralizing agent.  
 Dispose contaminated material as waste according to item 13.  
 Ensure adequate ventilation.

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:** For dental use only.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
 See storage instructions on package  
 Keep receptacle tightly sealed.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

### 64-17-5 ethanol

PEL	1900 mg/m <sup>3</sup> , 1000 ppm
REL	1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

—USA—

(Contd. on page 3)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/23/2010

Reviewed on 09/06/2010

Trade name: Futurabond M

(Contd. of page 2)

## 9 Physical and chemical properties

### · General Information

**Form:** Fluid  
**Color:** Yellowish  
**Odor:** Characteristic

### · Change in condition

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** Undetermined.

· **Flash point:** 26°C (79°F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined.

· **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.

· **pH-value at 20°C (68°F):** 2

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

## 11 Toxicological information

### · Acute toxicity:

### · LD/LC50 values that are relevant for classification:

**Acidic adhesive monomer**

Oral LD50 > 2000 mg/kg (rat)

### · Primary irritant effect:

- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.

### · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
 Corrosive

## 12 Ecological information

- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water

## 13 Disposal considerations

- **Product:**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 4)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/23/2010

Reviewed on 09/06/2010

Trade name: Futurabond M

(Contd. of page 3)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **DOT regulations:**

- **Hazard class:** 3
- **Identification number:** UN2924
- **Packing group:** III
- **Proper shipping name (technical name):** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, Acidic adhesive monomer)
- **Label** 3+8

· **Land transport ADR/RID (cross-border):**

- **ADR/RID class:** 3 Flammable liquids
- **Danger code (Kemler):** 38
- **UN-Number:** 2924
- **Packaging group:** III
- **Label:** 3+8
- **Description of goods:** 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Acidic adhesive monomer)

· **Maritime transport IMDG:**

- **IMDG Class:** 3
- **UN Number:** 2924
- **Label** 3+8
- **Packaging group:** III
- **EMS Number:** F-E,S-C
- **Marine pollutant:** No
- **Proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Acidic adhesive monomer)

· **Air transport ICAO-TI and IATA-DGR:**

- **ICAO/IATA Class:** 3
- **UN/ID Number:** 2924
- **Label** 3+8
- **Packaging group:** III
- **Proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, Acidic adhesive monomer)

USA

(Contd. on page 5)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 09/23/2010

Reviewed on 09/06/2010

Trade name: Futurabond M

(Contd. of page 4)

## 15 Regulations

### · Sara

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

#### · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

#### · TSCA (Toxic Substances Control Act):

Contact Voco for more information

64-17-5 ethanol

### · Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Cancerogenity categories

#### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### · Canadian substance listings:

#### · Canadian Domestic Substances List (DSL)

All ingredients are listed.

#### · Canadian Ingredient Disclosure list (limit 0.1%)

All ingredients are listed.

#### · Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

### · Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

### · Hazard symbols:



Corrosive

### · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

(Contd. on page 6)

USA

**Material Safety Data Sheet**  
**acc. to ISO/DIS 11014**

Printing date 09/23/2010

Reviewed on 09/06/2010

**Trade name: Futurabond M**

(Contd. of page 5)

*Acidic adhesive monomer***· Risk phrases:***Causes burns.**May cause sensitization by skin contact.***· Safety phrases:***Keep container tightly closed.**In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.**Wear suitable protective clothing, gloves and eye/face protection.**In case of accident or if you feel unwell, seek medical advice immediately (show the label if possible).***16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Department issuing MSDS:** Scientific departement**· Contact:** Tel.: +49 (0)4721-719-0

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

## 1 Identification

- **Product identifier**
- **Trade name:** Futurabond M
- **Application of the substance / the mixture** Bonding
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven
- **Information department:** Scientific department tel. +49 (0)4721-719-0
- **Emergency telephone number:** Scientific department tel. +49 (0)4721-719-0

## 2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **Hazard pictograms**



GHS02 GHS05 GHS07

- **Hazard statements**

Flammable liquid and vapor.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves / eye protection.

Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** Use only for intended scope of application

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

(Contd. on page 2)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

Trade name: Futurabond M




(Contd. of page 1)

· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 64-17-5	ethanol	10-25%
	 Flam. Liq. 2, H225	
	Acidic adhesive monomer	5-10%
	 Skin Corr. 1B, H314; Eye Dam. 1, H318	
CAS: 868-77-9	2-hydroxyethyl methacrylate	2.5-5%
	 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

## 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Seek medical treatment in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

CAS: 64-17-5	ethanol	1,800 ppm
CAS: 868-77-9	2-hydroxyethyl methacrylate	1.9 mg/m <sup>3</sup>

### · PAC-2:

CAS: 64-17-5	ethanol	3300* ppm
CAS: 868-77-9	2-hydroxyethyl methacrylate	21 mg/m <sup>3</sup>

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

Trade name: Futurabond M

(Contd. of page 2)

## · PAC-3:

CAS: 64-17-5	ethanol	15000* ppm
CAS: 868-77-9	2-hydroxyethyl methacrylate	1,000 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
For dental use only.  
Observe the instructions for use.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** See storage instructions on package
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
  - **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
  - **Additional information:** The lists that were valid during the creation were used as basis.
  - **Exposure controls**
  - **Personal protective equipment:**
  - **General protective and hygienic measures:**  
Avoid contact with the eyes and skin.  
The usual precautionary measures for handling chemicals should be followed.
  - **Protection of hands:**
- 
- Protective gloves
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
  - **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
  - **General Information**
  - **Appearance:**
- |                 |                 |
|-----------------|-----------------|
| Form:           | Fluid           |
| Color:          | Yellowish       |
| Odor:           | Characteristic  |
| Odor threshold: | Not determined. |

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

Trade name: Futurabond M

(Contd. of page 3)

· <b>pH-value at 20 °C (68 °F):</b>	2
· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· <b>Flash point:</b>	26 °C (78.8 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Acidic adhesive monomer

Oral LD50 >2,000 mg/kg (rat)

- **Primary irritant effect:**

- **on the skin:**

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured  
Caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

Trade name: Futurabond M

(Contd. of page 4)

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only.  
This product is not an alcoholic beverage.

CAS: 64-17-5 ethanol

1

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**· **DOT, ADR, IMDG, IATA**

UN2924

· **UN proper shipping name**· **DOT**-  
Flammable liquids, corrosive, n.o.s. (Ethanol, Acidic adhesive monomer)· **ADR**

2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Acidic adhesive monomer)

· **IMDG**

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Acidic adhesive monomer)

· **IATA**

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, Acidic adhesive monomer)

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

Trade name: Futurabond M

(Contd. of page 5)

· Transport hazard class(es)

-

· DOT



· Class

3 Flammable liquids

· Label

3, 8

· ADR



· Class

3 Flammable liquids

· Label

3+8

· IMDG



· Class

3 Flammable liquids

· Label

3/8

· IATA



· Class

3 Flammable liquids

· Label

3 (8)

· Packing group

-

· DOT, ADR, IMDG, IATA

III

· Environmental hazards:

Not applicable.

· Marine pollutant:

No

· Special precautions for user

Not applicable.

Warning: Flammable liquids

· Hazard identification number (Kemler code):

38

· EMS Number:

F-E,S-C

· Stowage Code

SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· UN "Model Regulation":

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), ACIDIC ADHESIVE MONOMER), 3 (8), III

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/17/2022

Reviewed on 01/17/2022

Trade name: **Futurabond M**

(Contd. of page 6)

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

One or more substances contained in this material are not listed on the TSCA Inventory.  
Contact VOCO for more information.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed

· **Chemicals known to cause developmental toxicity:**

CAS: 64-17-5 | ethanol

· **Cancerogenity categories**· **EPA (Environmental Protection Agency)**

None of the ingredients are listed

· **TLV (Threshold Limit Value)**

CAS: 64-17-5 | ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed

## 16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

· **Department issuing SDS:** Scientific department· **Contact:** Tel.: +49 (0)4721-719-0· **Date of preparation / last revision** 01/17/2022 / 17· **Abbreviations and acronyms:**

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US