SAFETY DATA SHEETS

This SDS packet was issued with item: 077176050

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077083322 077083330 077083355 077176043

Printing date 02/27/2013

vivadeni:

Version number 4

Reviewed on 02/27/2013

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: ExciTE F DSC

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

- · Application of the substance / the preparation Dual-curing dental adhesive with fluoride release
- · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Ivoclar Vivadent Inc.
 175 Pineview Drive, Amherst, N.Y. 14228
 USA
 Tel. +1 800 533 6825
 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General MSDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC
 Irritant
 Irritant
 Irritating to eyes and skin. May cause sensitisation by skin contact.
 Flammable.
 Information concerning particular hazards for human and environment:
 The product has to be labelled due to the calculation procedure of international guidelines.
 Classification system:
 The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

 Label elements
 Labelling according to EU guidelines:
 The product has been classified and marked in accordance with directives on hazardous materials.

 (Contd. on page 2)

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 1)

```
    Code letter and hazard designation of product:
    Irritant
```


- *Hazard-determining components of labelling:* 2-hydroxyethyl methacrylate
- Risk phrases: Flammable. Irritating to eyes and skin. May cause sensitisation by skin contact.
- · Safety phrases:

Keep container tightly closed. Keep away from sources of ignition - No smoking. Do not breathe vapour/spray. Avoid contact with skin. Wear suitable gloves. This material and its container must be disposed of as hazardous waste.

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\bigcirc \quad Reactivity = 0$





- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1565-94-2	Bis-GMA	25-50%
64-17-5	ethanol	10-25%
868-77-9	2-hydroxyethyl methacrylate	10-25%
223681-84-3	phosphonic acid acrylate	10-25%
7789-23-3	potassium fluoride	<i>≤</i> 2.5%

(Contd. on page 3)

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 2)

4 First aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ \textit{surface or ground water.}$
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Only adequately trained personnel should handle this product. For use in dentistry only.
- Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.

(Contd. on page 4)

USA

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from exposure to the light.
- Protect from heat and direct sunlight.
- Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL 1900 mg/m³, 1000 ppm

- REL 1900 mg/m³, 1000 ppm
- *TLV* Short-term value: 1880 mg/m³, 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Usual hygienic measures for dental practice. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

(Contd. on page 5)

Printing date 02/27/2013


Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 4)

· Eye protection:



Information on basic physical and ch	nomical properties
General Information	emical properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Characteristic
Odour threshold:	Not determined.
<i>pH-value</i> (10 g/l) at 20 °C (68 °F):	2.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	24 °C (75 °F)
Ignition temperature:	425 °C (797 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	<i>Product is not explosive. However, formation of explosive air/vapor mixtures are possible.</i>
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 \cdot C (68 \cdot F):	59 hPa (44 mm Hg)
Density at 20 °C (68 °F):	1.066 g/cm³ (8.896 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Partly miscible.
Partition coefficient (n-octanol/water): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

• **Reactivity** No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

(Contd. of page 5)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid Protect from exposure to the light.*
- Keep away from heat and direct sunlight.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

(Contd. on page 7)

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 6)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT ADR, IMDG, IATA	UN1170 1170
UN proper shipping name DOT, IATA ADR IMDG	ETHANOL SOLUTION 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTIO) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport hazard class(es)	
DOT RAMMARE LIDIO	
Class	3 Flammable liquids.
Label ADR	3
Class Label	3 (F1) Flammable liquids 3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 30 F-E,S-E
Transport in bulk according to Ann	

(Contd. on page 8)

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 7)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- TSCA (Toxic Substances Control Act):
- 1565-94-2 Bis-GMA
- 64-17-5 ethanol
- 868-77-9 2-hydroxyethyl methacrylate
- 7631-86-9 silicon dioxide, chemically prepared
- 7789-23-3 potassium fluoride

· Proposition 65

- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- Chemicals known to cause developmental toxicity:
 64-17-5 ethanol
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- · TLV (Threshold Limit Value established by ACGIH)
 - 64-17-5 ethanol
- 7789-23-3 potassium fluoride
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

· Product related hazard informations:

- The product has been classified and marked in accordance with directives on hazardous materials.
- Hazard symbols:



• *Hazard-determining components of labelling:* 2-hydroxyethyl methacrylate

(Contd. on page 9)

A3 A4

USA

Printing date 02/27/2013

Version number 4

Reviewed on 02/27/2013

Trade name: ExciTE F DSC

(Contd. of page 8)

 Risk phrases: Flammable. Irritating to eyes and skin. May cause sensitisation by skin contact.

· Safety phrases:

Keep container tightly closed. Keep away from sources of ignition - No smoking. Do not breathe vapour/spray. Avoid contact with skin. Wear suitable gloves. This material and its container must be disposed of as hazardous waste.

· National regulations:

- Other regulations, limitations and prohibitive regulations The product is a medical device according to the EC-directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 \cdot * Data compared to the previous version altered.

ivoclar vivadeni:

Safety Data Sheet acc. to OSHA HCS

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

1 Identification

- · Product identifier
- · Trade name: ExciTE F DSC

· Application of the substance / the mixture Dual-curing dental adhesive with fluoride release

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

\cdot Classification of the substance or mixture

Flam. Liq. 3	H226	Flammable liquid and vapor.
Skin Corr. 1B	H314	Causes severe skin burns and eye damage.
Eye Dam. 1	H318	Causes serious eye damage.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 1A	H350	May cause cancer.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling:* ethanol phosphonic acid acrylate

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

(Contd. of page 1)

		(Contd. of page 1)
Bis-GMA		
2-hydroxyethyl method • Hazard statements	hacrylate	
Flammable liquid a	ind vanor	
	burns and eye damage.	
May cause an aller		
May cause cancer.		
	ging fertility or the unborn child.	
· Precautionary state		
	at/sparks/open flames/hot surfaces No smoking.	
Avoid breathing va		
	wes/protective clothing/eye protection/face protection.	
	e mouth. Do NOT induce vomiting.	
	Take off immediately all contaminated clothing. Rinse skin with	
	utiously with water for several minutes. Remove contact lenses, ij	present and easy to do.
Continue rinsing. • Additional informa	tion	
	e exempt from the labeling provisions of GHS according to the H	lazard Communication
Standard (HCS).	exempt from the tubering provisions of G115 according to the 11	uzuru Communication
· Classification syste	m:	
· NFPA ratings (sca		
· HMIS-ratings (sca	$tivity = 0$ $le \ 0 - 4)$ $lith = *3$ $e = 3$ $ctivity = 0$ $l vPvB assessment$ $le.$	
3 Composition/inj	formation on ingredients	
• Chemical characte • Description: Mixtu	rization: Mixtures re of the substances listed below with nonhazardous additions.	
· Dangerous compor	ients:	
CAS: 36425-15-7	Bis-GMA	25-50%
CAS: 64-17-5	ethanol	10-25%
CAS: 868-77-9	2-hydroxyethyl methacrylate	10-25%
	phosphonic acid acrylate	10-25%
CAS: 223081-84-3 CAS: 75980-60-8	· · ·	≥0.1-<2.5%
CAS. / J980-00-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	<i>≤</i> 0.1-<2.3%

4 First-aid measures

• Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

US

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

In case of unconsciousness place patient stably in side position for transportation.

(Contd. of page 2)

- · After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** No special measures required.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- **Reference** to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Only adequately trained personnel should handle this product. For use in dentistry only.

- Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from exposure to the light.

(Contd. on page 4)

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

(Contd. of page 3)

Protect from heat and direct sunlight.

Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

(Contd. on page 5)

Printing date 03/25/2019


Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

(Contd. of page 4)

• Eye protection:



Information on basic physical and ch	nemical properties
General Information	* *
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Characteristic
Odor threshold:	Not determined.
<i>pH-value</i> (10 g/l) at 20 °C (68 °F):	2.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	24 °C (75.2 °F)
Ignition temperature:	425 °C (797 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	1.066 g/cm³ (8.896 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Partly miscible.
Partition coefficient (n-octanol/water	·): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

(Contd. of page 5)

· Conditions to avoid

Protect from exposure to the light.

Keep away from heat and direct sunlight.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: No further relevant information available.

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

(Contd. on page 7)

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

	(Contd. of pag
Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1170
UN proper shipping name	
ADR/RID/ADN	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
ADR/RID/ADN	
2	
Class	3 (F1) Flammable liquids
Label	3
Class	2 Elammahla liavida
Label	3 Flammable liquids 3
Packing group	-
DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F-E,S-E
Transport in bulk according to Annex L MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDC	
IMDG Limited quantities (LQ)	5L
(<u>12</u>)	(Contd. on page

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN1170, Ethanol solutions (Ethyl alcohol solutions), 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

CAS: 64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 64-17-5 ethanol

CAS: 7789-23-3 potassium fluoride

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling:* ethanol phosphonic acid acrylate AЗ

A4

Printing date 03/25/2019

Version number 7

Reviewed on 03/21/2019

Trade name: ExciTE F DSC

(Contd. of page 8)

Bis-GMA 2-hydroxyethyl methacrylate · Hazard statements Flammable liquid and vapor. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility or the unborn child. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. · National regulations: · Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Date of preparation / last revision 03/25/2019 / 6 · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 1A: Carcinogenicity - Category 1A Repr. 2: Reproductive toxicity – Category 2 • * Data compared to the previous version altered.