SAFETY DATA SHEETS

This SDS packet was issued with item:

075350459

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071117910 074417135 078915899



Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX

Page 1 of 5

Section 1 – Identification

Product Name: BASEPLATE WAX/SET-UP WAX

Manufacturer: KEYSTONE INDUSTRIES

616 Hollywood Ave.

Cherry Hill, NJ 08002

Emergency Phone Numbers: (800) 535-5053

Information Contacts: (856) 663-4700

Chemical Name:

Petroleum Wax Blend

Family: WAX

Product Use: Dental Wax

Product #: 1880155, 1880170, 1880175

Section 2 — Hazards Identification

No hazardous ingredients

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry

Eve

4

Fumes from molten product may cause irritation. Contact with molten product may cause severe

thermal burns.

Skin

Contact with molten wax may cause severe thermal burns.

Ingestion

Low order of acute systematic toxicity.

Inhalation

Product dust may cause respiratory tract irritation. Molten wax may cause irritation to the respiratory

Sub-Chronic Effects

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA	ACGIH		
				TWA/STEL	TWA-STEL	IARC NTP OSHA	

This product contains no hazardous materials as defined by the OSHA Hazard Communication Standard, CFR Title 29 1910.1200.

None Established

N-DA No Data Available

Not Reviewed Not Applicable

Section 4 – First Aid Measures

First Aid for Eve

Ambient wax -- flush wax particles with tepid water. Hot wax -- seek medical attention.

First Aid for Skin

Ambient wax - wash with soap and water. Molten wax - cool wax immediately - do not remove wax

from skin. Seek medical attention.

First Aid for Inhalation

When fume or mist occurs remove to fresh air. If person is not breathing provide oxygen or artificial

respiration. Seek medical attention.

First Aid for Ingestion

Small quantities - permit to pass through system. Large quantities - seek medical attention.

Section 5 - Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
505 T (263 C)	LH SA	N DA
COC	UH.: NA	

Method:

Extinguishing Media:

Use water fog, foam, dry chemical or CO₂, Foam. Do not use a direct stream of water. Product will

float and can be reignited on surface of water.

Fire Fighting Instructions:

Minimize vapor exposure. Use self-containing breathing respirator for confined spaces on high

concentrations. Use water spray to cool containers or disperse vapor.

Unusual Hazards:

None



Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX

Page 2 of 5

Section 6 - Accidental Release Measures

Spill or Release Procedures May burn although not readily ignitable. Use cautious judgment when cleaning up large molten spills. LARGE MOLTEN SPILLS: Wear respirator and protective clothing as appropriate. Shut off source of leak if

safe to do so. Dike and contain. Allow wax to cool and remove as a solid. SMALL MOLTEN SPILL: Allow wax to cool and remove as a solid.

Section 7 - Handling and Storage

Handling

Avoid contact in molten state

Storage

Store away from heat

Explosion Hazard None

Section 8 - Exposure Controls / Personal Protection

Engineering Controls

Provide exhaust ventilation sufficient to keep the airborne concentration of this product below its exposure limits. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination. Do not let molten product stand unused in melt tanks and injection machines. Stir molten product at all times.

Personal Protective Equipment

Eye/ Face Protection

Splash goggles or face shield to protect from molten wax

Skin Protection

Insulated gloves to protect from molten wax

Respiratory Protection

None required under normal use

Other

Apron or lab coat to protect from molten wax

Section 9 - Physical and Chemical Properties

Appearan	Appearance Odor & Odor Threshold Wax solid Pleasant natural odor		PН	Specific Gra	vity Viscosit	y %	Volatile
Wax soli			N/A 0.91		N/DA	N/DA	
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po'w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/DA 162°F (72°C)	N/A	N/A	N/A	N/DA	N/A	N/A	Insoluble

Flash Point (°F/°C)	Flammsble Limit (vol%)	Auto-ignition Temperature (vol%)	
505 F (263 C)	LEL: N.A	N/DA	
COC	1 EL: N/A		

Section 10 - Stability and Reactivity

Stability:

Stable

Incompatibility (Materials to Avoid):

Strong oxidants

Hazardous Decomposition Products: Partial burning produces fumes, smoke and carbon monoxide Hazardous Polymerization:

Will not occur

Conditions to Avoid:

(Stability): Extreme heat (300°F (149°C) max)

(Polymerization): None

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal T	oxicity	Acute Inhalation Toxicity	lrr	itation - skin	Irritation - Eye
No information available	No information a	vailable	No information available	No info	ormation available	No information available
Sensitization		Mutagenicity		Sub-ch	ronic Toxicity	
N DA		N DA	N DA		N DA	



Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 3 of 5

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity To Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No information available	No information available	No information	No information	No information available
		available	available	

Chemical Fate Information

Biodegradability	No information available
Chemical Oxygen Demand	No information available

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposal Considerations

Dispose of in accordance with state, local and federal regulations.

Section 14 - Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	<u>_</u>
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	

Section 15 - Regulatory Information

US Federal Regulations

Class Air Ass HADIODS	This was done a section to the Collection Land 1 1 10 and 10 10 and 10 a			
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAPs):			
	• NONE			
	There are no ODS's (ozone depleting substances) as defined by the U. S. Clean Air Act.			
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act			
Pollutant/Hazardous Substance	Priority Pollutant and Hazardous Substance List:			
	• NONE			
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other			
	applications as an indirect food additive.			
Occupational Safety and Health Act	This product is not considered to be hazardous under the OSHA Hazard Communication			
<u> </u>	Standard.			
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR			
	261):			
	• NONE			
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous			
	substances.			
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous			
, ,,	chemicals for emergency release notification ("CERCLA" List):			



Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX

SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is not regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: NONE
TSCA Section 8(b): Inventory:	This product does not contain any chemicals listed on the TSCA.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

CA Right-to-Know Law: California No Significant Risk Level:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory		
(on Canadian Transitional List)		

Labeling according to EC directives - 1999/45/EC

European Community:	HAZARD SYMBOLS:
	RISK PHRASES:
	SAFETY PHRASES:

Section 16 - Other Information


EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbol:

Risk Phrases:

Safety Phrases:

Hazard Rating System (Pictograms)



MSDS Prepared by:	SWR/JRR
Revision History:	04/21/09 Updated to 16 part format

Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 5 of

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.





Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 1 of 5

Section 1 – Identification

BASEPLATE WAX/SET-UP WAX KEYSTONE INDUSTRIES **Product Name:** Manufacturer:

> 616 Hollywood Ave. Cherry Hill, NJ 08002

Chemical Name: Petroleum Wax Blend Emergency Phone Numbers: (800) 535-5053

Information Contacts: (856) 663-4700

Family: WAX

Product Use: Dental Wax

Product #: 1880155, 1880170, 1880175

Section 2 – Hazards Identification

No hazardous ingredients

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry

Eye Fumes from molten product may cause irritation. Contact with molten product may cause severe

thermal burns.

Skin Contact with molten wax may cause severe thermal burns.

Ingestion Low order of acute systematic toxicity.

Inhalation Product dust may cause respiratory tract irritation. Molten wax may cause irritation to the respiratory

tract.

Sub-Chronic Effects

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA TWA/STEL	ACGIH TWA/STEL	IARC/NTP/OSHA	
This product contains no h	azardous mater		y the OSHA Hazard Co	mmunication	Standard, CF	R Title 29 1910.120	00.

N/R - Not Reviewed N/A - Not Applicable

Section 4 – First Aid Measures

Ambient wax – flush wax particles with tepid water. Hot wax – seek medical attention. First Aid for Eye

First Aid for Skin Ambient wax - wash with soap and water. Molten wax - cool wax immediately - do not remove wax

from skin. Seek medical attention.

First Aid for Inhalation When fume or mist occurs remove to fresh air. If person is not breathing provide oxygen or artificial

respiration. Seek medical attention.

First Aid for Ingestion Small quantities – permit to pass through system. Large quantities – seek medical attention.

Section 5 - Fire Fighting Measures

Flash Point	Flammable Limit	Auto-ignition Temperature
(* F /* C)	(vol%)	(vol%)
505°F (263°C)	LEL: N/A	N/DA
COC	UEL: N/A	

Method:

Use water fog, foam, dry chemical or CO₂, Foam. Do not use a direct stream of water. Product will Extinguishing Media:

float and can be reignited on surface of water.

Fire Fighting Minimize vapor exposure. Use self-containing breathing respirator for confined spaces on high

concentrations. Use water spray to cool containers or disperse vapor. **Instructions:**

Unusual Hazards: None





Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 2 of 5

Section 6 - Accidental Release Measures

Spill or Release May burn although not readily ignitable. Use cautious judgment when cleaning up large molten spills.

Procedures LARGE MOLTEN SPILLS: Wear respirator and protective clothing as appropriate. Shut off source of leak if

safe to do so. Dike and contain. Allow wax to cool and remove as a solid. SMALL MOLTEN SPILL: Allow wax to cool and remove as a solid.

Section 7 - Handling and Storage

Handling Avoid contact in molten state

Storage Store away from heat

Explosion Hazard None

Section 8 - Exposure Controls / Personal Protection

Engineering Controls Provide exhaust ventilation sufficient to keep the airborne concentration of this product below its

exposure limits. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination. Do not let molten product stand unused in melt tanks and injection machines. Stir

molten product at all times.

Personal Protective Equipment

Eye/ Face Protection Splash goggles or face shield to protect from molten wax

Skin Protection Insulated gloves to protect from molten wax

Respiratory Protection None required under normal use

Other Apron or lab coat to protect from molten wax

Section 9 - Physical and Chemical Properties

**	II.		& Odor Threshold	PН	Specific Gra	vity	Viscosity	y %	6 Volatile
Wax solid	ax solid Pleasant natural odor N/A 0.91			N/DA		<1%			
Boiling Point/ Freezing Point	Decomp Tempe		Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Ev	aporation Rate	Ignition	Solubility In Water (20°C)
N/DA 162°F (72°C)	N/	A	N/A	N/A	N/DA		N/A	N/A	Insoluble

Flash Point	Flammable Limit	Auto-ignition Temperature
(°F/°C)	(vol%)	(vol%)
505°F (263°C)	LEL: N/A	N/DA
COC	UEL: N/A	

Section 10 - Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable Strong oxidants

Hazardous Decomposition Products:

Partial burning produces fumes, smoke and carbon monoxide

Hazardous Polymerization:

Will not occur

Conditions to Avoid:

(Stability): Extreme heat (300°F (149°C) max)

(Polymerization): None

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity	Irritation - skin		Irritation - Eye
No information available	No information available		No information available	No information available		No information available
Sensitization		Mutagenicity	Iutagenicity Sub-c		ronic Toxicity	
N/DA		N/DA	•		N/DA	





Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 3 of 5

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity To Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No information available	No information available	No information available	No information available	No information available

Chemical Fate Information

Biodegradability	No information available
Chemical Oxygen Demand	No information available

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposal Considerations

Dispose of in accordance with state, local and federal regulations.

Section 14 - Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	

Section 15 - Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAPs):
	• NONE
	There are no ODS's (ozone depleting substances) as defined by the U. S. Clean Air Act.
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant/Hazardous Substance	Priority Pollutant and Hazardous Substance List:
	• NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other
	applications as an indirect food additive.
Occupational Safety and Health Act	This product is not considered to be hazardous under the OSHA Hazard Communication
	Standard.
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR
	261):
	• NONE
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	chemicals for emergency release notification ("CERCLA" List):



Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 4 of 5

SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is not regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: • NONE
TSCA Section 8(b): Inventory:	This product does not contain any chemicals listed on the TSCA.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

State Hegalations	
CA Right-to-Know Law:	NONE
California No Significant Risk Level:	
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CD	DSL: Canadian Inventory
(c	on Canadian Transitional List)

Labeling according to EC directives - 1999/45/EC

	• •
European Community:	HAZARD SYMBOLS:
	• RISK PHRASES:
	• Safety Phrases:

Section 16 - Other Information


EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbol:

Risk Phrases:

Safety Phrases:

Hazard Rating System (Pictograms)



MSDS Prepared by:	SWR/JRR
Revision History:	04/21/09 Updated to 16 part format



Material Safety Data Sheet BASEPLATE WAX/SET-UP WAX Page 5 of 5

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.