

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

071837574

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

071837483

ACTIO MSDS ID: 997821

View Section : 12345678910111213141516  
Personal Protective Pictograms

Gloves  
Full  
Suit  
Splash  
Goggles

GHS Pictograms

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION 51C700

Product Name: SureFil SDR Flow - Posterior Bulk Fill Flowable Base

Manufacturer MSDS.: 51C700

Manufacturer Name: Dentsply/Caulk

Address: 38 West Clarke Avenue  
Milford DE 19963-1805

<http://www.caulk.com>  
<http://www.dentsply.com>

Emergency Telephone Number:  
(302) 422-4511 (8:00 AM - 4:30 PM Eastern Time)

General Use: Product Use (for Canada): Light Curing Composite/Dental Filling Material

Department: DENTSPLY/International

Business Phone: (302) 422-4511  
Hours Of Operation: (8:00 AM - 4:30 PM Eastern Time)  
Revision Date: 4/22/09

Trade Names: SureFil<sup>®</sup> SDR(TM) Flow - Posterior Bulk Fill Flowable

Substance Identity: SureFil<sup>®</sup> SDR(TM) Flow  
Grades or Minor Variant Identities: Not Applicable

NFPA Hazard Classification Ratings (Scale 0-4)  
Product Codes: 51C700

NFPA

0  
10  
0

To Top of page

\*\*\*\*\*  
SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS51C700  
\*\*\*\*\*

Ingredient NameCAS#Ingredient Percent

Polymerizable dimethacrylate resins24448-20-2< 10%  
Hazardous:Yes  
EC Index Number:1  
Other Exposure Guidelines:Not Established

Polymerizable dimethacrylate resins109-16-0  
Hazardous:Yes  
EC Index Number:1

Polymerizable urethane dimethacrylateProprietary< 25%  
Hazardous:Yes  
EC Index Number:1  
Other Exposure Guidelines:Not Established

Barium boron fluoro alumino silicate glass65997-18-4< 50%  
Hazardous:Yes  
EC Index Number:1  
Other Exposure Guidelines:Not Established

Silicon Dioxide - Amorphous68611-44-9< 5%  
Hazardous:Yes  
EC Index Number:1  
Other Exposure Guidelines:3 mg/m3

Strontium Aluminosilicate GlassNot Available< 50%  
Hazardous:Yes  
EC Index Number:1  
Other Exposure Guidelines:Not Established

Titanium Dioxide13463-67-7< 1%  
Hazardous:Yes  
EC Index Number:1  
Other Exposure Guidelines:10 mg/m3

Other Information: Colorants are synthetic inorganic iron oxides.

To Top of page

\*\*\*\*\*  
SECTION 3 : HAZARDS IDENTIFICATION51C700  
\*\*\*\*\*

Emergency Overview:Material is irritating to eyes, respiratory system and skin.

DANGER

MAY CAUSE ALLERGY OR ASTHMA  
SYMPTOMS OR BREATHING  
DIFFICULTIES IF INHALED

WARNING

MAY CAUSE AN ALLERGIC SKIN REACTION

Applies to All Ingredients :

Target Organs:Eye: Not Applicable

Skin: Not Applicable

Inhalation: Not Applicable

Ingestion: Not Applicable

Other: Not Applicable

Signs/Symptoms:Eye

Signs and Symptoms: Material can cause irritation.

Skin:

Signs and Symptoms: Material may be an irritant

Inhalation:

Signs and Symptoms: Not Applicable

Ingestion:

Signs and Symptoms: Material is probably not harmful if swallowed

Other:

Signs and Symptoms: Not Applicable

Aggravation of Pre-Existing Conditions: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

To Top of page

\*\*\*\*\*  
SECTION 4 : FIRST AID MEASURES51C700  
\*\*\*\*\*

Eye Contact:Routes of Exposure: Eye

First Aid Instructions: Rinse opened eye for several minutes under running water. If symptoms persist consult physician

Immediate Medical Attention: Not Applicable

Delayed Effects: Not Applicable

Skin Contact:Routes of Exposure: Skin

First Aid Instructions: Immediately wash with soap and water and rinse thoroughly

Immediate Medical Attention: Not Applicable

Delayed Effects: Not Applicable

Inhalation:Routes of Exposure: Inhalation

First Aid Instructions: Supply fresh air, consult physician if symptoms persist

Immediate Medical Attention: Not Applicable

Delayed Effects: Not Applicable

Ingestion:Routes of Exposure: Ingestion

First Aid Instructions: If symptoms persist consult physician

Immediate Medical Attention: Not Applicable

Delayed Effects: Not Applicable

Note to Physicians: (Treating, Testing and Monitoring): Treat symptomatically.

Other First Aid:Routes of Exposure: Other

First Aid Instructions: Not Applicable

Immediate Medical Attention: Not Applicable

Delayed Effects: Not Applicable

To Top of page

\*\*\*\*\*  
SECTION 5 : FIRE FIGHTING MEASURES51C700  
\*\*\*\*\*

Flash Point:Not Applicable

Flash Point Method:Not Applicable

Upper Flammable or Explosive Limit:In Air: Not Applicable

Lower Flammable or Explosive Limit:In Air: Not Applicable

Auto Ignition Temperature:Not Applicable, Product will not autoignite.

Flammability Class:Not Applicable

Extinguishing Media:CO2, extinguishing powder, foam carbon dioxide or water spray. Fight larger fires with water spray or alcohol resistant foam.

Extinguishing Media to Avoid: Water with full jet.

Flame Propagation in Air:Flame Propagation or Burning Rate (for Solids): Not Applicable  
Fire Fighting Instructions:Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.  
Unusual Fire Hazards:Formatin of toxic, irritating gases is possible from the decomposition of the dimethacrylate resins. Product does not present an explosion hazard.  
Properties Contributing to Fire Intensity: Not Applicable

Other: Not Applicable

To Top of page

\*\*\*\*\*  
SECTION 6 : ACCIDENTAL RELEASE MEASURES51C700  
\*\*\*\*\*

Spill Cleanup Measures:Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.  
Containment Techniques: Material is a paste and as such will not flow.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

To Top of page

\*\*\*\*\*  
SECTION 7 : HANDLING and STORAGE51C700  
\*\*\*\*\*

Handling:Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.  
Storage:Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

To Top of page

\*\*\*\*\*  
SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION51C700  
\*\*\*\*\*

Engineering Controls:Not Applicable

Skin Protection Description:Personal Protective Equipment for Normal Use:  
The glove material has to be impermeable and resistant to the product.  
Eye/Face Protection:Personal Protective Equipment for Normal Use:  
Safety Glasses  
Protective Clothing/Body Protection:Personal Protective Equipment for Normal Use:  
Protective work clothing  
Respiratory Protection:Personal Protective Equipment for Normal Use:  
Inhalation: Not Required  
Emergency Skin Protection:Personal Protective Equipment for Emergencies:  
Not Applicable  
Emergency Eye/Face Protection:Personal Protective Equipment for Emergencies:  
Not Applicable  
Emergency Clothing/Body Protection:Personal Protective Equipment for Emergencies:  
Not Applicable  
Emergency Respiratory Protection:Personal Protective Equipment for Emergencies:  
Inhalation: Not Applicable  
Exposure Limits:Occupational Exposure Limits: Not Applicable

To Top of page

\*\*\*\*\*  
SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES51C700  
\*\*\*\*\*

Physical State/Appearance:Various shades of viscous paste.  
Odor:Characteristic sweet acrylic ester odor.  
Physical State:Normal Physical State: Very High Viscosity Liquid (Paste)  
pH:Not Applicable  
Vapor Pressure:(mm Hg): Not Applicable  
Vapor Density:(AIR=1): Not Applicable  
Flash Point:Not Applicable  
Flash Point Method:Not Applicable  
Auto Ignition Temperature:Not Applicable, Product will not autoignite.  
Upper Explosive Limit:In Air: Not Applicable  
Lower Explosive Limit:In Air: Not Applicable  
Melting Point:Not Applicable  
Solubility:In Water: Not soluble  
Specific Gravity:1.9 g/cm3  
Evaporation Point:(Butyl Acetate = 1): Not Applicable  
Other:Not Applicable

To Top of page

\*\*\*\*\*  
SECTION 10 : STABILITY and REACTIVITY51C700  
\*\*\*\*\*

Chemical Stability:Stable  
Conditions to Avoid:None known  
Incompatibilities with Other Materials:(Materials to Avoid):  
Strong Oxidizing materials.  
Hazardous Polymerization:May Not Occur  
Conditions to Avoid: None known  
Hazardous Decomposition Products:Hazardous Products Produced  
During Decomposition: No dangerous decomposition products  
known if used according to Directions for Use.

To Top of page

\*\*\*\*\*  
SECTION 11 : TOXICOLOGICAL INFORMATION51C700  
\*\*\*\*\*

Applies to All Ingredients :  
Routes of Exposure:Eye, Skin, Inhalation, Ingestion, Other  
Eye Effect:Single, Repeated, or Lifetime Exposure: Single  
Severity (Mild, Moderate, Severe): Moderate  
Acute Health Effect(s): Irritation and possible corneal damage  
Skin Effects:Single, Repeated, or Lifetime Exposure: Single &  
Repeated  
Severity (Mild, Moderate, Severe): Moderate  
Acute Health Effect(s): Irritation or possible allergic  
response. Severe allergic response may result in breathing  
difficulties.  
Ingestion Effects:Single, Repeated, or Lifetime Exposure: Not  
Applicable  
Severity (Mild, Moderate, Severe): Mild  
Acute Health Effect(s): Not Applicable  
Inhalation Effects:Single, Repeated, or Lifetime Exposure: Not  
Applicable  
Severity (Mild, Moderate, Severe): Not Applicable  
Acute Health Effect(s): Not Applicable  
Chronic Eye Effects:Chronic Health Effect(s): Irritation and  
possible corneal damage  
Chronic Skin Effects:Chronic Health Effect(s): Irritation or  
possible allergic response. Severe allergic response may  
result in breathing difficulties.  
Chronic Ingestion Effects:Chronic Health Effect(s): Not  
Applicable  
Chronic Inhalation Effects:Chronic Health Effect(s): Not  
Applicable  
Carcinogenicity:NTP: Not listed  
IARC monographs: Not listed  
OSHA regulated: No

All components of this product are in compliance with the  
inventory listing Requirements of the U. S. Toxic Substances  
Control Act (TSCA) Chemical Substance Inventory  
Other Toxicological Information:Toxicity Data, Epidemiology  
Studies, Carcinogenicity, Neurological Effects, Genetic  
Effects, Reproductive Effects, or Structure Activity Data:  
Product is an irritant to the skin and mucous membranes. The  
unpolymerized product may be an irritant to the skin in



susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.

Emergency Overview: Material is irritating to eyes, respiratory system and skin.

#### Eye

Signs and Symptoms: Material can cause irritation.

Target Organ(s): Not Applicable

#### Skin

Signs and Symptoms: Material may be an irritant

Target Organ(s): Not Applicable

#### Inhalation

Signs and Symptoms: Not Applicable

Target Organ(s): Not Applicable

#### Ingestion

Signs and Symptoms: Material is probably not harmful if swallowed

Target Organ(s): Not Applicable

#### Routes of Exposure: Other

Signs and Symptoms: Not Applicable

Single, Repeated, or Lifetime Exposure: Not Applicable

Severity (Mild, Moderate, Severe): Not Applicable

Acute and Chronic Health Effect(s): Not Applicable

Target Organ(s): Not Applicable

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Potential Environmental Effects: Do not allow to enter sewers/surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 0, Reactivity = 0

To Top of page

\*\*\*\*\*  
SECTION 12 : ECOLOGICAL INFORMATION51C700  
\*\*\*\*\*

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water: Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

To Top of page

\*\*\*\*\*  
SECTION 13 : DISPOSAL CONSIDERATIONS51C700  
\*\*\*\*\*

Waste Disposal:Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container.  
Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

To Top of page

\*\*\*\*\*  
SECTION 14 : TRANSPORT INFORMATION51C700  
\*\*\*\*\*

DOT Shipping Name:Not Regulated  
DOT UN Number:Not Applicable  
DOT Hazard Class:Not Applicable  
DOT Packing Group:Not Applicable  
Regulated for Shipping: No. Not Regulated

Do Changes in Quantities, packaging, or shipment method change product classification: No

To Top of page

\*\*\*\*\*  
SECTION 15 : REGULATORY INFORMATION51C700  
\*\*\*\*\*

Applies to all ingredients:  
TSCA 8(b): Inventory Status:All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.  
CERCLA Section 103:U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations  
Section 302 Extremely Hazardous Substances (TPQ):None  
Section 313 Toxic Release Form:Section 313 Toxic Chemicals:

This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None  
State:U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.  
Regulatory Paragraph:This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.  
Canada WHMIS:International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.  
European Community Chemical Inventory Status:European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS): This product is a medical device and not subject to chemical notification requirements.  
Other: Not Applicable

To Top of page

\*\*\*\*\*  
SECTION 16 : ADDITIONAL INFORMATION51C700  
\*\*\*\*\*

NFPA:

Health:1  
Fire Hazard:0  
Reactivity:0

MSDS Revision Date:4/22/09

Disclaimer:

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

The information contained herein is accurate to the best of our knowledge.

Dentsply/Caulk makes no warranty of any kind, express or implied, concerning the safe use of this material.

NFPA Hazard Classification Ratings (Scale 0-4)

Copyright- 1996-2009 Actio Corporation. All Rights Reserved.  
To Top of page

**DENTSPLY/International  
DENTSPLY/Caulk  
Safety Data Sheet**

**51C700**

**1. Identification**

Product Name <b>SureFil® SDR™ Flow – Posterior Bulk Fill Flowable Base</b>	SDS Code Number <b>51C700</b>
Substance Identity <b>SureFil® SDR™ Flow</b>	Date of Last Revision <b>4/22/09</b>
Manufacturer: <b>DENTSPLY Caulk</b>	Address <b>38 West Clarke Avenue Milford DE 19963-1805 <a href="http://www.caulk.com">http://www.caulk.com</a> <a href="http://www.dentsply.com">http://www.dentsply.com</a></b>
Grades or Minor Variant Identities <b>Not Applicable</b>	Information Telephone Number <b>(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)</b>
Product Use (for Canada) <b>Light Curing Composite/Dental Filling Material</b>	Emergency Telephone Number <b>(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)</b>

**2. Hazard(s) Identification**



**DANGER**  
MAY CAUSE ALLERGY OR ASTHMA  
SYMPTOMS OR BREATHING  
DIFFICULTIES IF INHALED



**WARNING**  
MAY CAUSE AN ALLERGIC SKIN REACTION

**3. Composition/Information on Ingredients**

Hazardous Components	C.A.S. Number	Exposure Limits	%
Polymerizable dimethacrylate resins	24448-20-2/109-16-0	N.E.	< than 10
Polymerizable urethane dimethacrylate	Proprietary	N.E.	< than 25
Barium boron fluoro alumino silicate glass	65997-18-4	N.E.	< than 50
Silicon Dioxide - Amorphous	68611-44-9	3 mg/m <sup>3</sup>	< than 5
Strontium Aluminosilicate Glass	N.A.	N.E.	< than 50
Titanium Dioxide	13463-67-7	10 mg/m <sup>3</sup>	< than 1

Other Information: Colorants are synthetic inorganic iron oxides.

**4. First Aid Measures**

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Rinse opened eye for several minutes under running water. If symptoms persist consult physician	Not Applicable	Not Applicable
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air, consult physician if symptoms persist	Not Applicable	Not Applicable
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable

Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.

**5. Fire Fighting Measures**

Flame Propagation or Burning Rate (for Solids) Not Applicable	Properties Contributing to Fire Intensity Not Applicable	Flammability Classification: Not Applicable	Other: Not Applicable
Extinguishing Media: CO <sub>2</sub> , extinguishing powder, foam carbon dioxide or water spray. Fight larger fires with water spray or alcohol resistant foam.		Extinguishing Media to Avoid: Water with full jet.	
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic, irritating gases is possible from the decomposition of the dimethacrylate resins. Product does not present an explosion hazard.			

**DENTSPLY/International  
DENTSPLY/Caulk  
Safety Data Sheet**


**6. Accidental Release Measures**

Containment Techniques: Material is a paste and as such will not flow.		
Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.		
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable

**7. Handling and Storage**

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.
Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

**8. Exposure Control / Personal Protection**



Occupational Exposure Limits: Not Applicable		
Engineering Controls: Not Applicable		
Individual Protection Measures	Personal Protective Equipment for Normal Use	Personal Protective Equipment for Emergencies
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and resistant to the product.	Not Applicable
Inhalation	Not Required	Not Applicable
Body Protection	Protective work clothing	Not Applicable

**9. Physical and Chemical Characteristics**

Appearance: Various shades of viscous paste.		Odor: Characteristic sweet acrylic ester odor.
Normal Physical State: Very High Viscosity Liquid (Paste)		Melting Point: Not Applicable
Specific Gravity: 1.9 g/cm <sup>3</sup>	Solubility in Water: Not soluble	pH: Not Applicable
Vapor Pressure (mm Hg): Not Applicable	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1): Not Applicable
Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable	Autoignition Temperature: Not Applicable, Product will not autoignite.
Other: Not Applicable		

**10. Stability and Reactivity Data**

Incompatibility (Materials to Avoid): Strong Oxidizing materials.		
Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use.		
Hazardous Polymerization: <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> May Not Occur	Conditions to Avoid: None known	
Stability? <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions to Avoid: None known	

**11. Toxicological Information**

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product is an irritant to the skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant.					
Emergency Overview Material is irritating to eyes, respiratory system and skin.					
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Not Applicable
Skin	Material may be an irritant	Single & Repeated	Moderate	Irritation or possible allergic response. Severe allergic response may result in breathing difficulties.	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	Material is probably not harmful if swallowed	Not Applicable	Mild	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.					

Carcinogenicity	NTP?: Not listed	IARC monographs?: Not listed	OSHA regulated?: No	All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.				
NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 0, Reactivity = 0				

## 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.
---

## 13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations
Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

## 14. Transport Information

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment method change product classification? No	DOT Hazard Class: Not Applicable	UN Number: Not Applicable

## 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.
U.S. Federal Regulations: <u>CERCLA 103 Reportable Quantity</u> : This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations
<u>Section 313 Toxic Chemicals</u> : This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None
<u>Section 302 Extremely Hazardous Substances (TPQ)</u> : None
<u>EPA Toxic Substances Control Act (TSCA) Status</u> : All of the components of this product are listed on the TSCA inventory.
<u>U.S. State Regulations California Proposition 65</u> : This product does not contain any chemicals, which are on the California Proposition 65 list.
<u>International Regulations: Canadian Environmental Protection Act</u> : This product is a medical device and not subject to chemical notification requirements.
<u>European Community Labeling</u> : Not a dangerous preparation.
<u>European Inventory of New and Existing Chemicals Substances (EINECS)</u> : This product is a medical device and not subject to chemical notification requirements.
Other: Not Applicable

## 16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products. The information contained herein is accurate to the best of our knowledge. Dentsply/Caulk makes no warranty of any kind, express or implied, concerning the safe use of this material.
--