

SAFETY DATA SHEETS

This SDS packet was issued with item:

075042700

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075035811 075042718 075042726 075042734 075042742 075042759 075042767 075042775 075042783 075042791

075042809 075042817 075042825 075042833 075042841 075042858 075042866 075042874



Material Safety Data Sheet

Copyright, 2003, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 3M(TM) ESPE(TM) STRIP CROWN FORMS
MANUFACTURER: 3M
DIVISION: 3M ESPE Dental Products

ADDRESS: 3M Center
 St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

Issue Date: 10/21/2003
Supersedes Date: 11/28/2001

Document Group: 06-7066-1

Product Use:

Limitations on Use: For use only by dental professionals
 Specific Use: Dental crowns

SECTION 2: INGREDIENTS

<u>Ingredient</u>	<u>C.A.S. No.</u>	<u>% by Wt</u>
SYNTHETIC RUBBER COPOLYMER	27012-62-0	100

SECTION 3: HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Odor, Color, Grade: Odorless, translucent or white

General Physical Form: Solid

Immediate health, physical, and environmental hazards: This product, when used under reasonable conditions and in accordance

with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact:

No health effects are expected.

Skin Contact:

No health effects are expected.

Inhalation:

No health effects are expected.

Ingestion:

No health effects are expected.

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: No need for first aid is anticipated.

Skin Contact: No need for first aid is anticipated.

Inhalation: No need for first aid is anticipated.

If Swallowed: No need for first aid is anticipated.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature	<i>Not Applicable</i>
Flash Point	<i>Not Applicable</i>
Flammable Limits - LEL	<i>Not Applicable</i>
Flammable Limits - UEL	<i>Not Applicable</i>

5.2 EXTINGUISHING MEDIA

Non-combustible. Choose material suitable for surrounding fire.

5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

Unusual Fire and Explosion Hazards: No unusual fire or explosion hazards are anticipated.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Not applicable.

SECTION 7: HANDLING AND STORAGE

7.1 HANDLING

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2 STORAGE

Not applicable.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 ENGINEERING CONTROLS

Not applicable.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

Not applicable.

8.2.2 Skin Protection

Not applicable.

8.2.3 Respiratory Protection

Not applicable.

8.2.4 Prevention of Swallowing

Not applicable.

8.3 EXPOSURE GUIDELINES

None Established

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade:	Odorless, translucent or white
General Physical Form:	Solid
Autoignition temperature	<i>Not Applicable</i>
Flash Point	<i>Not Applicable</i>
Flammable Limits - LEL	<i>Not Applicable</i>
Flammable Limits - UEL	<i>Not Applicable</i>
Boiling point	<i>Not Applicable</i>
Density	<i>No Data Available</i>
Vapor Density	<i>Not Applicable</i>
Vapor Pressure	<i>Not Applicable</i>
Specific Gravity	<i>Not Applicable</i>
pH	<i>Not Applicable</i>
Melting point	<i>No Data Available</i>
Solubility in Water	Nil
Evaporation rate	<i>Not Applicable</i>
Volatile Organic Compounds	<i>Not Applicable</i>
Percent volatile	<i>Not Applicable</i>
VOC Less H2O & Exempt Solvents	<i>Not Applicable</i>
Viscosity	<i>Not Applicable</i>

SECTION 10: STABILITY AND REACTIVITY**Stability:** Stable.**Materials and Conditions to Avoid:** None known**Hazardous Polymerization:** Hazardous polymerization will not occur.**Hazardous Decomposition or By-Products**Substance

None known.

Condition

During Combustion

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not applicable.

CHEMICAL FATE INFORMATION

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of waste product in a sanitary landfill.

EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14: TRANSPORT INFORMATION

ID Number(s):

70-2005-5360-3, 70-2005-5361-1, 70-2005-5362-9, 70-2005-5363-7, 70-2005-5364-5, 70-2005-5365-2, 70-2005-5366-0, 70-2005-5367-8, 70-2005-5368-6, 70-2005-5369-4, 70-2005-5370-2, 70-2005-5371-0, 70-2005-5372-8, 70-2005-5373-6, 70-2005-5374-4, 70-2005-5375-1, 70-2005-5841-2, 70-2010-1105-6, 70-2010-1106-4, 70-2010-1107-2, 70-2010-1108-0, 70-2010-1109-8, 70-2010-1110-6, 70-2010-1111-4, 70-2010-1112-2, 70-2010-1113-0, 70-2010-1114-8, 70-2010-1115-5, 70-2010-1116-3, 70-2010-1117-1, 70-2010-1118-9, 70-2010-1119-7, 70-2010-1120-5, 70-2010-2198-0

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

STATE REGULATIONS

Contact 3M for more information.

CHEMICAL INVENTORIES

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

INTERNATIONAL REGULATIONS

Contact 3M for more information.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

NFPA Hazard Classification

Health: 0 **Flammability:** 0 **Reactivity:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Reason for Reissue: The MSDS has been revised because 3M has adopted the 16-section ANSI/ISO format. The potential hazards of the product have not changed. We encourage you to reread the MSDS and review the information.

No revision information is available.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

3M MSDSs are available at www.3M.com



Material Safety Data Sheet

Copyright, 2011, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 3M™ ESPE™ GOLD ANODIZED CROWNS
MANUFACTURER: 3M
DIVISION: 3M ESPE Dental Products

ADDRESS: 3M Center, St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

Issue Date: 06/20/11
Supercedes Date: 03/04/11

Document Group: 06-2941-0

Product Use:

Intended Use: Dental Product
 Limitations on Use: For use only by dental professionals
 Specific Use: Dental crowns

SECTION 2: INGREDIENTS

<u>Ingredient</u>	<u>C.A.S. No.</u>	<u>% by Wt</u>
GOLD PLATED ALUMINUM ALLOY	Mixture	100

SECTION 3: HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Odor, Color, Grade: Odorless, gold

General Physical Form: Solid

Immediate health, physical, and environmental hazards: This product, when used under reasonable conditions and in accordance

with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact:

No health effects are expected.

Skin Contact:

No health effects are expected.

Inhalation:

No health effects are expected.

Ingestion:

No health effects are expected.

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: No need for first aid is anticipated.
Skin Contact: No need for first aid is anticipated.
Inhalation: No need for first aid is anticipated.
If Swallowed: No need for first aid is anticipated.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature	<i>Not Applicable</i>
Flash Point	<i>Not Applicable</i>
Flammable Limits(LEL)	<i>Not Applicable</i>
Flammable Limits(UEL)	<i>Not Applicable</i>

5.2 EXTINGUISHING MEDIA

Material will not burn. Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

Unusual Fire and Explosion Hazards: No unusual fire or explosion hazards are anticipated.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

Clean-up methods

Not applicable.

SECTION 7: HANDLING AND STORAGE

7.1 HANDLING

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2 STORAGE

Not applicable.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 ENGINEERING CONTROLS

Not applicable.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

Not applicable.

8.2.2 Skin Protection

Not applicable.

8.2.3 Respiratory Protection

Not applicable.

8.2.4 Prevention of Swallowing

Not applicable.

8.3 EXPOSURE GUIDELINES

None Established

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade:
General Physical Form:

Odorless, gold
Solid

Autoignition temperature	<i>Not Applicable</i>
Flash Point	<i>Not Applicable</i>
Flammable Limits(LEL)	<i>Not Applicable</i>
Flammable Limits(UEL)	<i>Not Applicable</i>
Boiling Point	<i>Not Applicable</i>
Density	<i>No Data Available</i>
Vapor Density	<i>Not Applicable</i>
Vapor Pressure	<i>Not Applicable</i>
Specific Gravity	<i>Not Applicable</i>
pH	<i>Not Applicable</i>
Melting point	<i>No Data Available</i>
Solubility in Water	Nil
Evaporation rate	<i>Not Applicable</i>
Volatile Organic Compounds	<i>Not Applicable</i>
Kow - Oct/Water partition coef	<i>No Data Available</i>
Percent volatile	<i>Not Applicable</i>
VOC Less H2O & Exempt Solvents	<i>Not Applicable</i>
Viscosity	<i>Not Applicable</i>

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid:

10.1 Conditions to avoid

None known

10.2 Materials to avoid

None known

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition or By-Products

Substance

None known.

Condition

During Combustion

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not applicable.

CHEMICAL FATE INFORMATION

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Contact your 3M sales representative for information on reclaiming this product. Product may be recycled. Reclaim if feasible. As a disposal alternative, Dispose of waste product in a sanitary landfill.

EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14: TRANSPORT INFORMATION

ID Number(s):

70-2005-5672-1, 70-2005-5673-9, 70-2005-5674-7, 70-2005-5675-4, 70-2005-5676-2, 70-2005-5677-0, 70-2005-5678-8, 70-2005-5679-6, 70-2005-5680-4, 70-2005-5681-2, 70-2005-5682-0, 70-2005-5683-8, 70-2005-5684-6, 70-2005-5685-3, 70-2005-5686-1, 70-2005-5687-9, 70-2005-5688-7, 70-2005-5689-5, 70-2005-5690-3, 70-2005-5691-1, 70-2005-5692-9, 70-2005-5693-7, 70-2005-5694-5, 70-2005-5695-2, 70-2005-5696-0, 70-2005-5697-8, 70-2005-5698-6, 70-2005-5699-4, 70-2005-5700-0, 70-2005-5701-8, 70-2005-5702-6, 70-2005-5703-4, 70-2005-5704-2, 70-2005-5705-9, 70-2005-5706-7, 70-2005-5707-5, 70-2005-5708-0, 70-2005-5709-8, 70-2005-5710-6, 70-2005-5711-4, 70-2005-5712-2, 70-2005-5713-0, 70-2005-5714-8, 70-2005-5715-6, 70-2005-5716-4, 70-2005-5717-2, 70-2005-5718-0, 70-2005-5719-8, 70-2005-5720-6, 70-2005-5721-4, 70-2005-5722-2, 70-2005-5723-0, 70-2005-5724-8, 70-2005-5725-6, 70-2005-5726-4, 70-2005-5727-2, 70-2005-5728-0, 70-2005-5729-8, 70-2005-5730-6, 70-2005-5731-4, 70-2005-5732-2, 70-2005-5733-0, 70-2005-5734-8, 70-2005-5735-6, 70-2005-5736-4, 70-2005-5737-2, 70-2005-5738-0, 70-2005-5739-8, 70-2005-5740-6, 70-2005-5741-4, 70-2005-5742-2, 70-2005-5743-0, 70-2005-5744-8, 70-2005-5745-6, 70-2005-5746-4, 70-2005-5747-2, 70-2005-5748-0, 70-2005-5749-8, 70-2005-5750-6, 70-2005-5751-4, 70-2005-5752-2, 70-2005-5753-0, 70-2005-5754-8, 70-2005-5755-6, 70-2005-5756-4, 70-2005-5757-2, 70-2005-5758-0, 70-2005-5759-8, 70-2005-5760-6, 70-2005-5761-4, 70-2005-5762-2, 70-2005-5763-0, 70-2005-5764-8, 70-2005-5765-6, 70-2005-5766-4, 70-2005-5767-2, 70-2005-5768-0, 70-2005-5769-8, 70-2005-5770-6, 70-2005-5771-4, 70-2005-5772-2, 70-2005-5773-0, 70-2005-5774-8, 70-2005-5775-6, 70-2005-5776-4, 70-2005-5777-2, 70-2005-5778-0, 70-2005-5779-8, 70-2005-5780-6, 70-2005-5781-4, 70-2005-5782-2, 70-2005-5783-0, 70-2005-5784-8, 70-2005-5785-6, 70-2005-5786-4, 70-2005-5787-2, 70-2005-5788-0, 70-2005-5789-8, 70-2005-5790-6, 70-2005-5791-4, 70-2005-5792-2, 70-2005-5793-0, 70-2005-5794-8, 70-2005-5795-6, 70-2005-5796-4, 70-2005-5797-2, 70-2005-5798-0, 70-2005-5799-8, 70-2005-5800-6, 70-2005-5801-4, 70-2005-5802-2, 70-2005-5803-0, 70-2005-5804-8, 70-2005-5805-6, 70-2005-5806-4, 70-2005-5807-2, 70-2005-5808-0, 70-2005-5809-8, 70-2005-5810-6, 70-2005-5811-4, 70-2005-5812-2, 70-2005-5813-0, 70-2005-5814-8, 70-2005-5815-6, 70-2005-5816-4, 70-2005-5817-2, 70-2005-5818-0, 70-2005-5819-8, 70-2005-5820-6, 70-2005-5821-4, 70-2005-5822-2, 70-2005-5823-0, 70-2005-5824-8, 70-2005-5825-6, 70-2005-5826-4, 70-2005-5827-2, 70-2005-5828-0, 70-2005-5829-8, 70-2005-5830-6, 70-2005-5831-4, 70-2005-5832-2, 70-2005-5833-0, 70-2005-5834-8, 70-2005-5835-6, 70-2005-5836-4, 70-2005-5837-2, 70-2005-5838-0, 70-2005-5839-8, 70-2005-5840-6, 70-2005-5841-4, 70-2005-5842-2, 70-2005-5843-0, 70-2005-5844-8, 70-2005-5845-6, 70-2005-5846-4, 70-2005-5847-2, 70-2005-5848-0, 70-2005-5849-8, 70-2005-5850-6, 70-2005-5851-4, 70-2005-5852-2, 70-2005-5853-0, 70-2005-5854-8, 70-2005-5855-6, 70-2005-5856-4, 70-2005-5857-2, 70-2005-5858-0, 70-2005-5859-8, 70-2005-5860-6, 70-2005-5861-4, 70-2005-5862-2, 70-2005-5863-0, 70-2005-5864-8, 70-2005-5865-6, 70-2005-5866-4, 70-2005-5867-2, 70-2005-5868-0, 70-2005-5869-8, 70-2005-5870-6, 70-2005-5871-4, 70-2005-5872-2, 70-2005-5873-0, 70-2005-5874-8, 70-2005-5875-6, 70-2005-5876-4, 70-2005-5877-2, 70-2005-5878-0, 70-2005-5879-8, 70-2005-5880-6, 70-2005-5881-4, 70-2005-5882-2, 70-2005-5883-0, 70-2005-5884-8, 70-2005-5885-6, 70-2005-5886-4, 70-2005-5887-2, 70-2005-5888-0, 70-2005-5889-8, 70-2005-5890-6, 70-2005-5891-4, 70-2005-5892-2, 70-2005-5893-0, 70-2005-5894-8, 70-2005-5895-6, 70-2005-5896-4, 70-2005-5897-2, 70-2005-5898-0, 70-2005-5899-8, 70-2005-5900-6, 70-2005-5901-4, 70-2005-5902-2, 70-2005-5903-0, 70-2005-5904-8, 70-2005-5905-6, 70-2005-5906-4, 70-2005-5907-2, 70-2005-5908-0, 70-2005-5909-8, 70-2005-5910-6, 70-2005-5911-4, 70-2005-5912-2, 70-2005-5913-0, 70-2005-5914-8, 70-2005-5915-6, 70-2005-5916-4, 70-2005-5917-2, 70-2005-5918-0, 70-2005-5919-8, 70-2005-5920-6, 70-2005-5921-4, 70-2005-5922-2, 70-2005-5923-0, 70-2005-5924-8, 70-2005-5925-6, 70-2005-5926-4, 70-2005-5927-2, 70-2005-5928-0, 70-2005-5929-8, 70-2005-5930-6, 70-2005-5931-4, 70-2005-5932-2, 70-2005-5933-0, 70-2005-5934-8, 70-2005-5935-6, 70-2005-5936-4, 70-2005-5937-2, 70-2005-5938-0, 70-2005-5939-8, 70-2005-5940-6, 70-2005-5941-4, 70-2005-5942-2, 70-2005-5943-0, 70-2005-5944-8, 70-2005-5945-6, 70-2005-5946-4, 70-2005-5947-2, 70-2005-5948-0, 70-2005-5949-8, 70-2005-5950-6, 70-2005-5951-4, 70-2005-5952-2, 70-2005-5953-0, 70-2005-5954-8, 70-2005-5955-6, 70-2005-5956-4, 70-2005-5957-2, 70-2005-5958-0, 70-2005-5959-8, 70-2005-5960-6, 70-2005-5961-4, 70-2005-5962-2, 70-2005-5963-0, 70-2005-5964-8, 70-2005-5965-6, 70-2005-5966-4, 70-2005-5967-2, 70-2005-5968-0, 70-2005-5969-8, 70-2005-5970-6, 70-2005-5971-4, 70-2005-5972-2, 70-2005-5973-0, 70-2005-5974-8, 70-2005-5975-6, 70-2005-5976-4, 70-2005-5977-2, 70-2005-5978-0, 70-2005-5979-8, 70-2005-5980-6, 70-2005-5981-4, 70-2005-5982-2, 70-2005-5983-0, 70-2005-5984-8, 70-2005-5985-6, 70-2005-5986-4, 70-2005-5987-2, 70-2005-5988-0, 70-2005-5989-8, 70-2005-5990-6, 70-2005-5991-4, 70-2005-5992-2, 70-2005-5993-0, 70-2005-5994-8, 70-2005-5995-6, 70-2005-5996-4, 70-2005-5997-2, 70-2005-5998-0, 70-2005-5999-8, 70-2005-6000-6, 70-2010-8550-6, 70-2010-8603-3

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

STATE REGULATIONS

Contact 3M for more information.

CHEMICAL INVENTORIES

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

INTERNATIONAL REGULATIONS

Contact 3M for more information.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

NFPA Hazard Classification

Health: 0 Flammability: 0 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Reason for Reissue: The MSDS has been revised because 3M has adopted the 16-section ANSI/ISO format. The potential hazards of the product have not changed. We encourage you to reread the MSDS and review the information.

Revision Changes:

Section 16: Disclaimer (second paragraph) was modified.

Section 14: ID Number(s) Template 1 was modified.

Section 16: Web address was added.

Section 1: Address was added.

Copyright was added.

Company logo was added.

Telephone header was added.

Company Telephone was added.

Section 1: Emergency phone information was added.

Section 1: Emergency phone information was deleted.

Company Logo was deleted.

Copyright was deleted.

Section 16: Web address heading was deleted.

Section 1: Address line 1 was deleted.

Section 1: Address line 2 was deleted.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M

3M USA MSDSs are available at www.3M.com