

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

072118305

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

070575241 072118271 072118396 072120657 072120715 072120772 072121291

**COE TRAY PLASTIC REGULAR - LIQUID**  
**MATERIAL SAFETY DATA SHEET****SECTION 1 - SOURCE/IDENTITY/USE INFORMATION****MANUFACTURER**

GC AMERICA INC.

3737 West 127th St.

Alsip, Illinois, 60803

Telephone: 708-597-0900

Hours Mon.-Fri: 8:00 a.m.-5:00 p.m. C.S.T.

Transportation Emergency No. 800-424-9300

**COMMON NAME:** COE TRAY PLASTIC REGULAR - LIQUID**CHEMICAL NAME:** N.A.**PRODUCT USE:** Repair dentures - liquid component

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

**SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Methyl Methacrylate	80-62-6	TWA=100ppm (ACGIH)	LD50=7.9g/kg (oral rat) LC50=3750 ppm/4hr.	60-100

**SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES****BOILING POINT:** 98°C**VAPOR PRESSURE:** 50 @86°C**VAPOR DENSITY:** 3.5**SOLUBILITY IN WATER:** Insoluble**COEFFICIENT OF OIL/WATER DISTRIBUTION:** N.E.**SPECIFIC GRAVITY (H2O = 1):** 0.940**MELTING POINT:** N.A.**EVAPORATION RATE (Butyl Acetate=1):** Equal**ODOR THRESHOLD:** <1 ppm methyl methacrylate**APPEARANCE AND ODOR:** Clear liquid, unpleasant odor.**SECTION 4 - FIRE AND EXPLOSION DATA****FLASH POINT:** 11°C**FLAMMABLE LIMITS:** N.E.**EXTINGUISHING MEDIA:** Alcohol foam, dry chemical, carbon dioxide**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self contained breathing apparatus with full protective equipment.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** When heated above the flashpoint: emits vapors, which when mixed with air, can burn or be explosive. Fine mists on sprays may be flammable at temperatures below the flash point. Sealed containers exposed to elevated temperatures may rupture explosively due to polymerization. Vapors are heavier than air and may travel to ignition source.**HAZARDOUS COMBUSTION PRODUCTS:** Carbon dioxide, carbon monoxide, smoke**SECTION 5 - REACTIVITY DATA****STABILITY:** Stable Unstable **POLYMERIZATION:** Will Not Occur Will Occur **CONDITIONS TO AVOID:** Heat and ignition sources**INCOMPATIBILITY (MATERIALS TO AVOID):** Reducing and oxidizing agents. Material has strong solvent properties and can soften paint or rubber.**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Carbon monoxide, carbon dioxide**SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION**

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER	X							

**SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION - continued**ROUTES OF ENTRY:    Inhalation                       Skin                       Ingestion **HEALTH HAZARD (Acute and Chronic):**

**INHALATION:** May cause nose and throat irritation. May cause nervous system depression. Reports have associated repeated and prolonged overexposure to brain damage and nervous system damage. May cause irritation or burning of mucous membranes.

**INGESTION:** May cause abnormal liver and kidney function

**SKIN:** May cause irritation or burning of skin. Repeated exposure may cause skin burns and allergic reactions.

**EYES:** May cause irritation or burning of eyes.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** Progressive steps of inhalation overexposure: headache, dizziness, nausea, staggering gait, confusion, unconsciousness.

**CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** N.E.

**EMERGENCY FIRST AID PROCEDURES:**

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

**INGESTION:** Do not induce vomiting. Give one or two glasses of water and seek medical attention.

**SKIN:** Wash with soap and water. Wash clothes prior to reuse.

**EYES:** Immediately flush eyes with water. Seek medical attention.

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

**IN CASE OF RELEASE OR SPILL:** Eliminate source of ignition. Wear skin, eye, and respiratory protection. Contain spill and keep out of sewers. Use absorbent to soak up liquid. Use non-sparking equipment and shovel into waste container.

**WASTE DISPOSAL METHOD:** Material is a hazardous waste, No. U162. Dispose of waste in facility permitted for hazardous waste in accordance with local, state and federal regulations.

**STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Keep away from heat, sparks, flame, direct sunlight and elevated temperatures.

**SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Reduce exposure in accordance with safe hygiene practice. If exposure limits are exceeded, use a MSHA-NIOSH approved respirator for organic vapors.

**VENTILATION:**    Local Exhaust: Yes                      Mechanical: N.A.                      Special: N.A.                      Other: N.A.

**PROTECTIVE GLOVES:** Disposable vinyl gloves

**EYE PROTECTION:** Chemical goggles and full face protection if necessary.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eye wash station

**WORK/HYGIENIC PRACTICE:** Follow routine safe hygiene practices.

**SECTION 9- PREPARATION INFORMATION**

*This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR*

**DATE:** 01 March 2006

**REVIEWED:** 21 February 2012

**REVISED:** 16 November 2012

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

*The information herein is given in good faith but no warranty expressed or implied is made.*

---

**FIRE – 3****TOXICITY – 2****NFPA  
REACTIVITY – 2****SPECIAL**

---



## MATERIAL SAFETY DATA SHEET

MSDS: RQ1004013  
RQ1004015  
RQ1004017  
RQ1008778  
RQ1211127  
RQ1400356

Issue Date: 02/05/2014

### SECTION I - PRODUCT IDENTIFICATION

Identity: **Liquid Laundry Detergent** (All 2X Concentrated Variations for Retail\*)

**This MSDS applies to the following Liquid 2X Gain Ultra Detergent Brands:**

**Gain (Original, Lavender, Original Clean Boost, Apple Mango Tango,  
Gain (Original Fresh, Island Fresh, Fresh Awakenings, Floral Fusion, Spring Lavender, Ocean Escape)  
Gain w/Bleach Alternative (Outdoor Sunshine, Dazzle & Shine)  
Gain Joyful Expressions (Apple Mango Tango, Mandarin Lime Fusion)  
Gain with Baking Soda (Fresh Water Sparkle)  
Gain with OxiBooster (Icy Fresh Fizz)  
Gain with Febreze Freshness (Hawaiian Aloha, Thai Dragon Fruit)  
Gain Touch of Softness (Simply Fresh, Cotton Fresh)**

**High Efficiency Variants:**

**Gain HE (Original Scent, Original Fresh, Spring Lavender, Island Fresh)  
Gain Joyful Expressions HE (Apple Mango Tango)  
Gain with Febreze Freshness HE (Thai Dragon Fruit)**

Emergency Telephone Number: 24hr P&G Operator – 1-800-879-8433

\* **This MSDS applies to** all uses/handling of these products in a retail package for consumer home use.

### SECTION II - HAZARDS IDENTIFICATION

**Health Hazards (Acute and Chronic):**

Ingestion: May cause transient gastrointestinal irritation.  
Eye Contact: May cause mild, transient irritation.  
Inhalation: Transient irritation with prolonged exposure to concentrated material.

**Signs and Symptoms of Exposure:**

Ingestion: May result in nausea, vomiting, and/or diarrhea.  
Eye Contact: May cause stinging, tearing, itching, swelling, and/or redness.  
Skin: Prolonged contact with concentrated material may be drying or transiently irritating to skin.

**SECTION III - COMPOSITION AND INGREDIENTS**

Ingredients/Chemical Name: Biodegradable surfactants (anionic and nonionic) and enzymes.

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200.

<u>Common Name</u>	<u>Chemical Name</u>	<u>CAS No.</u>	<u>Composition Range</u>	<u>LD50</u>
Ethanol	Ethyl alcohol	64-17-5	1 - 5%	7.06 g/kg (oral, rat)
Ethanolamine	2-Aminoethanol	141-43-5	1 - 5%	1.7g/kg (oral, rat)
Anionic Surfactants	Alcohol Ethoxysulfate, sodium salt	68585-34-2	10-30% total anionic surfactant	>2g/kg (oral, rat)
	Alcohol Sulfates, sodium salts	68585-47-7		>2000 mg/kg (oral, rat)
	Benzene sulfonic acid, sodium salt	68081-81-2		438 mg/kg (oral, rat) 1330 mg/kg (oral, mouse)
	Benzene sulfonic acid, monoethanolamine salt	68910-32-7		not available
Nonionic Surfactants	Alcohol ethoxylate	68439-49-6	1-5% total nonionic surfactant	5300 mg/kg (oral, rat)

**SECTION IV - FIRST AID INFORMATION****Emergency and First Aid Procedures:**

Ingestion: Drink a glassful of water.  
 Eye Contact: Flush with water for 10 to 15 minutes.  
 Skin: If prolonged contact occurs, rinse thoroughly with water. If spilled on clothing, change clothes.  
 If symptoms persist or reoccur, seek medical attention.

**Other:** Consumer product package has a caution statement: "CAUTION: Eye irritant. Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN. If swallowed, give a glassful of water. Call a physician. In case of eye contact, flush with water."

**SECTION V - FIRE FIGHTING INFORMATION**

**Flammable Properties:** These products have a flashpoint of  $\geq 150^{\circ}\text{F}$  and they do not sustain combustion per D.O.T. 49 CFR 173 Appendix H method.

**Explosive Limits:** LEL: N/A UEL: N/A  
**Autoignition Temperature:** N/A

**Suitable Extinguishing Media:** CO<sub>2</sub>, water, foam, dry chemical.

**Unsuitable Extinguishing Media:** Not known.

**Protection of Fire Fighters:**

- **Specific Hazards arising from the chemical mixture:** Not known.
- **Protective Equipment and Precautions for Firefighters:** Standard self-contained breathing apparatus (SCBA) and full fire fighting turn-out gear (Bunker gear).

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** None

**Environmental Precautions:** DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL REGULATIONS. Small or household quantities may be disposed of in refuse or in sewer. First check with your local water treatment plant. For larger quantities, incineration is preferred. Do not landfill.

**Steps To Be Taken in Case Material is Released or Spilled:** Flush small or household quantities down acceptable sewer (contains biodegradable surfactants). Prevent spills from reaching a waterway. Sorbents may be used.

**SECTION VII - HANDLING AND STORAGE**

**Precautions To Be Taken in Handling and Storing:** No unusual precautions necessary.

**Other Precautions:** None

**SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION**

**Respiratory Protection (Specify Type):** None required with normal use.

**Ventilation**      *Local Exhaust:* None required with normal consumer use.      *Special:* None

*Mechanical (General):* Normal/general dilution ventilation is acceptable.      *Other:* None

**Eye Protection:** None required with normal consumer use.

*Industrial Setting:* If a splash is likely, chemical goggles may be needed.

**Protective Gloves:** None required with normal use.

*Industrial Setting:* Protective gloves (rubber, neoprene) should be used for prolonged direct contact.

**Other Protective Equipment:** None required with normal use.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** All Liquid 2X Gain Detergents are green except Free products which are amber.

**Flash Point:**  $\geq 150^{\circ}\text{F}$ ; these products do not sustain combustion per DOT 49 CFR 173 Appendix H method)

**Odor:** All products contain perfume/fragrance except Free versions which do not contain any perfume.

**Evaporation Rate (nBuOAc=1):** Not known

**Odor Threshold:** Not known.

**Explosive Limits:**      *LEL:* N/A      *UEL:* N/A

**Physical State:** Liquid.

**Percent Volatile by Volume (%):** 30 – 40

**Vapor Pressure Range (mm Hg):** 18 - 21 @  $68^{\circ}\text{F}$  ( $20^{\circ}\text{C}$ ) (mostly water)

**Specific Gravity ( $\text{H}_2\text{O}=1$ ):** 1.04 to 1.09

**Vapor Density (Air=1):** Not known

**Melting/Freezing Point:** N/A

**Boiling Point Range  $^{\circ}\text{F}$ :** 210 -  $216^{\circ}\text{F}$  ( $98.9 - 102^{\circ}\text{C}$ )

**pH (10% solution):** 8.1 to 8.6

**Coefficient of Water/Oil Distribution:** N/A

**Reserve Alkalinity:** N/A

**Solubility in Water:** Completely soluble.

**SECTION X - STABILITY AND REACTIVITY**

**Chemical Stability:** Stable.

**Conditions to Avoid:** None known.

**Materials to Avoid:** None known.

**Hazardous Decomposition Products:** None known.

**Possibility of Hazardous Reactions:** None known.

**SECTION XI - TOXICOLOGICAL INFORMATION**

Liquid Gain formulas have a low order of toxicity. If ingested, it may be mildly irritating. It is expected to be moderately emetic.

LD50 (oral, estimated): > 2g/kg

ED50 (emesis, estimated): ~ 0.5 g/kg

Chronic Effects: No chronic health effects reported.

Target Organs: No target organs reported.

Carcinogenicity: NTP: No

IARC: No

OSHA: No

**SECTION XII - ECOLOGICAL INFORMATION**

Based on ecotoxicity and fate data for the individual ingredients in these mixtures, and for related consumer household cleaning product formulations, it is expected that these mixtures would exhibit a non-hazardous order of toxicity at relevant environmental concentrations.

**SECTION XIII - DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with all Federal, state/provincial and local regulations.

**Household Use:** Consumer produced household solutions may be disposed of down the drain with running water. Consumer may discard empty container in trash, or recycle where facilities exist.

**SECTION XIV - TRANSPORT INFORMATION**

US DOT: These products are not regulated when transported by ground.

IATA: These products are not regulated when transported by air.

IMDG: These products are not regulated when transported by vessel.

