SAFETY DATA SHEETS

This SDS packet was issued with item:

073239415

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073239407 073239423 073239431

ACTIO MSDS ID: 997869

View Section: 12345678910111213141516

EC Directive Pictograms

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION (N/A)

Product Name: Icon-Infiltrant

Distributor Name: DMG Chemisch-Pharmazeutische Fabrik GmbH Distributor Address: Elbgaustra e 248 22547 Hamburg Germany

Fax: +49. (0) 40. 84006-222

Website: info@dmg-dental.com www.dmg-dental.com

Emergency contact: Infotrac-(800)535-5053
Distributor Telephone: +49. (0) 40. 84006-0
Revision Date:23.04.2009
Manufacturer Name:DMG, Chemisch-Pharmazeutische Fabrik GmbH

Material Safety Data Sheet (EC 1907/2006)

2600-21-03

To Top of page

Ingredient NameCAS#Ingredient Percent

Aliphatic dimethacrylates Hazardous:Yes EC Index Number:1 Hazard Symbols:Xi Risk Phrases:R36/38, R43

Yellowish liquid. Preparation of acrylic resins.

To Top of page

Potential Health Effects: None, if handled according to directions.

Irritating to eyes and skin. May cause sensitization by skin contact.

To Top of page

Eye Contact:Rinse out with plenty of water for at least 10 minutes with eyelid held wide open. Immediately call in ophthalmologist.

Skin Contact:Wash off with soap and plenty of water.

Immediately remove contaminated clothing.

Inhalation:Fresh air. Call in physician.

Ingestion:Immediately call in physician.

To Top of page

Extinguishing Media: Powder, sand, foam, carbon dioxide. Unsuitable Media: Not suitable extinguishing media: Direct jet of water

To Top of page

mechanically, with inert fluid-binding material. Environmental Precautions: Avoid pollution of water and sewage. To Top of page SECTION 7 : HANDLING and STORAGE: (N/A) Handling: Technical measures: Keep container tightly closed. Safe handling advice: Wear suitable gloves. Avoid contact with Storage: Technical measures: No special precautions necessary. Storage conditions: Keep container tightly closed. Keep container in a dark, well-ventilated place at +15 to 25 deg C. Recommended packaging material: Container of glass. Hygiene Practices: When using do not eat or drink. To Top of page SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION: (N/A) ********************** Engineering Controls: Avoid splashing. Use only in well-ventilated areas. Skin Protection Description: Rubber gloves. Suitable: Natural latex, layer thickness: 0.6 mm, breakthrough time: > 10 min Hand Protection Description: Rubber gloves. Suitable: Natural latex, layer thickness: 0.6 mm, breakthrough time: > 10 min Eye/Face Protection: Goggles. Respiratory Protection: Requires when vapours/aerosols are generated filter E-(P2). Special control parameter: Aliphatic dimethacrylates. Danger of sensitization. Hygiene measures: When using do not eat or drink. To Top of page ******************* SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES: (N/A) **********************

Personal Precautions: Avoid contact. Do not inhale vapours.

Spill Cleanup Measures: Methods for cleaning up: Take up

Wear suitable protective clothing.

Physical State/Appearance:Liquid Color:Yellowish Odor:Ester like pH:Not applicable Vapor Pressure:ca. 1,3 hPa/20 deg C

Flash Point: 100 deg C Boiling Point: 250 deg C Solubility: In Water: Miscible Density:ca. 1 g/cm3 Ignition temperature: Not available. Explosion properties: Not available. To Top of page ************ SECTION 10 : STABILITY and REACTIVITY: (N/A) *************** Conditions to Avoid: Strong heating, light. Incompatibilities with Other Materials: Materials to avoid: Free radicals, reducing agents, heavy metal ions, strong alkalines. Reactivity: Hazardous reactions: None, if handled and stored according to directions. Hazardous Decomposition Products: Thermal decomposition: No decomposition, if handled according to directions. Hazardous decomposition products: In case of fire acrid acrylic fumes. Cures on exposure to visible or UV-light. Cures on exposure to free radicals. To Top of page SECTION 11 : TOXICOLOGICAL INFORMATION: (N/A) *************** Aliphatic dimethacrylates : Eye Effect: Irritations. Skin Effects: Irritations. Risk of sensitization. Ingestion Effects: Acute toxicity: LD50 (oral, rat): > 2000 mg/kgAfter swallowing: Irritation of the mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Inhalation Effects: Irritation symptoms in the respiratory Sensitization: May cause sensitization. To Top of page SECTION 12 : ECOLOGICAL INFORMATION: (N/A)

Do not discharge into drains or the environment.

Mobility: No data available.

Persistence und degradibility: No data available for the preparation.

To Top of page

Waste Disposal: Waste from residues: Dispose to an authorised waste collection point. Use proper landfill disposal or incineration in accordance with local, state and federal regulations.
To Top of page

Additional information: Not dangerous cargo.
To Top of page

Aliphatic dimethacrylates: Risk Phrases:36/38 - 43 Irritating to eyes and skin. May cause sensitization by skin contact. Safety Phrase:26 - 28 - 36/37/39 In case of contact with eyes rinse immediately with plenty of water and seek medical advice. After contact with skin wash immediately with plenty of water and soap. Wear suitable protective clothing, gloves and eye/face protection. Labelling according international regulations: Xi, Irritant. Contains methacrylic ester.
Symbols of danger: X
To Top of page

MSDS Revision Date:23.04.2009
Disclaimer:
The data given here is based on current knowledge and experience. The data does not signify any warranty with regard to the product's properties.

Copyright- 1996-2009 Actio Corporation. All Rights Reserved.
To Top of page

according to Regulation (EC) No 1907/2006

Icon-Infiltrant

Print date: 03.07.2014 Product code: 2600_GHS Page 1 of 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Icon-Infiltrant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com
Internet: www.dmg-dental.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases:

Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact.

GHS classification

Hazard Statements:

May cause respiratory irritation. Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

2.2. Label elements

Signal word: Warning Pictograms: GHS07



Hazard statements

H335 May cause respiratory irritation.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

according to Regulation (EC) No 1907/2006

Icon-Infiltrant

Print date: 03.07.2014 Product code: 2600_GHS Page 2 of 4

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately get medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons

High power water jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing. The following must be prevented: inhalation, skin contact.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect mechanically.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Ensure adequate ventilation of the storage area.

Keep container tightly closed in a cool, well-ventilated place.

Further information on storage conditions

Store only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Occupational exposure controls

Ensure adequate ventilation of the storage area.

Protective and hygiene measures

When using do not eat or drink.

according to Regulation (EC) No 1907/2006

Icon-Infiltrant

Print date: 03.07.2014 Product code: 2600_GHS Page 3 of 4

Respiratory protection

The following must be prevented: inhalation.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Eye protection

Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless - yellow

Odour: like: ester

Test method

pH-Value: not applicable

Changes in the physical state

point of decomposition: > 250 °C
Flash point: 100 °C
Lower explosion limits: not determined
Upper explosion limits: not determined
Vapour pressure: not determined
Density: 1 g/cm³
Water solubility: miscible.

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Light. heat.

Decompostion takes place from temperatures above: 200 °C

10.5. Incompatible materials

Reducing agents. radical former. heavy metals.

10.6. Hazardous decomposition products

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent). Substances sensitive to light.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Acute toxicity, oral (Rat.): LD50: > 5000 mg/kg Acute toxicity, dermal (Rabbit.): LD50: > 3000 mg/kg

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

SECTION 12: Ecological information

according to Regulation (EC) No 1907/2006

Icon-Infiltrant

Print date: 03.07.2014 Product code: 2600_GHS Page 4 of 4

12.2. Persistence and degradability

Preparation not tested.

Further information

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except

kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

SECTION 14: Transport information

Other applicable information

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

SECTION 16: Other information

Full text of R phrases referred to under Sections 2 and 3

36/37/38 Irritating to eyes, respiratory system and skin.43 May cause sensitisation by skin contact.

Full text of H statements referred to under Sections 2 and 3

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Further Information

-

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)