SAFETY DATA SHEETS

This SDS packet was issued with item: 072798809

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071142389 071142397 071142447 071142595 071142678 71142389 71142397 71142447 71142595 71142678

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070375030 070375048 070375055 070375063 070375071 070375089 070375097 070375105 070375113 070375121 070375139 070375147 070375154 070375162 070375170 070375188 070375196 070375204 070375212 070375220 070375238 070375246 070375253 070375261 070375279 070375287 070375295 070375303 070375311 070375329 070375337 070423103 071070036 071070044 071070051 071070069 071070077 071070085 071070093 071070101 071070119 071070127 071111343 072798106 072798171 072798189 072798502 072798510 072798528 072798536 072798544 072798551 072798569 072798577 072798585 072798593 072798601 072798619 072798627 072798635 072798643 072798650 072798668 072798676 072798684 072798692 072798700 072798726 072798734 072798742 072798759 072798775 072798783 072798791 072798817 072798825 072798833 072798841 072798858 072798866 072798874 072799708 072799716 072799724 072799732 072799740 072799757 072799765 072799773 072799781 072799799 072799807 072799815 072799823 072799831 072799849 072799856 072800308 072800316 072800324 072800332 072800340 072800357 072800365 072800373 072800381 072800399 072800407 072800415 072800423 072800431 072800449 072800456 072800464 072800506 072800514 072800522 072800530 072800548 072800555 072800563 072800571 072800589 072800597 072800605 072800613 072800654 072800688 072800696 072800704 072800712 072800720 072800738 072800746 072800753 072800761 072800779 072800902 072800910 072800928 072800936 072800944 072800951 072801009 072801017 072801025 072801033 072801041 072801058 072801108 072801116 072801124 072801132 072801140 072801157 072801165 072801249 072802874 072802890 072802908 072802916 072802924 072802932 072802940 072802965 072802973 072802981 072802999 072803005 072803013 072803021 072803039 072803047 072803054 072803104 072803112 072803120 072803138 072803146 072803153 072803161 072803179 072803187 072803203 072803211 072803229 072803237 072803245 072803252 072803260 072803286 072803294 072803302 072803310 072803328 072803336 072803344 072803351 072803369 072803401

072803419 072803427 072803450 072803468 072803476 072803484 072803492 072803633 072803641 072803658 072803666 072803674 072803682 072803690 072803708 072803716 072803724 072803732 072803740 072803757 072803765 072803773 072803781 072803799 072803807 072803815 072803823 072803831 072803849 072803856 072803864 072804045 072804052 072805042 072805059 072805067 072805075 072805083 072805091 072805109 072805117 072805125 075930409 075930417 075930425 075930433 075930441 075930458 075930466 075930474 075930482 075930490 076018774 076018782 076018790 076018808 076018816 076018824 076018832 Root Canal Filling Material

1 IDENTIFICATION

Manufactured For: Address:	DiaDent Group Int'l. Inc. 11- 3871 North Fraser Way
City, State, Zlp: Telephone: Emergency: Date Prepared:	Hay Burnaby, BC, V5J 5G6 604-451-8851 1-877-342-3368 Aug 2, 2012

2 COMPOSITION INFORMATION

Hazardous Ingredients

Gutta Percha Points contain no hazardous components as defined in the OSHA Hazard Communications Standard (20 CFR 1910.1200) in a form which presents a potential exposure when used according to directions.

Other Ingredients

Trans-Polyisoprene (dry natural rubber), zinc oxide, barium sulphate and colorants

3 PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/E Specific Gravity (H₂O = 1): N/D Vapor Pressure (mm Hg): N/A Melting Point: 150 ° C (Soften at about 60 ° C) Vapor Density (Air = 1): N/A Solubility in Water: Insoluble Reactivity In Water: N/A Appearance and Odor: Pink colored, odourless, waxy solid

4 FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/A Flammable Limits: LEL: N/A UEL: N/A Extinguishing Media: N/A Special Fire Fighting Procedures: None Unusual Fire and Explosion Hazards: None

5 REACTIVITY DATA

Stability: Stable Conditions to Avold: None known incompatibility (Material to Avoid): N/A Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide, Hydrocarbons, Zinc Hazardous Polymerization: Will not occur

6 HEALTH HAZARD DATA

Routes of Entry: Inhalation, eye contact, skin contact.Skin: May cause irritation in sensitive individuals.Eyes: May cause mechanical irritation.Inhalation: Not likely to occur when used according to directions.Ingestion: Ingestion of small amounts of this material under normal circumstance would not cause serious harmful effects.Carcinogenicity -NTP: NoIARC Monographs: NoOSHARegulatedCarcinogen: No

MATERIAL SAFETY DATA SHEET

7 EMERGENCY FIRST AID PROCEDURES

Skin: Wash with soap and water.

Eyes: Flush eyes with water for at least 15 minutes.

Inhalation: This product is considered safe, when used according to directions.

Ingestions: Ingestion of small amounts of this material under normal conditions would not cause serious harmful effects,

8 PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Sweep or wipe up with paper towels and dispose of in a suitable container.

Waste Disposal Method: Dispose along with normal solid waste.

Precautions to be taken in handling and storing: Store at normal room temperature (65 °F - 75 °F). Use according to directions.

9 CONTROL MEASURES

Respiratory Protection (Specify Type): Not needed VENTILATION: Local Exhaust: Not needed Mechanical (General): Should be sufficient Protective Gloves: Gloves Eye Protection: Safety glasses Other Protective Clothing or Equipment: N/A Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

10 TRANSPORTATION INFORMATION

Not DOT regulated

11 SPECIAL INFORMATION

HMIS (Hazardous Material Identification System) Rating: H1 F0 R0

[HMIS Index: 4 – Severe Hazard; 3 – Serious Hazard; 2 – Moderate Hazard; 1 – Slight Hazard; 0 – Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communications Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.

Obtained by Global Safety Management, Inc. www.globalsafetynet.com (Tel: 1-813-435-5161)



Gutta Percha Points

Safety Data Sheet

Page 1 of 5

1. Product & Company Identification

A. Product Name Gutta Percha Points

C Company Information

B. Purpose of Use & Restrictions on Use

Purpose of Use	Filling root canals
Restrictions on Use	For dental professionals only

c. company miormation	
Company Name	DiaDent Group International
Address	16 Osongsaengmyeong 4-ro, Osong-eup, Heungdeok-gu
	Cheongju-si, Chungcheongbuk-do, Republic of Korea
	28161
Emergency Contact Number	82-43-266-2315

2. Hazard Identification

A. GHS Classification

Serious Eye Damage/Eye Irritation: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3, Respiratory System

B. GHS Label elements, including precautionary statements

Pictograms



Signal Words Hazard Statement(s) Precautionary Statement(s) Prevention

Response

Caution H319 Causes severe eye irritation

P264 Wash hands thoroughly after handling the product. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
Disposal	P501 Dispose of contents/container according to the related regulations.

C. Other hazards (according to the NFPA Rating System)

Health	1
Fire	1
Reactivity	0

3. Composition & Information on Ingredients

Chemical Identity ZINC OXIDE	Common Name ZINC WHITE	CAS No. 1314-13-2	% Volume 66
BaSO4	SULFURIC ACID, BARIUM SALT (1:1)	7727-43-7	11
Stearic Acid	1-HEPTADECANECARBOXYLIC ACID	57-11-4	3
Gutta Percha	-	-	20

4. First Aid Measures

<i>'</i> .
cult
and
İ

5. Firefighting Measures

A. Appropriate Extinguishing Media

To extinguish a fire caused by or related to this chemical, use alcohol-resistant foam, Carbon Dioxide (CO₂), or water spray. Use dry sand or soil to smother the fire.

B. Specific hazard arising from the chemical

Smoke (fumes) can be produced due to pyrolysis or combustion process.

C. Special Protective Equipment & Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment. Stay a safe distance away from the fire while extinguishing. If not dangerous, remove the container from the fire. To dispose of fire water, pour it into a spacious dug lot and make sure it is not spilled or scattered outward. If not dangerous, remove the container from the fire.

Page 3 of 5

6. Accidental Release Measures

A. Protective equipment & Emergency procedures

Give special attention to chemical materials and conditions that must be avoided.

B. Environmental precautions

Prevent the inflow of this product to waterways, drains, basements, and confined spaces.

C. Purification / Removal Method

Dispose of the product as medical waste.

7. Handling & Storage

A. Safe handling

Follow all prevention measures on the SDS/labels. Handle and store with care. Give special attention to chemical materials and conditions that must be avoided.

Wear personal protective equipment while handing the product.

B. Conditions for Safe Storage

Keep away from humidity.

8. Exposure control & Personal protection	
A. Exposure Limits for Chemical Substances & Biological Exposure Limits	N/A
B. System Design (Proper Engineering Controls)	N/A
C. Personal protective equipment	
Respiratory protection	N/A
Eye protection	N/A
Hand protection	N/A
Skin & body protection	N/A

9. Physical & Chemical Properties

Physical stateSolid (conical shapeColorPinkB. OdorN/AC. Odor threshold valueN/AD. pHN/AE. Melting point/Freezing pointN/AF. Initial boiling point & Boiling rangeN/AG. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °CM. Vapor densityN/A	
B. OdorN/AC. Odor threshold valueN/AD. pHN/AE. Melting point/Freezing pointN/AF. Initial boiling point & Boiling rangeN/AG. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C)
C. Odor threshold valueN/AD. pHN/AE. Melting point/Freezing pointN/AF. Initial boiling point & Boiling rangeN/AG. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
D. pHN/AE. Melting point/Freezing pointN/AF. Initial boiling point & Boiling rangeN/AG. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
E. Melting point/Freezing pointN/AF. Initial boiling point & Boiling rangeN/AG. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
F. Initial boiling point & Boiling rangeN/AG. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
G. Flash pointN/AH. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
H. Evaporation rateN/AI. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
I. Flammability (solid, gas)N/AJ. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
J. Maximum / minimum of the flammable or explosive limitsN/AK. Vapor pressureN/AL. Solubility100 °C	
K. Vapor pressureN/AL. Solubility100 °C	
L. Solubility 100 °C	
M. Vapor density N/A	
N. Relative density 2.7 g/cm ³	
O. Partition coefficient: n-Octanol/water N/A	
P. Autoignition temperature N/A	
Q. Decomposition temperature N/A	
R. Viscosity N/A	
S. Molecular mass N/A	

N/A N/A

N/A

<i>10. Stability & Reactivity</i>	
A. Chemical stability & Possibility of hazardous reactions B. Conditions to avoid C. Incompatible materials D. Hazardous decomposition or byproduct	N/A Direct light, excessive heat, and moisture Inflammable Materials & Reducing Materials Smoke (fumes) can be produced due to pyrolysis or combustion process.
11. Toxicological Information	
A. Possible routes of exposure B. Information on harmful health effects (Symptoms related to the physical, chemical and toxicolo Acute toxicity Oral Dermal Inhalation Skin corrosion/Irritation Serious Eyes damage/Irritation Respiratory sensitization Skin sensitization Carcinogenicity Industrial Safety and Health Act Notification of the Ministry of Employment and Labor IARC OSHA ACGIH NTP EU CLP Germ cell mutagenicity Reproductive Toxicity	N/A gical characteristics) N/A N/A N/A May cause irritation to the eyes N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Specific Target Organ Toxicity (Single Exposure) Specific Target Organ Toxicity (Repeated Exposure) Aspiration Toxicity	Inhalation causes respiratory tract irritation N/A N/A
12. Ecological information	
A. Ecotoxicity Fish Shellfish Birds B. Persistence & Degradability Persistence Degradability	N/A N/A N/A N/A
Degradability C. Bioaccumulative potential Accumulation	N/A

Accumulation Biodegradability D. Mobility in soil E. Other adverse effects

12 Dia	macal	Concid	erations
13. DIS	pusar	Consid	eracions

A. Product Disposal

If stated in the Wastes Control Act, dispose of the contents and container accordingly.

B. Precautions for Disposal

Dispose of the content according to the related regulations.

14. Transport Information

A. UN No.

Classification information on transportation of hazardous materials not available	
B. Proper shipping name	N/A
C. Hazard class	N/A
D. Packing Group	N/A
E. Marine pollutant	N/A
F. Any special precautions which an user should be aware of or needs to comply with, in connection	on with
transport or conveyance either within or outside their premises (Special precautions which a us	er needs to b

transport or conveyance either within or outside their premises (Special precautions which a user needs to be aware of or needs to comply outside their premises with in connection with transport or conveyance either within or outside their premises)

Emergency procedures in case of fire	N/A
Emergency procedures in case of spill/leak	N/A

15. Regulatory Information	
A. Regulations according to the Industrial Safety and Health Act	N/A
B. Regulations according to the Toxic Chemicals Control Act	N/A
C. Regulations according to the Safety Control of Dangerous Substances Act	N/A
D. Regulations according to the Wastes Control Act	N/A
E. Other regulations according to domestic and foreign laws	
- Follow the regulations of the KEDA (Korea Food & Drug Administration)	

- Follow the regulations of the KFDA (Korea Food & Drug Administration).

- Follow the regulations of the Directive 93/42/EEC and 2007/42/EC.

16. Other Information (Other information including information on preparation and revision of the SDS)

A. Source of Data	International Uniform Chemical Information Database (IUCLID) (http://ecb.jrc.it/esis) (Appearance) Corporate Solution From Thomson Micromedex (http://csi.micromedex.com) (M. Specific Gravity)
B. Date of Creation	06 / 18 / 2014
C. Revision No. & Revision Date	
Revision Number	0
Date of Last Revision	06 / 18 / 2014
F. Other Information	

The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate and reliable. It is intended to describe the product according to various safety requirements; however, the manufacturer makes no warranty with respect to the accuracy and completeness of the information or the suitability of the recommendation and assumes no liability to any user thereof.