This SDS packet was issued with item: 071391697

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071398353

NAME OF PRODUCT: PLASTOPASTE[™] Base Paste

SECTION 1: IDENTIFICATION

PRODUCT NAME:
PRODUCT CODES:
IDENTIFIED USES:
USES ADVISED AGAINST:
MANUFACTURER:
ADDRESS:
TELEPHONE:
FAX:
EMAIL:
EMERGENCY PHONE:

PLASTOPASTE Base Paste 0921590, 0921591 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION	1:
----------------	----

LABELING: PICTOGRAM:

SIGNAL WORD: HAZARD STATEMENTS: PRECAUTIONARY STATEMENTS: Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 1) FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.

Warning H410 Very toxic to aquatic life with long lasting effects. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P234 Keep only in original container. P235+P410 Keep cool. Protect from sunlight. Avoid breathing dust/fume/gas/mist/vapors/spray. P261 Wash thoroughly after handling. P264 P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Rinse mouth. P301+P330 P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. P308+P313 P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P342+P313 If experiencing respiratory symptoms: Get medical advice/attention. P391 Collect spillage. Store in a dry place. P402 P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container to an approved waste disposal plant. P501

FILE NO.: SDS591

SDS DATE: 06/19/2014

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Zinc Oxide	1314-13-2	75-90	10 mg/m ³ (T); 5 mg/m ³ (R)	2 mg/m ³ (R)	Aquatic Acute 1; Aquatic Chronic 1; H410
For full text of H-s	tatements me	ntioned in	this section see section 16		

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

PREPARED BY: SS

PAGE 1 OF 4

NAME OF PRODUCT: PLASTOPASTE[™] Base Paste

FILE NO.: SDS591 SDS DATE: 06/19/2014

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: HAZARDOUS DECOMPOSITION PRODU SPECIAL HAZARDS: ADVICE FOR FIREFIGHTERS:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide. ICTS: Oxides of carbon and zinc. No further relevant information available. Wear self contained breathing apparatus for firefighting if necessary.
SECTION 6: ACCIDENTAL RELEA	ASE MEASURES
PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
CONTAINMENT AND CLEANUP:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in suitable, closed container for disposal according to official regulations.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare
	professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin.
	Avoid inhalation of vapor or mist. Keep away from foodstuffs, beverages and animal feed.
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect
	from heat and direct sunlight. Store away from food and beverages.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR:	White Paste
ODOR:	Characteristic
MELTING POINT:	3587°F (1975°C)
RELATIVE DENSITY (H2O=1.0):	5.00 g/cm ³
WATER SOLUBILITY:	Not soluble
MELTING POINT: RELATIVE DENSITY (H2O=1.0):	3587°F (1975°C 5.00 g/cm ³

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable under recommended storage conditions.
HAZARDOUS REACTIONS:	Will not occur.
CONDITIONS TO AVOID:	Heat.
INCOMPATIBLE MATERIALS:	Strong oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS	: Oxides of carbon and zinc.

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation with redness, tearing and stinging.
	SKIN: May cause skin irritation with redness, swelling and itching. Prolonged skin contact can produce a
	severe dermatitis called oxide pox.
	INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea.
	INHALATION: No health effects expected. Vapors generated at high temperature may result in respiratory
	track irritation.

CARCINOGENICITY:

NAME OF PRODUCT: PLASTOPASTE[™] Base Paste

FILE NO.: SDS591

SDS DATE: 06/19/2014

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a
carcinogen or possible carcinogen by OSHA.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

<u>ACGIH</u>: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

<u>NTP:</u> No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects. Avoid release to the environment.
SECTION 13: DISPOSAL CONSIDE	RATIONS
PRODUCT:	Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
CONTAMINATED PACKAGING:	Dispose of as unused product.
SECTION 14: TRANSPORT INFOR	RMATION
UN NUMBER:	N/A
PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A
SECTION 15: REGULATORY INFO	RMATION
US FEDERAL REGULATIONS	
TSCA	This product is an FDA regulated device and not subject to TSCA regulations.
CERCLA	This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): Zinc Oxide, CAS NO. 1314-13-2.
SARA 311/312 HAZARDS	This product is an FDA regulated device and not subject to reporting requirements.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING	This product is a medical device and not subject to chemical notification requirements.
COMMERCIAL CHEMICAL SUBSTANCES (EINECS):	This product is a medical device and not subject to chemical notification requirements.
SECTION 16: OTHER INFORMATI	ION
FULL TEXT OF H STATEMENTS REFERRED	TO UNDER SECTION 3
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aguatic toxicity

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
H410	Very toxic to aquatic life with long lasting effects.
NFPA RATING	
Health Hazard	1
Fire Hazard	1
Reactivity Hazard	0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

PREPARED BY: SS

NAME OF PRODUCT: PLASTOPASTE[™] Base Paste

FILE NO.: SDS591 SDS DATE: 06/19/2014

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



NAME OF PRODUCT: PLASTOPASTE[™] Base Paste

FILE NO.: SDS591 SDS DATE: 06/19/2014

SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: IDENTIFIED USES: USES ADVISED AGAINST: MANUFACTURER: ADDRESS: TELEPHONE: FAX: EMAIL: EMERGENCY PHONE: PLASTOPASTE Base Paste 0921590, 0921591 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:

LABELING: PICTOGRAM:

SIGNAL WORD: HAZARD STATEMENTS: PRECAUTIONARY STATEMENTS: Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 1) FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.

	^		
1	K		
<	Ŀ	2	>
2		7	
	÷.,	•	

\checkmark	
Warning	
H410	Very toxic to aquatic life with long lasting effects.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original container.
P235+P410	Keep cool. Protect from sunlight.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P330	IF SWALLOWED: Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P402	Store in a dry place.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Zinc Oxide	1314-13-2	75-90	10 mg/m ³ (T); 5 mg/m ³ (R)	2 mg/m ³ (R)	Aquatic Acute 1; Aquatic Chronic 1; H410
For full text of H-statements mentioned in this section, see section 16.					

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
PREPARED BY: SS	PAGE 1 OF 4



NAME OF PRODUCT: PLASTOPASTE[™] Base Paste

FILE NO.: SDS591 SDS DATE: 06/19/2014

SECTION 5: FIRE-FIGHTING MEAS	SURES
SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
HAZARDOUS DECOMPOSITION PRODUC	
SPECIAL HAZARDS:	No further relevant information available.
ADVICE FOR FIREFIGHTERS:	Wear self contained breathing apparatus for firefighting if necessary.
SECTION 6: ACCIDENTAL RELEAS	E MEASURES
PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
ENVIRONMENTAL PRECAUTIONS:	Evacuate personnel to safe areas. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the
	environment must be avoided.
CONTAINMENT AND CLEANUP:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in suitable, closed container for disposal according to official regulations.
SECTION 7: HANDLING AND STO	DRAGE
PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare
	professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin. Avoid inhalation of vapor or mist. Keep away from foodstuffs, beverages and animal feed.
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect
	from heat and direct sunlight. Store away from food and beverages.
SECTION 8: EXPOSURE CONTRO	LS/PERSONAL PROTECTION
ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local
	exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks an
	at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
SECTION 9: PHYSICAL AND CHE	MICAL PROPERTIES
APPEARANCE/COLOR:	White Paste
•	
ODOR:	Characteristic
MELTING POINT:	3587°F (1975°C)
MELTING POINT: RELATIVE DENSITY (H2O=1.0):	
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY:	3587°F (1975°C) 5.00 g/cm ³ Not soluble
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA	3587°F (1975°C) 5.00 g/cm ³ Not soluble
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS:	3587°F (1975°C) 5.00 g/cm ³ Not soluble
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS:	3587°F (1975°C) 5.00 g/cm ³ Not soluble CTIVITY Stable under recommended storage conditions.
ODOR: MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS: CONDITIONS TO AVOID: INCOMPATIBLE MATERIALS:	3587°F (1975°C) 5.00 g/cm ³ Not soluble CTIVITY Stable under recommended storage conditions. Will not occur. Heat. Strong oxidizing agents.
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS: CONDITIONS TO AVOID: INCOMPATIBLE MATERIALS:	3587°F (1975°C) 5.00 g/cm ³ Not soluble CTIVITY Stable under recommended storage conditions. Will not occur. Heat. Strong oxidizing agents.
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS: CONDITIONS TO AVOID:	3587°F (1975°C) 5.00 g/cm ³ Not soluble CCTIVITY Stable under recommended storage conditions. Will not occur. Heat. Strong oxidizing agents. CTS: Oxides of carbon and zinc.
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS: CONDITIONS TO AVOID: INCOMPATIBLE MATERIALS: HAZARDOUS DECOMPOSITION PRODUC	3587°F (1975°C) 5.00 g/cm ³ Not soluble CCTIVITY Stable under recommended storage conditions. Will not occur. Heat. Strong oxidizing agents. CTS: Oxides of carbon and zinc.
MELTING POINT: RELATIVE DENSITY (H2O=1.0): WATER SOLUBILITY: SECTION 10: STABILITY AND REA CHEMICAL STABILITY: HAZARDOUS REACTIONS: CONDITIONS TO AVOID: INCOMPATIBLE MATERIALS: HAZARDOUS DECOMPOSITION PRODUC SECTION 11: TOXICOLOGICAL IN	3587°F (1975°C) 5.00 g/cm ³ Not soluble ACTIVITY Stable under recommended storage conditions. Will not occur. Heat. Strong oxidizing agents. CTTS: Oxides of carbon and zinc. IFORMATION



FILE NO.: SDS591

SAFELT DATA SHEET		FILE NO.: 5D5591
NAME OF PRODUCT: PLASTOPAS	TE™ Base Paste	SDS DATE: 06/19/2014
	<u>SKIN</u> : May cause skin irritation with redness, swelling and itching. severe dermatitis called oxide pox.	Prolonged skin contact can produce a
	INGESTION: May cause mucous membrane and gastrointestinal i	rritation with nausea, vomiting and diarrhea.
	INHALATION: No health effects expected. Vapors generated at h	igh temperature may result in respiratory
	track irritation.	
CARCINOGENICITY:	OSHA: No component of this product present at levels greater the carcinogen or possible carcinogen by OSHA.	an or equal to 0.1% is identified as a
	ACGIH: No component of this product present at levels greater the	an or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by ACGIH.	
	<u>NTP:</u> No component of this product present at levels greater than anticipated carcinogen by NTP.	or equal to 0.1% is identified as a known or

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to
	aquatic life with long lasting effects. Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT:	Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
CONTAMINATED PACKAGING:	Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	
	N/A
PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA CERCLA	This product is an FDA regulated device and not subject to TSCA regulations. This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): Zinc Oxide, CAS NO. 1314-13-2.
SARA 311/312 HAZARDS	This product is an FDA regulated device and not subject to reporting requirements.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES	This product is a medical device and not subject to chemical notification requirements.
(EINECS):	This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
H410	Very toxic to aquatic life with long lasting effects.



NAME OF PRODUCT: PLASTOPASTE™ Base Paste <u>NFPA RATING</u>

Health Hazard	1
Fire Hazard	1
Reactivity Hazard	0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

FILE NO.: SDS591 SDS DATE: 06/19/2014