

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

073748027

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

071049428

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

073750981




# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Product Name** Sharpening Stone Oil  
**CAS #** Mixture  
**Product use** Lubricant  
**Manufacturer** Hu-Friedy Mfg. Co., LLC  
 3232 N. Rockwell  
 Chicago, IL 60618-5982 US  
 Phone: 773.975.6100  
 Fax: 773.868.3599  
 Emergency Phone: 1-800-535-5053  
 Outside US: 001-352-323-3500

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/	1
Flammability		1
		0
Personal Protection		B



## 2. Hazards Identification

**Emergency overview** CAUTION  
 Eye and skin irritant.

**Potential short term health effects**  
**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.  
**Eyes** May cause irritation.  
**Skin** May cause irritation.  
**Inhalation** May cause respiratory tract irritation.  
**Ingestion** May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can cause chemical pneumonitis.

**Target organs** Eyes. Respiratory system. Skin.  
**Chronic effects** Prolonged or repeated exposure can cause drying, defatting and dermatitis.

**Signs and symptoms** Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**OSHA Regulatory Status** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential environmental effects** Not available

## 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Oil, mineral	8012-95-1	60 - 100

## 4. First Aid Measures

**First aid procedures**

**Eye contact** Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Skin contact** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

**Inhalation** If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

**Ingestion**

Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

**Notes to physician**

Symptoms may be delayed.

**General advice**

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

## 5. Fire Fighting Measures

**Flammable properties**

Not flammable by WHMIS/OSHA criteria.

**Extinguishing media**

**Suitable extinguishing media** Dry chemical. Alcohol foam. Carbon dioxide.

**Unsuitable extinguishing media** Not available

**Protection of firefighters**

**Specific hazards arising from the chemical** Not available

**Protective equipment for firefighters** Firefighters should wear full protective clothing including self contained breathing apparatus.

**Hazardous combustion products**

May include and are not limited to: Oxides of carbon.

**Explosion data**

**Sensitivity to mechanical impact** Not available

**Sensitivity to static discharge** Not available

## 6. Accidental Release Measures

**Personal precautions**

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas.

**Methods for containment**

Stop leak if you can do so without risk.

**Methods for cleaning up**

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

## 7. Handling and Storage

**Handling**

Use good industrial hygiene practices in handling this material.

**Storage**

Keep out of reach of children. Store in a closed container away from incompatible materials.

## 8. Exposure Controls / Personal Protection

**Exposure limits****Ingredient(s)****Exposure Limits**

Oil, mineral

**ACGIH-TLV**

TWA: 5 mg/m<sup>3</sup>

STEL: 10 mg/m<sup>3</sup>

**OSHA-PEL**

TWA: 5 mg/m<sup>3</sup>

**Engineering controls**

General ventilation normally adequate.

**Personal protective equipment****Eye / face protection**

Wear safety glasses with side shields.

**Hand protection**

Rubber gloves. Confirm with a reputable supplier first.

**Skin and body protection**

As required by employer code.

**Respiratory protection**

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

<b>Appearance</b>	Clear.
<b>Color</b>	Colorless
<b>Form</b>	Oily Liquid
<b>Odor</b>	Odorless
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Liquid
<b>pH</b>	Not available
<b>Melting point</b>	Not available
<b>Freezing point</b>	Not available
<b>Boiling point</b>	Not available
<b>Pour point</b>	Not available
<b>Evaporation rate</b>	Not available
<b>Flash point</b>	275.00 °F (135 °C)
<b>Auto-ignition temperature</b>	260 - 370
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	< 0.5 MmHg
<b>Vapor density</b>	9
<b>Specific gravity</b>	0.8 - 0.9
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Insoluble
<b>Percent volatile</b>	Not available

## 10. Stability and Reactivity

<b>Reactivity</b>	None known.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Acids. Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Oil, mineral	> 5000 mg/m <sup>3</sup> rat

### Component analysis - Oral LD50

Ingredient(s)	LD50
Oil, mineral	5000 mg/kg rat

### Effects of acute exposure

<b>Eye</b>	May cause irritation.
<b>Skin</b>	May cause irritation.
<b>Inhalation</b>	May cause respiratory tract irritation.
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can cause chemical pneumonitis.
<b>Sensitization</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Chronic effects</b>	Non-hazardous by WHMIS/OSHA criteria.

<b>Carcinogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>ACGIH - Threshold Limit Values - Carcinogens</b>	
Oil, mineral	8012-95-1 A4 - Not Classifiable as a Human Carcinogen (highly & severely refined); A2 - Suspected Human Carcinogen (poorly & mildly refined)
<b>Mutagenicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Reproductive effects</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Teratogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Name of Toxicologically Synergistic Products</b>	Not available

## 12. Ecological Information

<b>Ecotoxicity</b>	Not available
<b>Persistence / degradability</b>	Not available
<b>Bioaccumulation / accumulation</b>	Not available
<b>Mobility in environmental media</b>	Not available
<b>Environmental effects</b>	Not available
<b>Aquatic toxicity</b>	Not available
<b>Partition coefficient</b>	Not available
<b>Chemical fate information</b>	Not available
<b>Other adverse effects</b>	Not available

## 13. Disposal Considerations

<b>Disposal instructions</b>	Review federal, state/provincial, and local government requirements prior to disposal.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

## 14. Transport Information

<b>U.S. Department of Transportation (DOT)</b>	Not regulated as dangerous goods.
<b>Transportation of Dangerous Goods (TDG - Canada)</b>	Not regulated as dangerous goods.

## 15. Regulatory Information

<b>Canadian federal regulations</b>	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.	
<b>Canada - WHMIS - Ingredient Disclosure List</b>		
Oil, mineral	8012-95-1	1 %
<b>WHMIS status</b>	Controlled	
<b>WHMIS classification</b>	Class D - Division 2B	
<b>WHMIS labeling</b>		



<b>Occupational Safety and Health Administration (OSHA)</b>	
29 CFR 1910.1200 hazardous chemical	Yes
<b>US Federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
<b>CERCLA (Superfund) reportable quantity</b>	None

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances**

Oil, mineral 8012-95-1 Present (exempt except where Mineral oil mists can be generated in the ordinary use of the products)

**U.S. - Massachusetts - Right To Know List**

Oil, mineral 8012-95-1 Present (mist)

**U.S. - Minnesota - Hazardous Substance List**

Oil, mineral 8012-95-1 Carcinogen

**U.S. - New Jersey - Right to Know Hazardous Substance List**

Oil, mineral 8012-95-1 sn 1437

**U.S. - Pennsylvania - RTK (Right to Know) List**

Oil, mineral 8012-95-1 Present

**U.S. - Rhode Island - Hazardous Substance List**

Oil, mineral 8012-95-1 Flammable; Toxic; Flammable (listed under Mineral oil)

Inventory name	Inventory name	On inventory (yes/no)*
Country(s) or region		
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other Information**

**Disclaimer** Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date** 31-Aug-2011

**Effective date** 31-Aug-2011

**Expiry date** 31-Aug-2014

**Prepared by** Dell Tech Laboratories Ltd. (519) 858-5021

**Other information** For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.



# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>Product identifier</b>	<b>Sharpening Stone Oil</b>
<b>Other means of identification</b>	Not available
<b>Recommended use</b>	Lubricant
<b>Recommended restrictions</b>	None known.
<b>Manufacturer</b>	Hu-Friedy Mfg. Co., LLC 3232 N. Rockwell Chicago, IL 60618-5982 US Phone: 773.975.6100 Fax: 773.868.3599 Emergency Phone: 1-800-535-5053 Outside US: 001-352-323-3500

## 2. Hazards Identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 2B
	Aspiration hazard	Category 1
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	Not classified.	
<b>Label elements</b>		



<b>Signal word</b>	Danger	
<b>Hazard statement</b>	May be fatal if swallowed and enters airways. Causes eye irritation.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Wash thoroughly after handling.	
<b>Response</b>	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
<b>Storage</b>	Store locked up.	
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	Not applicable.	

## 3. Composition/Information on Ingredients

### Mixture

<b>Chemical name</b>	<b>Common name and synonyms</b>	<b>CAS number</b>	<b>%</b>
Oil, mineral		8012-95-1	100

## 4. First Aid Measures

<b>Inhalation</b>	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.
<b>Most important symptoms/effects, acute and delayed</b>	Exposed individuals may experience eye tearing, redness, and discomfort.

<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire Fighting Measures

<b>Suitable extinguishing media</b>	Dry chemical. Alcohol foam. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available.
<b>Sensitivity to static discharge</b>	Not available.

### 6. Accidental Release Measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.  Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and Storage

<b>Precautions for safe handling</b>	Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling.
<b>Conditions for safe storage, including any incompatibilities</b>	Store locked up. Keep away from heat and sources of ignition. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure Controls/Personal Protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Oil, mineral (CAS 8012-95-1)	PEL	5 mg/m3	Mist.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Oil, mineral (CAS 8012-95-1)	TWA	5 mg/m3	Inhalable fraction.



**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Oil, mineral (CAS 8012-95-1)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Wear protective gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Oily Liquid.
<b>Color</b>	Colorless
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	275.0 °F (135.0 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	< 0.5 mmHg
<b>Vapor density</b>	9
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Insoluble
<b>Auto-ignition temperature</b>	500 - 698 °F (260 - 370 °C)
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	Strong oxidizing agents.
-------------------	--------------------------

<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

---

## 11. Toxicological Information

---

**Routes of exposure** Inhalation. Ingestion. Skin contact. Eye contact.

**Information on likely routes of exposure**

<b>Ingestion</b>	May be fatal if swallowed and enters airways.
<b>Inhalation</b>	May be fatal if swallowed and enters airways. Prolonged inhalation may be harmful.
<b>Skin contact</b>	May be irritating to the skin.
<b>Eye contact</b>	Causes eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Exposed individuals may experience eye tearing, redness, and discomfort.

**Information on toxicological effects**

**Acute toxicity** May be fatal if swallowed and enters airways.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Oil, mineral (CAS 8012-95-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Rat	> 5000 mg/m <sup>3</sup>
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg

**Skin corrosion/irritation** May be irritating to the skin.

<b>Exposure minutes</b>	Not available.
<b>Erythema value</b>	Not available.
<b>Oedema value</b>	Not available.

**Serious eye damage/eye irritation** Causes eye irritation.

<b>Corneal opacity value</b>	Not available.
<b>Iris lesion value</b>	Not available.
<b>Conjunctival reddening value</b>	Not available.
<b>Conjunctival oedema value</b>	Not available.
<b>Recover days</b>	Not available.

**Respiratory or skin sensitization**

<b>Respiratory sensitization</b>	Not classified.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**ACGIH Carcinogens**

Oil, mineral (CAS 8012-95-1)	A4 Not classifiable as a human carcinogen.
------------------------------	--

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Teratogenicity** Not classified.

**Specific target organ toxicity - single exposure** Not classified.

<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.
<b>Further information</b>	Not available.
<b>Name of Toxicologically Synergistic Products</b>	Not available.

---

## 12. Ecological Information

---

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available.
<b>Mobility in general</b>	Not available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

## 13. Disposal Considerations

---

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

---

## 14. Transport Information

---

<b>U.S. Department of Transportation (DOT)</b>	Not regulated as dangerous goods.
<b>Transportation of Dangerous Goods (TDG - Canada)</b>	Not regulated as dangerous goods.

---

## 15. Regulatory Information

---

<b>Canadian federal regulations</b>	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.
-------------------------------------	--

**Canada WHMIS Ingredient Disclosure: Threshold limits**

Oil, mineral (CAS 8012-95-1)	1 %
------------------------------	-----

<b>WHMIS status</b>	Controlled
<b>WHMIS classification</b>	Class D - Division 2B
<b>WHMIS labeling</b>	



<b>US federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**US CAA Section 612 SNAP Program: Listed substance**

Oil, mineral (CAS 8012-95-1)

Listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
 Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
 Not regulated.

**Other federal regulations**

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**US state regulations**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US - California Hazardous Substances (Director's): Listed substance**

Oil, mineral (CAS 8012-95-1) Listed.

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Not listed.

**US - Minnesota Haz Subs: Listed substance**

Oil, mineral (CAS 8012-95-1) Listed.

**US - New Jersey RTK - Substances: Listed substance**

Oil, mineral (CAS 8012-95-1) Listed.

**US - Texas Effects Screening Levels: Listed substance**

Oil, mineral (CAS 8012-95-1) Listed.

**US. Massachusetts RTK - Substance List**

Oil, mineral (CAS 8012-95-1) Listed.

**US. Pennsylvania RTK - Hazardous Substances**

Oil, mineral (CAS 8012-95-1) Listed.

**US. Rhode Island RTK**

Not regulated.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	/ 2
<b>FLAMMABILITY</b>	1
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date** 19-August-2014  
**Effective date** 01-August-2014  
**Expiry date** 01-August-2017  
**Further information** For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.  
**Prepared by** Dell Tech Laboratories, Ltd. Phone: (519) 858-5021  
**Other information** This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).  
This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.