# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

073242229

N/A

according to Regulation (EC) No 1907/2006

### **Ionosit Microspand**

Print date: 11.01.2013 Product code: 2210 Page 1 of 4

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Ionosit Microspand

### Relevant identified uses of the substance or mixture and uses advised against

#### Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Indications of danger: Irritant

R-phrases:

Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.

#### **Label elements**

Danger symbols: Xi - Irritant



Xi - Irritant

#### Hazardous components which must be listed on the label

Methacrylic esters.

R phrases

36/37/38 Irritating to eyes, respiratory system and skin.43 May cause sensitization by skin contact.

S phrases

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of Water and soap. .

24/25 Avoid contact with skin and eyes.

37/39 Wear suitable gloves and eye/face protection.

### **SECTION 3: Composition/information on ingredients**

### **Mixtures**

#### **Chemical characterization**

chemical characterization (preparation): Acrylate.-resin. polycarboxylates

### **SECTION 4: First aid measures**

# **Description of first aid measures**

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

GB - EN Revision date: 19.06.2012

according to Regulation (EC) No 1907/2006

### **Ionosit Microspand**

Print date: 11.01.2013 Product code: 2210 Page 2 of 4

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Immediately get medical attention.

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

### Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

#### Extinguishing media which must not be used for safety reasons

High power water jet.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Provide adequate ventilation.

#### **Environmental precautions**

Do not empty into drains or the aquatic environment.

#### Methods and material for containment and cleaning up

Collect mechanically.

### **SECTION 7: Handling and storage**

# Precautions for safe handling

### Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

### Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

#### **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

### **Exposure controls**



#### Occupational exposure controls

Ensure adequate ventilation of the storage area.

#### Protective and hygiene measures

When using do not eat or drink.

# Respiratory protection

The following must be prevented: inhalation.

#### Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

GB - EN Revision date: 19.06.2012

according to Regulation (EC) No 1907/2006

### **Ionosit Microspand**

Print date: 11.01.2013 Product code: 2210 Page 3 of 4

#### Eye protection

Tightly sealed safety glasses.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state: Paste
Colour: yellow
Odour: like: ester

Test method

pH-Value (at 20 °C): 3.5

Changes in the physical state

point of decomposition: > 200 °C
Flash point: > 150 °C
Density: 1.3 g/cm³
Water solubility: 30 g/L
(at 20 °C)
Vapour density: > 1

### **SECTION 10: Stability and reactivity**

#### **Conditions to avoid**

Light. heat.

Decompostion takes place from temperatures above: 200 °C

Decomposition under formation of: Acrylate.

#### Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

# **Hazardous decomposition products**

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent)

#### **Further information**

Substances sensitive to light.

### **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### Acute toxicity

LD50: Rat. 2000 mg/kg

# Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

#### Sensitising effects

May cause sensitization by skin contact.

### Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

# **SECTION 12: Ecological information**

### Persistence and degradability

Preparation not tested.

according to Regulation (EC) No 1907/2006

### **Ionosit Microspand**

Print date: 11.01.2013 Product code: 2210 Page 4 of 4

#### **Further information**

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

### **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

### Waste disposal number of waste from residues/unused products

180106

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

### **SECTION 14: Transport information**

#### Other applicable information

Not a hazardous material with respect to these transportation regulations.

### **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

Water contaminating class (D): 2 - water contaminating

#### **SECTION 16: Other information**

# Full text of R-phrases referred to under sections 2 and 3

36/37/38 Irritating to eyes, respiratory system and skin.43 May cause sensitization by skin contact.

### **Further Information**

\_

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

#### **Ionosit Microspand**

Print date: 22.08.2014 Product code: 2210 GHS Page 1 of 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Ionosit Microspand

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

DMG Chemisch-Pharmazeutische Fabrik GmbH Company name:

Street: Elbgaustraße 248 Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmq-dental.com Internet: www.dmg-dental.com

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases:

Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact.

#### **GHS** classification

Hazard Statements:

May cause respiratory irritation. Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

### 2.2. Label elements

Signal word: Warning GHS07 Pictograms:



### **Hazard statements**

H335 May cause respiratory irritation. H319 Causes serious eve irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

### **Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Wear protective gloves/protective clothing/eye protection/face protection. P280

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

polycarboxylates

according to Regulation (EC) No 1907/2006

### **Ionosit Microspand**

Print date: 22.08.2014 Product code: 2210\_GHS Page 2 of 4

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Immediately get medical attention.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

### Extinguishing media which must not be used for safety reasons

High power water jet.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Collect mechanically.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls



### Occupational exposure controls

Ensure adequate ventilation of the storage area.

according to Regulation (EC) No 1907/2006

### **Ionosit Microspand**

Print date: 22.08.2014 Product code: 2210\_GHS Page 3 of 4

#### Protective and hygiene measures

When using do not eat or drink.

#### Respiratory protection

The following must be prevented: inhalation.

### Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

#### Eye protection

Tightly sealed safety glasses.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: yellow
Odour: like: ester

Test method

pH-Value (at 20 °C): 3.5

Changes in the physical state

point of decomposition: > 200 °C
Flash point: > 150 °C
Density: 1.3 g/cm³
Water solubility: 30 g/L
(at 20 °C)

Vapour density: > 1

### **SECTION 10: Stability and reactivity**

# 10.4. Conditions to avoid

Light. heat.

Decompostion takes place from temperatures above: 200 °C

Decomposition under formation of: Acrylate.

## 10.5. Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent)

#### **Further information**

Substances sensitive to light.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

LD50: Rat. 2000 mg/kg

### Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

### Sensitising effects

May cause sensitization by skin contact.

### Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

according to Regulation (EC) No 1907/2006

#### **Ionosit Microspand**

Print date: 22.08.2014 Product code: 2210\_GHS Page 4 of 4

### **SECTION 12: Ecological information**

#### 12.2. Persistence and degradability

Preparation not tested.

#### **Further information**

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

#### Waste disposal number of waste from residues/unused products

180106

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

### **SECTION 14: Transport information**

### Other applicable information

Not a hazardous material with respect to these transportation regulations.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulatory information**

Water contaminating class (D): 2 - water contaminating

### **SECTION 16: Other information**

### Full text of R phrases referred to under Sections 2 and 3

36/37/38 Irritating to eyes, respiratory system and skin.
43 May cause sensitisation by skin contact.

#### Full text of H statements referred to under Sections 2 and 3

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

### **Further Information**

-

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)