

SAFETY DATA SHEETS

This SDS packet was issued with item:

071048503


The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

076387674

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION AND USE					SECTION 6 - TOXICOLOGICAL PROPERTIES		Air Techniques Starter Code 0
MATERIAL IDENTIFIER Air Techniques Starter CODE 0 PRIMARY EMERGENCY CONTACT CHEMTEC TELEPHONE NO. (800) 424-9300					ROUTE OF ENTRY SKIN CONTACT [X] SKIN ABSORPTION [X] EYE CONTACT [X] INHALATION ACUTE [X] INHALATION CHRONIC [X] INGESTION [X]		
MANUFACTURER'S NAME AIR TECHNIQUES INC.					EFFECTS OF ACUTE EXPOSURE TO MATERIAL EYE - Mild, non-persistent, conjunctival irritation.		
STREET ADDRESS 1295 WALT WHITMAN ROAD					SKIN - Non-irritant to intact skin. Slight irritant, on prolonged contact, to abraded skin.		
CITY MELVILLE STATE NY					INGESTION - May produce depression, sedation, and confusion. After prolonged exposure may produce non-persistent skin-like rash.		
POSTAL CODE 11747 TELEPHONE NO. (516) 433-7676					INHALATION - No adverse effects expected.		
SECTION 2 - HAZARDOUS INGREDIENTS					EFFECTS OF CHRONIC EXPOSURE TO MATERIAL None		
HAZARDOUS INGREDIENTS	%	UN, NA, OR CAS NUMBER	OSHA PEL	ACGIH TLV	LD ₅₀ OF MATERIAL mg/kg (SPECIFY SPECIES/ROUTE)	LC ₅₀ OF MATERIAL (SPECIFY SPECIES)	
Water	60-100	7732-18-5	---	---	---	---	
Sodium Bromide	7-13	7647-15-6	N/A	N/A	N/A	N/A	
N/A = Not Available					EFFECTS OF CHRONIC EXPOSURE TO MATERIAL None		
SECTION 3 - PHYSICAL DATA					SECTION 7 - PREVENTIVE MEASURES		
PHYSICAL STATE		GAS [] LIQUID [X] SOLID []		GLOVES		RESPIRATOR Use NIOSH approved cartridge	
ODOR AND APPEARANCE Clear, colorless, odorless liquid		ODOR THRESHOLD (PPM) N/A		Nitrile Rubber or Plastic		EYE Eye wash station and chemical splash goggles.	
VAPOR PRESSURE N/A		VAPOR DENSITY N/A		EVAPORATION RATE N/A		FOOTWEAR N/A	
% VOLATILE (By Volume) 60-90		SOLUBILITY IN WATER Complete		BOILING POINT (°C) > 100		CLOTHING Cover skin	
FLASH POINT (°C) METHOD USED N/A		UPPER EXPLOSION LIMIT (% BY VOLUME) N/A		FREEZING POINT (°C) 0		OTHER N/A	
AUTOIGNITION TEMPERATURE (°C) N/A		TQG FLAMMABILITY CLASSIFICATION N/A		HAZARDOUS COMBUSTION PRODUCTS N/A		ENGINEERING CONTROLS Recommended ventilation - 10 room volumes per hour	
EXPLOSION SENSITIVITY TO IMPACT DATA N/A		RATE OF BURNING N/A		EXPLOSIVE POWER N/A		LEAK AND SPILL PROCEDURE Dike the spill with absorbant material. Place into a plastic container for proper disposal.	
SECTION 4 - FIRE AND EXPLOSION DATA		FLAMMABILITY YES [] NO [X] IF YES, UNDER WHICH CONDITION		SPECIAL PROCEDURES		WASTE DISPOSAL Disposal must conform to Federal and Local Regulations. Consult local sewer authority.	
MEANS OF EXTINCTION		Any applicable to the primary cause of fire.		Any applicable to the primary cause of fire.		HANDLING PROCEDURES AND EQUIPMENT Store and handle in a tightly capped container. Wear protective gloves, clothes, and goggles. Keep work space uncluttered. Avoid contact with eyes and skin.	
FLASH POINT (°C) METHOD USED N/A		UPPER EXPLOSION LIMIT (% BY VOLUME) N/A		LOWER EXPLOSION LIMIT (% BY VOLUME) N/A		STORAGE REQUIREMENTS Do not store near food, drink, or tobacco products. Store in a well ventilated area. Store between 10 - 25 °C. Do not allow to freeze.	
AUTOIGNITION TEMPERATURE (°C) N/A		TQG FLAMMABILITY CLASSIFICATION N/A		HAZARDOUS COMBUSTION PRODUCTS N/A		SPECIAL SHIPPING INFORMATION Protect from puncturing by handling or other equipment. Protect from freezing.	
EXPLOSION SENSITIVITY TO IMPACT DATA N/A		RATE OF BURNING N/A		EXPLOSIVE POWER N/A		SECTION 8 - FIRST AID MEASURES	
SECTION 5 - REACTIVITY DATA		CHEMICAL STABILITY YES [X] NO [] IF NO, UNDER WHICH CONDITIONS		SPECIAL PROCEDURES		EYES - Holding eyelids apart, flush with water for 15-20 minutes. Get medical attention.	
INCOMPATIBILITY WITH OTHER SUBSTANCES YES [] NO [X] IF YES, WHICH ONES		Any applicable to the primary cause of fire.		Any applicable to the primary cause of fire.		SKIN - Remove contaminated clothing and wash skin thoroughly with soap and water. Wash clothes before re-use.	
REACTIVITY, AND UNDER WHAT CONDITIONS Sodium Bromide will react with Bromine Trifluoride.		Any applicable to the primary cause of fire.		Any applicable to the primary cause of fire.		INHALATION - Remove to fresh air. If breathing becomes difficult, give oxygen. Get medical attention.	
HAZARDOUS DECOMPOSITION PRODUCTS None		Any applicable to the primary cause of fire.		Any applicable to the primary cause of fire.		INGESTION - If conscious, give large amounts of water and induce vomiting. If not conscious, give artificial respiration. Do not induce vomiting or give liquids to an unconscious person.	
SECTION 9 - PREPARATION OF MSDS					Form Preparation Controlled by FILM PROCESSOR DEPARTMENT		
					TELEPHONE NO. (516) 433-7676		DATE: 8/22/11

6996-M



SAFETY DATA SHEET

SECTION 1 - General Information

Product Name: AIR TECHNIQUES STARTER **Catalog #:** 40280
Product Use: PHOTOGRAPHIC SOLUTION **HMIS SCALE:** Health 1 Flamability 0
Supplier: Air Techniques Inc. **Reactivity 0** PPE C
Address: 1295 Walt Whitman Road, Melville, NY 11747
Phone No.: (516)433-7676 **Emergency Tel.:** CHEMTREC 800-424-9300

SECTION 2 - Hazards Identification

Precautionary Statement. **Classification**
This chemical is not considered hazardous. Not classified
(OSHA HCS 29 CFR 1910.1200)

With all chemical if exposed wash with water, protect eyes.

SECTION 3 - Hazardous Ingredients

	CAS No.	W/W %	PEL	LD50	LC50
Water	7732-18-5	85-90	not listed	42.6 gm/kg	n/a
Sodium bromide	7647-15-6	< 15	not listed	3500 mg/kg	n/a

SECTION 4 - First Aid Measures

SKIN CONTACT:

Wash exposed skin thoroughly with soap and water. If irritation persists seek medical advice.

EYE CONTACT:

Flush eyes with water for 15 minutes. Seek medical advice if symptoms persist.

INGESTION:

DO NOT induce vomiting. Seek medical attention immediately.

INHALATION:

If inhaled, remove to fresh air.

SECTION 5 - Fire Fighting Measures

Flamability YES X IF YES UNDER WHAT CONDITIONS

MEANS OF EXTINGUISHING

As needed to extinguish adjacent fire source.

FLASH POINT (C/F) **Upper limit % by volume** **Lower limit % by volume** **Autoignition Temperature (C/F)**

Not appropriate Not appropriate Not appropriate Not appropriate

HAZARDOUS COMBUSTION PRODUCTS **Explosion Data** **Sensitivity to impact** **Sensitivity to Static Discharge**

"See Hazardous Decomposition Products" not susceptible not susceptible

SECTION 6 - Accidental Release

Flush to sewer with plenty of water, if permitted. If not, soak up with dry absorbent material. Consult with governmental regulatory agencies for appropriate disposal of this material. Wear appropriate protective equipment.

SECTION 7 - Handling and Storage

Read and follow the label, safety data sheet, and instructions before using. Avoid any contact with skin and eyes.
Keep container tightly closed. Avoid incompatible substances. Wash thoroughly after handling this product.

