

SAFETY DATA SHEETS

This SDS packet was issued with item:

074305801

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074305710 074305744

KERR

Material Safety Data Sheet

in accordance with Community Regulation 2006/1907/EC (R.E.A.Ch.)

Revision Date: 28th May 2009

SECTION 1

Product & Company identification

1.1 Product name

PERMLASTIC CATALYST (Regular & Heavy Bodies)

1.2 Uses/Application:

Dental impression material.

1.3 Company (Name, address and info phone number)

KERR ITALIA s.r.l.

Via Passanti, 332

84018 Scafati (SA) - Italy

00-800-41-050-505

1.4 Emergency phone (according to communitarian directive 99/45/EC, article 17)

+39.081.8508.325 (08.00-17.00, European time, GMT+1)

E-mail address: safety@kerrhawe.com

SECTION 2

Hazard identification

2.1 Hazard classification (according to communitarian directives 67/548/EEC & 99/45/EC)

None.

2.2 Other hazard

None.

SECTION 3

Composition/Information on Ingredients

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

3.1 Hazardous ingredients

HAZARDOUS INGREDIENTS	%	HAZARD SYMBOLS	RISK PHRASES	CAS N.	EINECS N.
None	N/A	N/A	N/A	N/A	N/A

3.2 Other non-hazardous ingredients

Lead Dioxide.

SECTION 4**First aid measures**

- 4.1 Treatment for eye contact: Flush with large amounts of water.
- 4.2 Treatment for skin contact: Wash thoroughly with water and soap.
- 4.3 Treatment for inhalation (breathing): None particular. It is an unlikely event.
- 4.4 Treatment for ingestion (swallowing): Induce vomiting. Consult a physician.

SECTION 5**Fire-fighting Measures**

- 5.1 Suitable extinguishing media: Not applicable.
- 5.2 Forbidden extinguishing media: Not determined.
- 5.3 Special fire fighting measures: None.
- 5.4 Unusual fire and explosion hazards: Unknown.
- 5.5 Special protection equipment: Sealed overall.

SECTION 6**Accidental Release Measures**

- 6.1 Personal Precautions: Follow recommended precautions listed in other sections.
- 6.2 Environmental Precautions: Material should not be allowed to drain into sewers.
- 6.3 Reclaiming Methods: Absorb spill with paper towels and transfer into suitable containers.

SECTION 7**Handling and Storage** (according to article 5 of communitarian directive 98/24/EC)

- 7.1 Handling Precautions: .
- 7.2 Precautions in case of Fire and Explosion: None particular.
- 7.3 Storage Conditions: Store at ambient temperature in a dry place
- 7.4 Suggested container(s): Original sealed containers provided by manufacturer.
- 7.5 Indication for Combined Storage: Avoid powerful reducing agents.
- 7.6 Environmental precautions: Do not allow product to reach sewers and rivers.
- 7.7 Other Precautions: Keep out of the reach of children. Do not ingest. Avoid contamination of food. Use according to directions.

SECTION 8	
Exposure controls/personal protection	
8.1 Exposure Limits:	PbO ₂ : TLV: 0,15 mg/m ³
8.2 Exposure control measures	
8.2.1 Precautionary Measures: (according to communitarian directives 89/686/EEC & article 4 of 98/24/EC)	
Ventilation:	Local Exhaust Ventilation: None required. Special Ventilation: None. Mechanical (General) Ventilation: None required. Other Ventilation: None.
Respiratory Protection:	None required.
Hands Protection:	Impervious rubber or nitrile gloves.
Eyes Protection:	May be used safety glasses.
Skin Protection:	Handle in accordance with good personal hygiene and safety practices.
Other Protective Equipments:	It would be better use a lab coat.
<i>Measures listed in this paragraph are to be considered as indications and NOT prescriptions (89/656/EEC)</i>	
8.2.2 Environment exposure control measures Not Applicable.	

SECTION 9	
Physical and Chemical Properties	
9.1 General information	
Appearance: Brown to purple grey paste	Odour: Slight fruity odour
9.2 Information related to health, safety and environment	
pH: Not determined	Relative density: Not available
Boiling point: Not applicable (N/A)	Specific gravity: > 2,0 g/ml
Flash point: N/A	Solubility: Insoluble in water
Flammability: Not flammable.	Partition coefficient n-octanol/water: N/D
Lower Explosivity Limit (L.E.L.): N/A	Viscosity: N/D
Upper Explosivity Limit (U.E.L.): N/A	Vapour density (air = 1): N/A
Oxidizing properties: None	Evaporation rate (n-butane = 1): N/A
Vapour pressure: N/A	Melting point: N/A
9.3 Other information (according to communitarian directives 94/9/EC):	
Miscibility: N/A.	Conducibility: N/A
Solubility in Lipids: N/A	Gases Group: N/A

SECTION 10

Stability and Reactivity

Stability: Stable.

10.1 Conditions to avoid: Excessive heat may cause aging of the product.

10.2 Materials to avoid (incompatibility): Avoid powerful reducing agents.

10.3 Hazardous decomposition products: Hazardous sulphur oxides gas may form.

Other precautions:

Hazardous Polymerization Products: Will not occur

Safety significance in case of change in physical appearance: None known

Stabilizers: No stabilizers are present in this product.

SECTION 11

Toxicological Information

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

None. However, the product contains Lead Dioxide classified by EPA / IRIS in Group B2 and IARC Group 2A: Probable human carcinogen, sufficient animal evidence.

Effects and hazards of eye contact: May cause mild irritation by mechanical friction.

Effects and hazards of skin contact: Prolonged contact may cause local irritation, redness and pain.

Effects and hazards of Inhalation (Breathing): Neglectable, because it is an unlikely event.

Effects and hazards of Ingestion (Swallowing): Although ingestion is an unlikely event, uncured material may be poisonous if swallowed, because containing lead dioxide. The symptoms of lead poisoning include abdominal pain and spasms, nausea, vomiting, headache. Acute poisoning can lead to muscle weakness, "lead line" on the gums, metallic taste, definite loss of appetite, insomnia, dizziness, high lead levels in blood and urine with shock, coma and death in extreme cases.

Effects for prolonged Exposure: Lead Dioxide contained in the product may have effects on the blood, bone marrow, central nervous system, peripheral nervous system and kidneys, resulting in anaemia, encephalopathy (e.g., convulsions), peripheral nerve disease, abdominal cramps and kidney impairment. Causes toxicity to human reproduction or development.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

Lead Dioxide	LD ₅₀ (oral rat):	20400 mg/Kg
	LD ₅₀ (skin rabbit):	> 10000 mg/Kg
	LC ₅₀ (inhalation rat/4 hours):	> 6,7 mg/l

SECTION 12**Ecological Information**

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: Not available

12.4 Bioaccumulative potential: Not available.

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

Aquatic toxicity data for single ingredient:

None.

SECTION 13**Disposal considerations**


Dispose of in accordance of local regulations.

SECTION 14**Transport information**14.1 Sea transportation (IMDG)

UN number: 1872 Class: 5.1 Packing group: III EMS-No: F-A, S-Q

Stowage/segregation: Category A; Limited Quantity: 5 Kg


Proper shipping name: Lead Dioxide

14.2 Air transportation (ICAO/IATA)

UN number: 1872 Class: 5.1 Packing group: III Labels: 5.1

Maximum quantities: 25 Kg (Passenger Aircraft); 100 Kg (Cargo Aircraft only)

Limited Quantity: 10Kg Proper shipping name: Lead Dioxide

14.3 Transportation by Road/Railway (RID/ADR)

UN number: 1872 Class: 5.1 Packing group: III Labels: 5.1 + 6.1

Limited Quantity: LQ12 (1 Kg/30 Kg for combined, 1 Kg/20 Kg for bandaged trays).

External package type: carton (4G) both for simple and combined packages;

Exempted (maximum) quantity for transport unit: 1000 Kg; Proper shipping name: Lead Dioxide

SECTION 15 (Classification according to communitarian directives 67/548/EEC & 99/45/EC)**Regulatory information**

Hazard labelling not required.

This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

SECTION 16**Other information**16.1 Risk phrases of all ingredients

None.

16.1.1 Safety phrases of all ingredients

None.

16.2 Sources of key data used to compile the Safety Data Sheet:European Chemicals Bureau (ECB – www.ecb.jrc.it)European chemical Substances Information System (ESIS - www.ecb.jrc.it/esis)A.C.G.I.H. (www.acgih.org)N.I.O.S.H. (www.cdc.gov/niosh/)O.S.H.A. (www.osha.gov/)U.E. (www.europa.eu/index_it.htm)I.A.R.C. (www.iarc.fr/)N.T.P. (www.ntp.niehs.nih.gov)International Labour Organization (www.ilo.org)European Community Directives:

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of personal protective equipment at the workplace (third individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at work.

Document modification history: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

CAUTION: PRODUCT FOR PROFESSIONAL USE

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.

Section 1. Identification

GHS product identifier : Permlastic Catalyst (Regular; Heavy-Bodied)
Other means of identification : Regular Permlastic; Heavy-Bodied Permlastic
Product type : Paste.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Dental product: Denture impression material.
Area of application : Professional applications.

Manufacturer : **Kerr Corporation**
 1717 West Collins Avenue
 Orange, CA 92867-5422
 Telephone no.: 1-800-KERR-123

e-mail address of person responsible for this SDS : edwin.varela@kavokerrgroup.com

Emergency telephone number (with hours of operation) : CHEMTREC® (24 hours) U.S. : 1-800-424-9300 International: +1-703-527-3887

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

Classification of the substance or mixture : ACUTE TOXICITY (oral) - Category 4
 CARCINOGENICITY - Category 1B
 TOXIC TO REPRODUCTION (Unborn child) - Category 1A
 TOXIC TO REPRODUCTION (Fertility) - Category 2
 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 2.5%

GHS label elements

Hazard pictograms :



Signal word : Danger

Section 2. Hazards identification

- Hazard statements** : Harmful if swallowed.
May cause cancer.
May damage the unborn child.
Suspected of damaging fertility.
May cause damage to organs through prolonged or repeated exposure.
- Precautionary statements**
- Prevention** : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
- Response** : Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.
- Storage** : Store locked up.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Regular Permlastic; Heavy-Bodied Permlastic

CAS number/other identifiers

- CAS number** : Not applicable.
- Product code** : Not available.

Ingredient name	Other names	%	CAS number
lead dioxide	lead dioxide	10-30	1309-60-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
- Inhalation** : No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.
- Skin contact** : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.

Section 4. First aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Harmful if swallowed.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : Adverse symptoms may include the following:
 - reduced fetal weight
 - increase in fetal deaths
 - skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
 - reduced fetal weight
 - increase in fetal deaths
 - skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
 - reduced fetal weight
 - increase in fetal deaths
 - skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : Do not use water jet.

Specific hazards arising from the chemical : No specific fire or explosion hazard.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
 - carbon dioxide
 - carbon monoxide
 - metal oxide/oxides

Section 5. Fire-fighting measures

- Special protective actions for fire-fighters** : In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely
- For emergency responders** : Low release. See also the information in "For non-emergency personnel".
- Environmental precautions** : Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.
- Large spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
lead dioxide	ACGIH TLV (United States, 4/2014). TWA: 0.05 mg/m ³ , (as Pb) 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 50 µg/m ³ , (as Pb) 8 hours. NIOSH REL (United States, 10/2013). TWA: 0.05 mg/m ³ , (as Pb) 10 hours. OSHA PEL (United States, 2/2013). TWA: 50 µg/m ³ , (as Pb) 8 hours.

Appropriate engineering controls : No special measures are required for small quantities under normal and intended conditions of product use.

Environmental exposure controls : No special measures are required for small quantities under normal and intended conditions of product use.

Individual protection measures

Hygiene measures : No special measures are required for small quantities under normal and intended conditions of product use.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : No special measures are required for small quantities under normal and intended conditions of product use.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : No special measures are required for small quantities under normal and intended conditions of product use. Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	: Solid. [Paste.]
Color	: Brown. / Purple. Gray.
Odor	: Fruity. [Slight]
Odor threshold	: Not available.
pH	: Not available.

Section 9. Physical and chemical properties

Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: >1
Solubility	: Insoluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: Avoid excessive heat.
Incompatible materials	: Reactive or incompatible with the following materials: reducing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Conclusion/Summary

Section 11. Toxicological information

Skin : Mucosal tissue: the average mucosal irritation score was within acceptable limits. The test article was not considered an irritant to the mucosal tissue of the rabbit and therefore not irritating to the mouth.

Sensitization

Product/ingredient name	Route of exposure	Species	Result
Permlastic Catalyst (Regular; Heavy-Bodied)	skin	Guinea pig	Not sensitizing

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
lead dioxide	-	2A	Reasonably anticipated to be a human carcinogen.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
lead dioxide	Category 2	Not determined	blood system, kidneys and nervous system

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Section 11. Toxicological information

- Inhalation** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

- General** : May cause damage to organs through prolonged or repeated exposure.
- Carcinogenicity** : May cause cancer. Risk of cancer depends on duration and level of exposure.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : May damage the unborn child.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : Suspected of damaging fertility.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	1864.2 mg/kg

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Section 12. Ecological information

Bioaccumulative potential

Not available.

Mobility in soil




Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	UN3077	UN3077	UN3077
UN proper shipping name	Environmentally hazardous substances, solid, n.o.s. (lead dioxide). Marine pollutant (lead dioxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (lead dioxide). Marine pollutant (lead dioxide)	Environmentally hazardous substance, solid, n.o.s. (lead dioxide)
Transport hazard class(es)	9 	9 	9 
Packing group	III	III	III
Environmental hazards	Yes.	Yes.	Yes.
Additional information	<p>Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. The marine pollutant mark is not required when transported on inland waterways in sizes of ≤5 L or ≤5 kg.</p> <p>Limited quantity Yes.</p> <p>Special provisions 8, 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33</p>	<p>The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.</p> <p>Emergency schedules (EmS) F-A, S-F</p> <p>Special provisions 274, 335, 966, 967, 969</p> <p>IMDG Code Segregation group 7 - Heavy metals and their salts (including their organometallic compounds) 9 - Lead and its compounds</p>	<p>The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.</p> <p>Passenger and Cargo Aircraft Quantity limitation: 400 kg Packaging instructions: 956</p> <p>Cargo Aircraft OnlyQuantity limitation: 400 kg Packaging instructions: 956</p> <p>Limited Quantities - Passenger AircraftQuantity limitation: 30 kg Packaging instructions: Y956</p> <p>Special provisions</p>

Section 14. Transport information

A97, A158, A179, A197

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) PAIR:** Siloxanes and Silicones, di-Me, reaction products with silica
United States inventory (TSCA 8b): All components are listed or exempted.
Clean Water Act (CWA) 307: lead dioxide; Acetic acid, zinc salt, hydrate (2:1:2)
Clean Water Act (CWA) 311: Acetic acid, zinc salt, hydrate (2:1:2)

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304**Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard
 Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
lead dioxide	10-30	Yes.	No.	No.	Yes.	Yes.

SARA 313

Section 15. Regulatory information

	Product name	CAS number	%
Form R - Reporting requirements	lead dioxide	1309-60-0	10-30
Supplier notification	lead dioxide	1309-60-0	10-30

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

- Massachusetts** : The following components are listed: CALCIUM CARBONATE; LEAD DIOXIDE
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: CALCIUM CARBONATE; LIMESTONE; LEAD DIOXIDE; LEAD OXIDE (PbO₂)
- Pennsylvania** : The following components are listed: LIMESTONE; LEAD COMPOUNDS

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
lead dioxide	Yes.	No.	No.	No.
crystalline silica non-respirable	Yes.	No.	No.	No.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of issue/Date of revision	: 05/15/2015
Date of previous issue	: 10/22/2013
Version	: 2
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: HCS (U.S.A.)- Hazard Communication Standard International transport regulations

✔ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.