

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

075008453

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

075008214 075008248 075008255 075008263 075008271 075008289 075008297 075008305 075008313 075008321  
075008339 075008347 075008354 075008362 075008370 075008388 075008396 075008404 075008412 075008420  
075008438 075008446 075008461 075008479 075008487 075008495 075008503 075008511 075008529 075008537  
075008545 075008552 075008560 075008578 075008586 075008594 075008602 075008610 075008628 075008636  
075008644 075008651 075008669 075008677 075008685 075008693 075008701 075008719 075008727 075008735  
075008743 075008750 075008768 075008776 075008784 075008792 075008800 075008818 075008826 075008834  
075008842 075008859 075008867 075008875 075008883 075008891 075008909 075008917 075008925 075008933  
075008941 075008958 075008966 075008974 075008982 075008990 075009006 075009014 075009022 075009030  
075009048 075009055 075033758 075033766 075033774



## Material Safety Data Sheet

Copyright, 2008, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** 3M(TM) ESPE(TM) ISO-FORM CROWNS  
**MANUFACTURER:** 3M  
**DIVISION:** 3M ESPE Dental Products

**ADDRESS:** 3M Center  
 St. Paul, MN 55144-1000

**EMERGENCY PHONE:** 1-800-364-3577 or (651) 737-6501 (24 hours)

**Issue Date:** 10/08/2008  
**Supersedes Date:** 10/21/2003

**Document Group:** 06-2094-8

#### Product Use:

**Intended Use:** Dental Product  
**Limitations on Use:** For use only by dental professionals  
**Specific Use:** Temporary dental crown

### SECTION 2: INGREDIENTS

| <u>Ingredient</u> | <u>C.A.S. No.</u> | <u>% by Wt</u> |
|-------------------|-------------------|----------------|
| TIN-SILVER ALLOY  | Mixture           | 100            |

### SECTION 3: HAZARDS IDENTIFICATION

#### 3.1 EMERGENCY OVERVIEW

**Odor, Color, Grade:** Odorless, metal crown

**General Physical Form:** Solid

**Immediate health, physical, and environmental hazards:** No immediate health, physical, or environmental hazards are anticipated.

### 3.2 POTENTIAL HEALTH EFFECTS

**Eye Contact:**

No health effects are expected.

**Skin Contact:**

No health effects are expected.

**Inhalation:**

No health effects are expected.

**Ingestion:**

No health effects are expected.

## SECTION 4: FIRST AID MEASURES

### 4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

**Eye Contact:** No need for first aid is anticipated.

**Skin Contact:** No need for first aid is anticipated.

**Inhalation:** No need for first aid is anticipated.

**If Swallowed:** No need for first aid is anticipated.

## SECTION 5: FIRE FIGHTING MEASURES

### 5.1 FLAMMABLE PROPERTIES

|                          |                       |
|--------------------------|-----------------------|
| Autoignition temperature | <i>Not Applicable</i> |
| Flash Point              | <i>Not Applicable</i> |
| Flammable Limits - LEL   | <i>Not Applicable</i> |
| Flammable Limits - UEL   | <i>Not Applicable</i> |

### 5.2 EXTINGUISHING MEDIA

Non-combustible. Choose material suitable for surrounding fire.

### 5.3 PROTECTION OF FIRE FIGHTERS

**Special Fire Fighting Procedures:** Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

**Unusual Fire and Explosion Hazards:** Not applicable.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Accidental Release Measures:** Reclaim undamaged product. Collect as much of the spilled material as possible.

## SECTION 7: HANDLING AND STORAGE

### 7.1 HANDLING

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

### 7.2 STORAGE

Not applicable.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 ENGINEERING CONTROLS

Not applicable.

### 8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### 8.2.1 Eye/Face Protection

Not applicable.

#### 8.2.2 Skin Protection

Not applicable.

#### 8.2.3 Respiratory Protection

Not applicable.

#### 8.2.4 Prevention of Swallowing

Not applicable.

### 8.3 EXPOSURE GUIDELINES

None Established

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Odor, Color, Grade:**  
**General Physical Form:**  
**Autoignition temperature**

Odorless, metal crown  
Solid  
*Not Applicable*

|                                |                   |
|--------------------------------|-------------------|
| Flash Point                    | Not Applicable    |
| Flammable Limits - LEL         | Not Applicable    |
| Flammable Limits - UEL         | Not Applicable    |
| Boiling point                  | Not Applicable    |
| Density                        | Not Applicable    |
| Vapor Density                  | Not Applicable    |
| Vapor Pressure                 | Not Applicable    |
| Specific Gravity               | Not Applicable    |
| pH                             | Not Applicable    |
| Melting point                  | No Data Available |
| Solubility in Water            | Nil               |
| Evaporation rate               | Not Applicable    |
| Volatile Organic Compounds     | Not Applicable    |
| Percent volatile               | Not Applicable    |
| VOC Less H2O & Exempt Solvents | Not Applicable    |
| Viscosity                      | Not Applicable    |

## SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid: None known

Hazardous Polymerization: Hazardous polymerization will not occur.

### Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u>  |
|------------------|-------------------|
| None known.      | During Combustion |

## SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

## SECTION 12: ECOLOGICAL INFORMATION

### ECOTOXICOLOGICAL INFORMATION

Not determined.

### CHEMICAL FATE INFORMATION

Not determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Dispose of waste product in a sanitary landfill.

**EPA Hazardous Waste Number (RCRA):** Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

## SECTION 14: TRANSPORT INFORMATION

### ID Number(s):

70-2004-5873-8, 70-2004-5874-6, 70-2004-5875-3, 70-2004-5876-1, 70-2004-5877-9, 70-2004-5878-7, 70-2004-5879-5, 70-2004-5880-3, 70-2004-5881-1, 70-2004-5882-9, 70-2004-5883-7, 70-2004-5884-5, 70-2004-5885-2, 70-2004-5886-0, 70-2004-5887-8, 70-2004-5888-6, 70-2004-5889-4, 70-2004-5890-2, 70-2004-5891-0, 70-2004-5892-8, 70-2004-5893-6, 70-2004-5894-4, 70-2004-5895-1, 70-2004-5896-9, 70-2004-5897-7, 70-2004-5898-5, 70-2004-5899-3, 70-2004-5900-9, 70-2004-5901-7, 70-2004-5902-5, 70-2004-5903-3, 70-2004-5904-1, 70-2004-5905-8, 70-2004-5906-6, 70-2004-5907-4, 70-2004-5908-2, 70-2004-5909-0, 70-2004-5910-8, 70-2004-5911-6, 70-2004-5912-4, 70-2004-5938-9, 70-2004-5939-7, 70-2004-5940-5, 70-2004-5941-3, 70-2004-5942-1, 70-2004-5943-9, 70-2004-5944-7, 70-2004-5945-4, 70-2004-5946-2, 70-2004-5947-0, 70-2004-5948-8, 70-2004-5949-6, 70-2004-5950-4, 70-2004-5951-2, 70-2004-5952-0, 70-2004-5953-8, 70-2004-5954-6, 70-2004-5955-3, 70-2004-5956-1, 70-2004-5957-9, 70-2004-5958-7, 70-2004-5959-5, 70-2004-5960-3, 70-2004-5961-1, 70-2004-5962-9, 70-2004-5963-7, 70-2004-5964-5, 70-2004-5965-2, 70-2004-5966-0, 70-2004-5967-8, 70-2004-5968-6, 70-2004-5969-4, 70-2004-5970-2, 70-2004-5971-0, 70-2004-5972-8, 70-2004-5973-6, 70-2004-5974-4, 70-2004-5975-1, 70-2004-5976-9, 70-2004-5977-7, 70-2004-6983-4, 70-2004-6985-9, 70-2004-6988-3, 70-2005-4755-5, 70-2005-4756-3, 70-2005-4757-1, 70-2005-4758-9, 70-2005-4759-7, 70-2005-4760-5, 70-2005-4761-3, 70-2005-4762-1, 70-2005-4763-9, 70-2005-4764-7, 70-2005-4765-4, 70-2005-4766-2, 70-2005-4767-0, 70-2005-4768-8, 70-2005-4769-6, 70-2005-4770-4, 70-2005-4771-2, 70-2005-4772-0, 70-2005-4773-8, 70-2005-4774-6, 70-2010-0838-3, 70-2010-0981-1, 70-2010-0982-9, 70-2010-0983-7, 70-2010-0984-5, 70-2010-0985-2, 70-2010-0986-0, 70-2010-0987-8, 70-2010-0988-6, 70-2010-0989-4, 70-2010-0990-2, 70-2010-0991-0, 70-2010-0992-8, 70-2010-0993-6, 70-2010-0994-4, 70-2010-0995-1, 70-2010-0996-9, 70-2010-0997-7, 70-2010-0998-5, 70-2010-0999-3, 70-2010-1000-9, 70-2010-1001-7, 70-2010-1002-5, 70-2010-1003-3, 70-2010-1004-1, 70-2010-1005-8, 70-2010-1006-6, 70-2010-1007-4, 70-2010-1008-2, 70-2010-1009-0, 70-2010-1010-8, 70-2010-1011-6, 70-2010-1012-4, 70-2010-1013-2, 70-2010-1014-0, 70-2010-1015-7, 70-2010-1016-5, 70-2010-1017-3, 70-2010-1018-1, 70-2010-1019-9, 70-2010-1020-7, 70-2010-1021-5, 70-2010-1022-3, 70-2010-1023-1, 70-2010-1024-9, 70-2010-1025-6, 70-2010-1026-4, 70-2010-1027-2, 70-2010-1028-0, 70-2010-1029-8, 70-2010-1030-6, 70-2010-1031-4, 70-2010-1032-2, 70-2010-1033-0, 70-2010-1034-8, 70-2010-1035-5, 70-2010-1036-3, 70-2010-1037-1, 70-2010-1038-9, 70-2010-1039-7, 70-2010-1040-5, 70-2010-1041-3, 70-2010-1042-1, 70-2010-1043-9, 70-2010-1044-7, 70-2010-1045-4, 70-2010-1046-2, 70-2010-1047-0, 70-2010-1048-8, 70-2010-1049-6, 70-2010-1050-4, 70-2010-1051-2, 70-2010-1052-0, 70-2010-1053-8, 70-2010-1054-6, 70-2010-1055-3, 70-2010-1056-1, 70-2010-1057-9, 70-2010-1058-7, 70-2010-1059-5, 70-2010-1060-3, 70-2010-1061-1, 70-2010-1062-9, 70-2010-1063-7, 70-2010-1064-5, 70-2010-1065-2, 70-2010-1066-0, 70-2010-1067-8, 70-2010-1068-6, 70-2010-1069-4, 70-2010-1070-2, 70-2010-1071-0, 70-2010-1072-8, 70-2010-1073-6, 70-2010-1074-4, 70-2010-1075-1, 70-2010-1076-9, 70-2010-1077-7, 70-2010-1078-5, 70-2010-1079-3, 70-2010-1080-1, 70-2010-1909-1, 70-2010-1910-9, 70-2010-1911-7, 70-2010-1912-5, 70-2010-1913-3, 70-2010-1914-1, 70-2010-1915-8, 70-2010-1916-6, 70-2010-1917-4, 70-2010-1918-2, 70-2010-1939-8, 70-2010-1940-6, 70-2010-1941-4, 70-2010-1942-2, 70-2010-1943-0, 70-2010-1944-8, 70-2010-1945-5, 70-2010-1946-3, 70-2010-1947-1, 70-2010-1948-9, 70-2010-1949-7

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

## SECTION 15: REGULATORY INFORMATION

### US FEDERAL REGULATIONS

Contact 3M for more information.

**311/312 Hazard Categories:**

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

**STATE REGULATIONS**

Contact 3M for more information.

**CHEMICAL INVENTORIES**

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

**INTERNATIONAL REGULATIONS**

Contact 3M for more information.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**SECTION 16: OTHER INFORMATION**

**NFPA Hazard Classification**

Health: 0 Flammability: 0 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Reason for Reissue:** The MSDS has been revised because 3M has adopted the 16-section ANSI/ISO format. The potential hazards of the product have not changed. We encourage you to reread the MSDS and review the information.

**Revision Changes:**

- Section 1: Product use information was modified.
- Section 16: NFPA hazard classification heading was modified.
- Copyright was modified.
- Section 5: Fire fighting procedures information was modified.
- Section 15: 311/312 hazard categories heading was modified.
- Section 15: International regulations information was modified.
- Section 15: State regulations information was modified.
- Section 15: US federal regulations information was modified.

Section 10: Hazardous polymerization heading was modified.  
Section 16: NFPA explanation was modified.  
Section 15: Inventories information was modified.  
Article disclaimer text (following the copyright) was modified.  
Section 12: Ecotoxicological information heading was modified.  
Section 12: Chemical fate information heading was modified.  
Section 16: NFPA hazard classification for special hazards was modified.  
Section 16: Reason for reissue heading was modified.  
Section 12: Ecotoxicological phrase was modified.  
Section 12: Chemical Fate phrase was modified.  
Section 2: Ingredient phrase was added.  
Section 14: ID Number Heading Template 1 was added.  
Section 14: ID Number(s) Template 1 was added.  
Section 2: Ingredient table was added.  
Section 8: Exposure guidelines information - none - was added.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

**3M MSDSs are available at [www.3M.com](http://www.3M.com)**





## Article Information Letter

Copyright, 2016, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 06-2094-8 | <b>Version Number:</b>  | 2.00     |
| <b>Issue Date:</b>     | 02/25/16  | <b>Supersedes Date:</b> | 07/16/14 |

### Product identifier

3M™ ESPE™ ISO-FORM CROWNS

### Recommended use

Dental Product, Temporary dental crown

### Restrictions on use

For use only by dental professionals

### Supplier's details

|               |   |
|---------------|---|
| MANUFACTURER: | 3M                                      |
| DIVISION:     | Oral Care Solutions Division            |
| ADDRESS:      | 3M Center, St. Paul, MN 55144-1000, USA |
| Telephone:    | 1-888-3M HELPS (1-888-364-3577)         |

### Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

This Article Information Letter is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical or health risk to employees.

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

**DISCLAIMER:** The information in this Article Information Letter (AIL) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

