SAFETY DATA SHEETS

This SDS packet was issued with item:

070411165

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070351759 071141357 071141365 071141373 071141381 071141399 071141415 071141423 071141431 071141449 071141456 273001474





according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 1 of 7

1. Identification

Product identifier

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Use as laboratory reagent

Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H. Rauter GmbH & Co. KG

Post-office box: 1338

79704 Bad Säckingen

Telephone: +49(0)7761-562-0 Telefax: +49(0)7761-562-299

e-mail: info@vita-zahnfabrik.com Internet: www.vita-zahnfabrik.com <u>Emergency phone number:</u> +49-(0)761-19240

Further Information

medical device

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Hazard categories:

Gases under pressure: Compressed gas

Hazard Statements:

Contains gas under pressure; may explode if heated

Label elements

29 CFR Part 1910.1200

Signal word: Danger

Pictograms:





Hazard statements

Extremely flammable aerosol

Contains gas under pressure; may explode if heated

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Protect from sunlight. Store in a well-ventilated place.

Do not expose to temperatures exceeding 50 °C/122 °F.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures





according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 2 of 7

Hazardous components

CAS No	Components	Quantity
75-28-5	isobutane	75 %
64-17-5	ethanol, ethyl alcohol	6 %

4. First-aid measures

Description of first aid measures

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After inaestion

Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water

Specific hazards arising from the chemical

Extremely flammable aerosol. Flammable. Vapours can form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling



according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 3 of 7

Advice on safe handling

Do not pierce or burn, even after use.

Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
75-28-5	Butane: isobutane	-	-		TWA (8 h)	ACGIH-2016
		1000			STEL (15 min)	ACGIH-2016
64-17-5	Ethanol	-	-		TWA (8 h)	ACGIH-2016
		1000			STEL (15 min)	ACGIH-2016
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	PEL
64-17-5	Ethyl alcohol	1000	1900		TWA (8 h)	REL
75-28-5	Isobutane	800	1900		TWA (8 h)	REL

Exposure controls









Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

Recommended glove articles KCL Dermatril PNBR (Nitrile rubber) When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Provide adequate ventilation.



according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 4 of 7

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Aerosol
Color: whitish
Odor: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Initial boiling point and boiling range:

-11 °C

Flash point:

-60 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: 1,8 vol. %
Upper explosion limits: 8,5 vol. %

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapor pressure: <=1100 hPa

(at 50 °C)

Density: 0,64000 g/cm³ Water solubility: No

Solubility in other solvents

not determined

Partition coefficient: not determined Vapor density: not determined Evaporation rate: not determined

Other information

Solid content: 0,0 %

10. Stability and reactivity

Reactivity

Extremely flammable aerosol. Explosive.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Danger of explosion. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours





according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 5 of 7

can form explosive mixtures with air. Risk of explosion by shock, friction, fire or other sources of ignition. Remove all sources of ignition. Keep away from heat. Ignition hazard.

Incompatible materials

Protect against: Contact with air/oxygen.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components								
	Exposure route	Dose		Dose		Species	Source	Method	
64-17-5	ethanol, ethyl alcohol								
	oral	LD50 mg/kg	6200	Rat	IUCLID				
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Avoid release to the environment.



according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 6 of 7

13. Disposal considerations

Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Waste requires monitoring. Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Completely emptied packages can be recycled.

14. Transport information

Marine transport (IMDG)

UN 1950
UN proper shipping name: AEROSOLS

Transport hazard class(es):

Packing group:

Hazard label:

2.1



Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

UN number: UN 1950

UN proper shipping name: AEROSOLS, flammable

Transport hazard class(es): 2.1
Packing group: Hazard label: 2.1



Limited quantity Passenger: 30 kg G Passenger LQ: Y203 Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

Warning: Flammable gases.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information



VITA Zahnfabrik H. Rauter GmbH & Co. KG

according to 29 CFR 1910.1200(g)

VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Revision date: 22.12.2016 Product code: 272-US Page 7 of 7

U.S. Regulations

National regulatory information

SARA Section 311/312 Hazards:
Isobutane (75-28-5): Fire hazard
ethanol, ethyl alcohol (64-17-5): Fire hazard
Clean Air Act Section 112(r):

Isobutane (75-28-5): Threshold quantities = 10,000 lbs.

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Revision date: 22.12.2016

Revision No:

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)