


# SAFETY DATA SHEETS

**This SDS packet was issued with item:**

075902358

N/A

Trade Name: **Pulpdent Paste**

<b>1.0 Commercial Product Name and Supplier</b>														
1.1	Commercial product name	<b>Pulpdent Paste</b>												
1.2	Application / Use	Dental material for use by dental professionals.												
1.2.2	SIC	851 Human health activity												
1.2.3	Use Category	55												
1.3	Manufacturer	<b>Pulpdent Corporation</b> 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA Telephone: 1 617 926-6666 / Fax: 1 617 926-6262 Email: <a href="mailto:Pulpdent@pulpdent.com">Pulpdent@pulpdent.com</a>												
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)												
1.5	Authorized European Representative	International Business Solutions Ltd. 54 Mayfield Ridge, Hatch Warren Basingstoke, RG22 4RS UK Tel: 07989 407479 / Fax: 01256 350330 Email: <a href="mailto:s.williams5@btconnect.com">s.williams5@btconnect.com</a>												
<b>2.0 Hazards Identification</b>														
2.1	Classification													
2.1.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	<table border="1"> <thead> <tr> <th>Hazard Class</th> <th>Hazard Category</th> <th>Hazard Statement</th> </tr> </thead> <tbody> <tr> <td>Skin irritation</td> <td>2</td> <td>H315</td> </tr> <tr> <td>Eye irritation</td> <td>2</td> <td>H319</td> </tr> </tbody> </table>	Hazard Class	Hazard Category	Hazard Statement	Skin irritation	2	H315	Eye irritation	2	H319			
Hazard Class	Hazard Category	Hazard Statement												
Skin irritation	2	H315												
Eye irritation	2	H319												
2.1.2	Classification according to Directive 67/548/EEC	Irritant (Xi), R 36 / 38 (See SECTION 16 for full text of risk phrases)												
2.2	<b>GHS Label Elements</b>													
	Hazard Pictograms													
	Signal Word: <b>WARNING</b>													
	<b>Restricted to use by dental professional only.</b>													
	<b>Hazard Statements</b>													
	H319: Eye irritation. 2. May cause eye irritation.													
	H315: Skin irritation. 2. May cause skin irritation.													
	<b>Precautionary Statements</b>													
	P280: Wear protective gloves and eye protection													
	P305+P351: If in eyes, rinse cautiously with water for several minutes.													
	P337+P313: If eye irritation persists, get medical advice/attention.													
	P302+P352: If on skin, wash with plenty of soap and water.													
<b>3.0 Composition</b>														
3.1	Chemical characterization of the preparation	Calcium hydroxide suspended in a cellulose/water gel matrix.												
3.2	Hazardous ingredients	<table border="1"> <thead> <tr> <th>CAS Number</th> <th>Name of the Ingredient</th> <th>Concentration</th> <th>Classification per 67/548/EEC</th> <th>Classification per Regulation (EC) No.1278/2008 (CLP).</th> </tr> </thead> <tbody> <tr> <td>1305-62-0</td> <td>Calcium Hydroxide</td> <td>39%</td> <td>Irritant (Xi); R 36 / 38</td> <td>Skin irritation; 2 Eye irritation; 2</td> </tr> </tbody> </table>			CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1278/2008 (CLP).	1305-62-0	Calcium Hydroxide	39%	Irritant (Xi); R 36 / 38	Skin irritation; 2 Eye irritation; 2
CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1278/2008 (CLP).										
1305-62-0	Calcium Hydroxide	39%	Irritant (Xi); R 36 / 38	Skin irritation; 2 Eye irritation; 2										

**Safety Data Sheet**Trade Name: **Pulpdent Paste**

<b>4.0 First Aid Measures</b>		
4.1	Special Instructions	Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. Calcium hydroxide-based preparations present minimal hazard in the quantities provided. May cause irritation on contact with eyes. Prolonged exposure may cause irritation to mucous membranes, skin, gastrointestinal or respiratory tract.
4.2	Eye Contact	Keep eyelids apart and flush with running water for 15+ minutes. Get medical attention.
4.3	Skin Contact	Remove any contaminated clothing. Wipe off excess from skin. Immediately flush skin water. Get medical attention if irritation persists.
4.4	Ingestion	Rinse mouth with water. Do not induce vomiting. Give large amounts of water to dilute. Get immediate medical attention for ingestion of large amount. Never give anything by mouth to an unconscious person.
4.5	Inhalation	Move to fresh air. If necessary, administer artificial respiration and seek medical attention.
4.6	Precautions for first responders	Wear safety glasses and gloves to prevent contact.
4.7	Information for physician	
	Symptoms	Irritation, pain or redness in eyes, on skin, on mucous membranes.
	Hazards	May be irritating to eyes, skin, respiratory system, gastrointestinal tract or mucous membranes especially with prolonged exposure. There is a risk of serious damage to eyes.
	Treatment	Same as First Aid above.
<b>5.0 Fire Fighting Measures</b>		
5.1	Suitable extinguishing media	Not a fire hazard. Extinguish fire with agent suitable for surrounding fire.
5.2	Extinguishing media to avoid	None
5.3	Special exposure hazards in a fire	None
5.4	Special protective equipment for fire-fighters	Self-contained breathing apparatus
<b>6.0 Accidental Release Measures</b>		
6.1	Personal precautions.	Wear gloves, lab coat and chemical splash goggles.
6.2	Environmental precautions	None
6.3	Method for clean up	Wipe up/absorb with paper towels. Wash area of spill with water-saturated paper towels/cloths. Place spilled material and absorbent towels in container for disposal.
<b>7.0 Handling and Storage</b>		
7.1	Handling	For use by dental professionals only. Wear gloves, safety glasses; wash hands after use. Avoid unnecessary exposure. Follow good hygiene practices. Do not smoke, eat or drink. Wash hands after use.
7.2	Storage	Remove applicator tip immediately after use. Keep tightly capped in original container. Store at cool room temperature. Avoid extremes of temperature (>27°C/80°F, <5°C/40°F) and acids.
7.3	Specific uses	Dental preparation

**Safety Data Sheet**Trade Name: **Pulpdent Paste**

<b>8.0</b>	<b>Exposure Controls / Personal Protection</b>	
8.1	Exposure limit values	Not available
8.2	Exposure controls	
8.2.1	Occupational exposure controls	Wear safety glasses, lab coat and gloves. No other equipment required under normal conditions of use of this product in the quantity provided.
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves..
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses..
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat
8.2.1.5	Other controls	Emergency eye wash fountain. Wash hands after use.
8.2.2	Environmental exposure controls	Avoid release into environment as may cause pH variation.
<b>9.0</b>	<b>Physical and Chemical Properties</b>	
9.1	Characteristics	
9.1.1	Appearance / Color / Physical state	White paste
9.1.2	Odor	Odorless
9.2	Important health, safety and environmental information	
9.2.1	pH	pH > 12
9.2.2	Boiling point	Decomposes
9.2.3	Flash point	Not combustible
9.2.4	Flammability (solid, gas)	Not combustible
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg (Id: A)
9.2.8	Specific gravity	Not determined
9.2.9	Solubility in water	Slight
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined
9.2.13	Evaporation rate	Not determined
<b>10.0</b>	<b>Stability and reactivity</b>	
10.1	Conditions to avoid	Extremes of temperature (>27°C/80°F, <5°C/40°F).
10.2	Materials to avoid	Calcium hydroxide reacts violently with maleic anhydride, nitro-ethane, nitro-methane, nitro-paraffin, nitro-propane, phosphorus. As a strong alkali, it is incompatible with acids.
10.3	Hazardous decomposition products	Caustic fumes of calcium oxide when heated to decomposition.
10.4	Further information	Stable under normal conditions.

**Safety Data Sheet**Trade Name: ***Pulpdent Paste***

<b>11.0</b>	<b>Toxicological information</b>	
11.1	Acute toxicity	Not toxic. Minimal health hazard under normal conditions of use.
11.2	Irritation and corrosiveness	Minimal health hazard under normal conditions of dental practice. Prolonged exposure may cause irritation of mucous membranes, eyes, skin, gastrointestinal tract or respiratory tract.
11.3	Sensitization	Not applicable.
11.4	Sub-acute, sub-chronic and prolonged toxicity	Narrowing of the esophagus may occur weeks to years after ingestion of large quantities, making swallowing difficult. Persons with pre-existing skin conditions may be more susceptible to the irritating effects of calcium hydroxide.
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	Not considered a carcinogen, mutagen or teratogen. Not toxic to the reproductive system.
11.6	Empirical data	Not available
11.7	Clinical Experience	Pulpdent calcium hydroxide preparations have been used safely and effectively by dental professionals since 1947 with no reports of adverse events.
<b>12.0</b>	<b>Ecological Information</b>	
12.1	Ecotoxicity	Not considered detrimental to water or soil. Avoid release into environment as calcium hydroxide may cause pH variation. Follow government regulations.
<b>13.0</b>	<b>Disposal Considerations</b>	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
<b>14.0</b>	<b>Transport Information</b>	
14.1	Restrictions	None. Not regulated.
14.2	UN Number	None
14.3	Technical name	Not applicable
14.4	Packing group	Not applicable
14.5	IATA class	Not applicable
<b>15.0</b>	<b>Regulatory Information</b>	
15.1	EU	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II medical device
15.3	Health Canada	Class III medical device
<b>16.0</b>	<b>Other information</b>	
16.1	List of relevant R phrases	R 36 / 38: Irritating to eyes and skin.
16.2	Hazard Statements	H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation.


## Safety Data Sheet

Trade Name: **Pulpdent Paste**

16.3	Precautionary Statements	P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.
16.4	Restrictions on use	Calcium hydroxide preparations are to be used only by dental professionals who have been trained in their use.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.

---

**Trade Name: Pulpdent Paste**

1.0 Commercial Product Name and Supplier														
1.1	Commercial product name	<b>Pulpdent Paste</b>												
1.2	Application / Use	Dental material for use by dental professionals.												
1.2.2	SIC	851 Human health activity												
1.2.3	Use Category	55												
1.3	Manufacturer	Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA Telephone: 1 617 926-6666 / Fax: 1 617 926-6262 Email: <a href="mailto:Pulpdent@pulpdent.com">Pulpdent@pulpdent.com</a>												
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)												
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom												
2.0 Hazards Identification														
2.1	Classification													
2.1.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	<table border="1"> <thead> <tr> <th>Hazard Class</th> <th>Hazard Category</th> <th>Hazard Statement</th> </tr> </thead> <tbody> <tr> <td>Skin irritation</td> <td>2</td> <td>H315</td> </tr> <tr> <td>Eye irritation</td> <td>2</td> <td>H319</td> </tr> </tbody> </table>	Hazard Class	Hazard Category	Hazard Statement	Skin irritation	2	H315	Eye irritation	2	H319			
Hazard Class	Hazard Category	Hazard Statement												
Skin irritation	2	H315												
Eye irritation	2	H319												
2.1.2	Classification according to Directive 67/548/EEC	Irritant (Xi), R 36 / 38 (See SECTION 16 for full text of risk phrases)												
2.2	GHS Label Elements													
	Hazard Pictograms													
	Signal Word: WARNING													
	Restricted to use by dental professional only.													
	Hazard Statements	H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation.												
	Precautionary Statements	P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.												
3.0 Composition														
3.1	Chemical characterization of the preparation	Calcium hydroxide suspended in a cellulose/water gel matrix.												
3.2	Hazardous ingredients	<table border="1"> <thead> <tr> <th>CAS Number</th> <th>Name of the Ingredient</th> <th>Concentration</th> <th>Classification per 67/548/EEC</th> <th>Classification per Regulation (EC) No.1272/2008 (CLP).</th> </tr> </thead> <tbody> <tr> <td>1305-62-0</td> <td>Calcium Hydroxide</td> <td>39%</td> <td>Irritant (Xi); R 36 / 38</td> <td>Skin irritation; 2 Eye irritation; 2</td> </tr> </tbody> </table>			CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).	1305-62-0	Calcium Hydroxide	39%	Irritant (Xi); R 36 / 38	Skin irritation; 2 Eye irritation; 2
CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).										
1305-62-0	Calcium Hydroxide	39%	Irritant (Xi); R 36 / 38	Skin irritation; 2 Eye irritation; 2										

**Safety Data Sheet****Trade Name: Pulpdent Paste**

4.0	First Aid Measures	
4.1	Special Instructions	Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. Calcium hydroxide-based preparations present minimal hazard in the quantities provided. May cause irritation on contact with eyes. Prolonged exposure may cause irritation to mucous membranes, skin, gastrointestinal or respiratory tract.
4.2	Eye Contact	Keep eyelids apart and flush with running water for 15+ minutes. Get medical attention.
4.3	Skin Contact	Remove any contaminated clothing. Wipe off excess from skin. Immediately flush skin water. Get medical attention if irritation persists.
4.4	Ingestion	Rinse mouth with water. Do not induce vomiting. Give large amounts of water to dilute. Get immediate medical attention for ingestion of large amount. Never give anything by mouth to an unconscious person.
4.5	Inhalation	Move to fresh air. If necessary, administer artificial respiration and seek medical attention.
4.6	Precautions for first responders	Wear safety glasses and gloves to prevent contact.
4.7	Information for physician	
	Symptoms	Irritation, pain or redness in eyes, on skin, on mucous membranes.
	Hazards	May be irritating to eyes, skin, respiratory system, gastrointestinal tract or mucous membranes especially with prolonged exposure There is a risk of serious damage to eyes.
	Treatment	Same as First Aid above.
5.0	Fire Fighting Measures	
5.1	Suitable extinguishing media	Not a fire hazard. Extinguish fire with agent suitable for surrounding fire.
5.2	Extinguishing media to avoid	None
5.3	Special exposure hazards in a fire	None
5.4	Special protective equipment for fire-fighters	Self-contained breathing apparatus
6.0	Accidental Release Measures	
6.1	Personal precautions.	Wear gloves, lab coat and chemical splash goggles.
6.2	Environmental precautions	None
6.3	Method for clean up	Wipe up/absorb with paper towels. Wash area of spill with water-saturated paper towels/cloths. Place spilled material and absorbent towels in container for disposal.
7.0	Handling and Storage	
7.1	Handling	For use by dental professionals only. Wear gloves, safety glasses; wash hands after use. Avoid unnecessary exposure. Follow good hygiene practices. Do not smoke, eat or drink. Wash hands after use.
7.2	Storage	Remove applicator tip immediately after use. Keep tightly capped in original container. Store at cool room temperature. Avoid extremes of temperature (>27°C/80°F, <5°C/40°F) and acids.
7.3	Specific uses	Dental preparation



**Trade Name: *Pulpdent Paste***

8.0	Exposure Controls / Personal Protection	
8.1	Exposure limit values	Not available
8.2	Exposure controls	
8.2.1	Occupational exposure controls	Wear safety glasses, lab coat and gloves. No other equipment required under normal conditions of use of this product in the quantity provided.
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves..
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses..
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat.
8.2.1.5	Other controls	Emergency eye wash fountain. Wash hands after use.
8.2.2	Environmental exposure controls	Avoid release into environment as may cause pH variation.
9.0	Physical and Chemical Properties	
9.1	Characteristics	
9.1.1	Appearance / Color / Physical state	White paste
9.1.2	Odor	Odorless
9.2	Important health, safety and environmental information	
9.2.1	pH	pH > 12
9.2.2	Boiling point	Decomposes
9.2.3	Flash point	Not combustible
9.2.4	Flammability (solid, gas)	Not combustible
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg (Id: A)
9.2.8	Specific gravity	Not determined
9.2.9	Solubility in water	Slight
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined
9.2.13	Evaporation rate	Not determined
10.0	Stability and reactivity	
10.1	Conditions to avoid	Extremes of temperature (>27°C/80°F, <5°C/40°F).
10.2	Materials to avoid	Calcium hydroxide reacts violently with maleic anhydride, nitro-ethane, nitro-methane, nitro-paraffin, nitro-propane, phosphorus. As a strong alkali, it is incompatible with acids.
10.3	Hazardous decomposition products	Caustic fumes of calcium oxide when heated to decomposition.
10.4	Further information	Stable under normal conditions.

**Safety Data Sheet****Trade Name: Pulpdent Paste**

11.0	Toxicological information	
11.1	Acute toxicity	Not toxic. Minimal health hazard under normal conditions of use.
11.2	Irritation and corrosiveness	Minimal health hazard under normal conditions of dental practice. Prolonged exposure may cause irritation of mucous membranes, eyes, skin, gastrointestinal tract or respiratory tract.
11.3	Sensitization	Not applicable.
11.4	Sub-acute, sub-chronic and prolonged toxicity	Narrowing of the esophagus may occur weeks to years after ingestion of large quantities, making swallowing difficult. Persons with pre-existing skin conditions may be more susceptible to the irritating effects of calcium hydroxide
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	Not considered a carcinogen, mutagen or teratogen. Not toxic to the reproductive system.
11.6	Empirical data	Not available
11.7	Clinical Experience	Pulpdent calcium hydroxide preparations have been used safely and effectively by dental professionals since 1947 with no reports of adverse events.
12.0	Ecological Information	
12.1	Ecotoxicity	Not considered detrimental to water or soil. Avoid release into environment as calcium hydroxide may cause pH variation. Follow government regulations.
13.0	Disposal Considerations	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
14.0	Transport Information	
14.1	Restrictions	None. Not regulated.
14.2	UN Number	None
14.3	Technical name	Not applicable
14.4	Packing group	Not applicable
14.5	IATA class	Not applicable
15.0	Regulatory Information	
15.1	EU	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II medical device
15.3	Health Canada	Class III medical device
16.0	Other information	
16.1	List of relevant R phrases	R 36 / 38: Irritating to eyes and skin.
16.2	Hazard Statements	H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation.


## Safety Data Sheet

Trade Name: **Pulpdent Paste**

16.3	Precautionary Statements	P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.
16.4	Restrictions on use	Calcium hydroxide preparations are to be used only by dental professionals who have been trained in their use.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.

---

**Safety Data Sheet**Trade Name: **Pulpdent Paste**

1.0 Commercial Product Name and Supplier				
1.1	Commercial product name	<b>Pulpdent Paste</b>		
1.2	Application / Use	Dental material for use by dental professionals.		
1.2.2	SIC	851 Human health activity		
1.2.3	Use Category	55		
1.3	Manufacturer	<b>Pulpdent Corporation</b> 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA Telephone: 1 617 926-6666 / Fax: 1 617 926-6262 Email: <a href="mailto:Pulpdent@pulpdent.com">Pulpdent@pulpdent.com</a>		
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)		
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom		
2.0 Hazards Identification				
2.1	Classification			
2.1.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	<u>Hazard Class</u> Skin irritation Eye irritation	<u>Hazard Category</u> 2 2	<u>Hazard Statement</u> H315 H319
2.1.2	Classification according to Directive 67/548/EEC	Irritant (Xi), R 36 / 38 (See SECTION 16 for full text of risk phrases)		
2.2	<b>GHS Label Elements</b>			
	Hazard Pictograms			
	Signal Word: <b>WARNING</b>			
	<b>Restricted to use by dental professional only.</b>			
	<b>Hazard Statements</b>			
	H319: Eye irritation. 2. May cause eye irritation.			
	H315: Skin irritation. 2. May cause skin irritation.			
	<b>Precautionary Statements</b>			
	P280: Wear protective gloves and eye protection			
	P305+P351: If in eyes, rinse cautiously with water for several minutes.			
	P337+P313: If eye irritation persists, get medical advice/attention.			
	P302+P352: If on skin, wash with plenty of soap and water.			
3.0 Composition				
3.1	Chemical characterization of the preparation	Calcium hydroxide suspended in a cellulose/water gel matrix.		
3.2	Hazardous ingredients			
	CAS Number	Name of the Ingredient	Concentration	Classification per Regulation (EC) No.1272/2008 (CLP).
	1305-62-0	Calcium Hydroxide	39%	Skin irritation; 2 Eye irritation; 2

**Safety Data Sheet**Trade Name: **Pulpdent Paste**

<b>4.0 First Aid Measures</b>		
4.1	Special Instructions	Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. Calcium hydroxide-based preparations present minimal hazard in the quantities provided. May cause irritation on contact with eyes. Prolonged exposure may cause irritation to mucous membranes, skin, gastrointestinal or respiratory tract.
4.2	Eye Contact	Keep eyelids apart and flush with running water for 15+ minutes. Get medical attention.
4.3	Skin Contact	Remove any contaminated clothing. Wipe off excess from skin. Immediately flush skin water. Get medical attention if irritation persists.
4.4	Ingestion	Rinse mouth with water. Do not induce vomiting. Give large amounts of water to dilute. Get immediate medical attention for ingestion of large amount. Never give anything by mouth to an unconscious person.
4.5	Inhalation	Move to fresh air. If necessary, administer artificial respiration and seek medical attention.
4.6	Precautions for first responders	Wear safety glasses and gloves to prevent contact.
4.7	Information for physician	
	Symptoms	Irritation, pain or redness in eyes, on skin, on mucous membranes.
	Hazards	May be irritating to eyes, skin, respiratory system, gastrointestinal tract or mucous membranes especially with prolonged exposure There is a risk of serious damage to eyes.
	Treatment	Same as First Aid above.
<b>5.0 Fire Fighting Measures</b>		
5.1	Suitable extinguishing media	Not a fire hazard. Extinguish fire with agent suitable for surrounding fire.
5.2	Extinguishing media to avoid	None
5.3	Special exposure hazards in a fire	None
5.4	Special protective equipment for fire-fighters	Self-contained breathing apparatus
<b>6.0 Accidental Release Measures</b>		
6.1	Personal precautions.	Wear gloves, lab coat and chemical splash goggles.
6.2	Environmental precautions	None
6.3	Method for clean up	Wipe up/absorb with paper towels. Wash area of spill with water-saturated paper towels/cloths. Place spilled material and absorbent towels in container for disposal.
<b>7.0 Handling and Storage</b>		
7.1	Handling	For use by dental professionals only. Wear gloves, safety glasses; wash hands after use. Avoid unnecessary exposure. Follow good hygiene practices. Do not smoke, eat or drink. Wash hands after use.
7.2	Storage	Remove applicator tip immediately after use. Keep tightly capped in original container. Store at cool room temperature. Avoid extremes of temperature (>27°C/80°F, <5°C/40°F) and acids.
7.3	Specific uses	Dental preparation

**Safety Data Sheet**Trade Name: **Puldent Paste**

<b>8.0 Exposure Controls / Personal Protection</b>		
8.1	Exposure limit values	Not available
8.2	Exposure controls	
8.2.1	Occupational exposure controls	Wear safety glasses, lab coat and gloves. No other equipment required under normal conditions of use of this product in the quantity provided.
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves..
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses..
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat.
8.2.1.5	Other controls	Emergency eye wash fountain. Wash hands after use.
8.2.2	Environmental exposure controls	Avoid release into environment as may cause pH variation.
<b>9.0 Physical and Chemical Properties</b>		
9.1	Characteristics	
9.1.1	Appearance / Color / Physical state	White paste
9.1.2	Odor	Odorless
9.2	Important health, safety and environmental information	
9.2.1	pH	pH > 12
9.2.2	Boiling point	Decomposes
9.2.3	Flash point	Not combustible
9.2.4	Flammability (solid, gas)	Not combustible
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg (Id: A)
9.2.8	Specific gravity	Not determined
9.2.9	Solubility in water	Slight
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined
9.2.13	Evaporation rate	Not determined
<b>10.0 Stability and reactivity</b>		
10.1	Conditions to avoid	Extremes of temperature (>27°C/80°F, <5°C/40°F).
10.2	Materials to avoid	Calcium hydroxide reacts violently with maleic anhydride, nitro-ethane, nitro-methane, nitro-paraffin, nitro-propane, phosphorus. As a strong alkali, it is incompatible with acids.
10.3	Hazardous decomposition products	Caustic fumes of calcium oxide when heated to decomposition.
10.4	Further information	Stable under normal conditions.

**Safety Data Sheet**Trade Name: **Pulpdent Paste**

<b>11.0</b>	<b>Toxicological information</b>	
11.1	Acute toxicity	Not toxic. Minimal health hazard under normal conditions of use.
11.2	Irritation and corrosiveness	Minimal health hazard under normal conditions of dental practice. Prolonged exposure may cause irritation of mucous membranes, eyes, skin, gastrointestinal tract or respiratory tract.
11.3	Sensitization	Not applicable.
11.4	Sub-acute, sub-chronic and prolonged toxicity	Narrowing of the esophagus may occur weeks to years after ingestion of large quantities, making swallowing difficult. Persons with pre-existing skin conditions may be more susceptible to the irritating effects of calcium hydroxide
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	Not considered a carcinogen, mutagen or teratogen. Not toxic to the reproductive system.
11.6	Empirical data	Not available
11.7	Clinical Experience	Pulpdent calcium hydroxide preparations have been used safely and effectively by dental professionals since 1947 with no reports of adverse events.
<b>12.0</b>	<b>Ecological Information</b>	
12.1	Ecotoxicity	Not considered detrimental to water or soil. Avoid release into environment as calcium hydroxide may cause pH variation. Follow government regulations.
<b>13.0</b>	<b>Disposal Considerations</b>	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
<b>14.0</b>	<b>Transport Information</b>	
14.1	Restrictions	None. Not regulated.
14.2	UN Number	None
14.3	Technical name	Not applicable
14.4	Packing group	Not applicable
14.5	IATA class	Not applicable
<b>15.0</b>	<b>Regulatory Information</b>	
15.1	EU	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II medical device
15.3	Health Canada	Class III medical device
<b>16.0</b>	<b>Other information</b>	
16.1	List of relevant R phrases	R 36 / 38: Irritating to eyes and skin.
16.2	Hazard Statements	H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation.

## Safety Data Sheet

Trade Name: **Pulpdent Paste**

16.3	Precautionary Statements	P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.
16.4	Restrictions on use	Calcium hydroxide preparations are to be used only by dental professionals who have been trained in their use.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.

---