

SAFETY DATA SHEETS

This SDS packet was issued with item:

076750269

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076750186

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

076750020 076750152 076750160 076750202 076750210 076750236 076750244 076750285 076750319 076750327

Revision Date 11/28/2014

Revision 2

SAFETY DATA SHEET

SOFRELINER TOUGH S-Paste

1. IDENTIFICATION

Product Name SOFRELINER TOUGH S-Paste

Identified uses Denture Liner, a component of kit. For dental professionals only.

Supplier Tokuyama Dental America Inc.
Tel: (877) 378 3548 (Toll-Free)
<http://www.tokuyama-dental.com/contact.htm>

Contact Person

Manufacturer Tokuyama Dental Corporation
38-9, Taitou 1-chome, Taitou-ku, Tokyo
110-0016, Japan
TEL: +81-3-3835-2261

Emergency Telephone Washington
National Capital Poison Center
3201 New Mexico Avenue, Suite 310
Washington,
DC 20016
Telephone: +1 202 362 3867
Emergency telephone: +1 800 222 1222
Fax: +1 202 362 8377
E-mail: pc@poison.org
Web site: <http://www.poison.org>

San Francisco
California Poison Control System
at San Francisco General Hospital
University of California San Francisco, Box 1369
1001 Potrero Avenue, Bldg 5 Rm 2A21
San Francisco, California 94143-1369
Telephone: +1 415 643 3200
Emergency telephone: +1 800 222 1222
Fax: +1 415 502 6010
E-mail: coadmin@calpoison.org
Web site: <http://www.calpoison.org>

<http://www.who.int/ipcs/poisons/centre/en/>

2. HAZARD(S) IDENTIFICATION

Appearance Transparent paste

Color Pink

Odor No information available.

GHS Pictogram

No pictogram required.

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Not classified.
Environment	Not classified.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

OSHA Regulatory Status

This Product is Not Hazardous under the OSHA Hazard Communication Standard.

General Information

Prolonged skin contact may cause redness and irritation. May cause minor irritation on eye contact.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SOFRELINER TOUGH S-Paste

SILICON DIOXIDE		10-30%
CAS No.: 7631-86-9	EC No.: 231-545-4	
GHS Classification Not classified.		

α , ω -DIVINYLSILOXANE		50-80%
CAS No.: 68083-19-2	EC No.:	
GHS Classification Not classified.		

4. FIRST-AID MEASURES

Description of first aid measures

General Information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once.

Ingestion

Try to induce vomiting. Get medical attention.

Skin Contact

Wash the skin immediately with soap and water.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

Most important symptoms and effects, both acute and delayed

Ingestion

Not Irritating.

Skin Contact

Prolonged and frequent contact may cause redness and irritation.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically. Wear suitable protective clothing.

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Flash point (°C)

Not available.

Extinguishing Media

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

Specific Hazards

When heated and in case of fire, irritating vapors/gases may be formed.

SOFRELINER TOUGH S-Paste

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Wear full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Handling

All handling to take place in well-ventilated area.

Storage

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, sparks and open flame.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient Comments

SILICON DIOXIDE :

OSHA PEL - TWA (8-hrs)

Amorphous, including natural diatomaceous earth: 20 mppcf, 80 mg/m³/SiO₂

NIOSH IDLH: 3,000 mg/m³

Protective Equipment



Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

Hand Protection

Wear protective gloves.

Eye Protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Transparent paste

Color Pink

SOFRELINER TOUGH S-Paste

Odor	No information available.
Solubility	No information available.
Initial boiling point and boiling range	
Not available.	
Melting point (°C)	
Not available.	
Relative density	1.1
Vapor density (air=1)	
Not available.	
Vapor pressure	
Not available.	
Evaporation rate	
Not available.	
pH-Value, Conc. Solution	7
pH-Value, Diluted Solution	
Not available.	
Viscosity	
Not available.	
Decomposition temperature (°C)	
Not available.	
Odour Threshold, Lower	
Not available.	
Odour Threshold, Upper	
Not available.	
Flash point	
Not available.	
Auto Ignition Temperature (°C)	
Not available.	
Flammability Limit - Lower(%)	
Not available.	
Flammability Limit - Upper(%)	
Not available.	
Partition Coefficient (N-Octanol/Water)	
Not available.	
Explosive properties	
Not available.	
Other Flammability	
Not available.	
Oxidising properties	
Not available.	

10. STABILITY AND REACTIVITY

Reactivity

May polymerise.

Stability

Stable under normal temperature conditions and recommended use.

Hazardous reactions:

In contact with acids, alkalis or alcohols, generates hydrogen.

Conditions To Avoid

Keep away from heat, sparks and open flame.

Materials To Avoid

Strong oxidizing agents. Acids. Alkalis. Alcohol

Hazardous Decomposition Products

Toxic gases are generated when heated.

11. TOXICOLOGICAL INFORMATION

SOFRELINER TOUGH S-Paste

Acute toxicity:

Not available.

Skin Corrosion/Irritation:

Prolonged and frequent contact may cause redness and irritation.

Serious eye damage/irritation:

Irritating and may cause redness and pain.

Respiratory or skin sensitisation:

Respiratory sensitisation

Not available.

Skin sensitisation

Not available.

Germ cell mutagenicity:

Not available.

Carcinogenicity:

Carcinogenicity

Not available.

IARC Carcinogenicity

SILICON DIOXIDE : IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP - Carcinogenicity

Not listed.

OSHA - Carcinogenicity

Not listed.

Reproductive Toxicity:

Not available.

Specific target organ toxicity - single exposure:

STOT - Single exposure

Not available.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Not available.

Aspiration hazard:

Viscosity

Not available.

12. ECOLOGICAL INFORMATION

Toxicity

No data available.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not available.

Mobility:

No information available.

Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

SOFRELINER TOUGH S-Paste

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

General Not regulated.

UN No. (DOT/TDG) N/A

UN No. (IMDG) N/A

UN No. (ICAO) N/A

DOT Proper Shipping Name Not applicable.

DOT Hazard Class

No classification noted.

DOT Hazard Label

No DOT label requirement noted

IMDG Class Not applicable.

ICAO Class Not applicable.

Transport Labels

No transport warning sign required.

DOT Pack Group Not applicable.

IMDG Pack Group Not applicable.

Air Pack Group Not applicable.

Environmentally Hazardous Substance/Marine Pollutant

No.

Special precautions for user Not available.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes

Not applicable.

15. REGULATORY INFORMATION

Regulatory Status (US)

This Product is Not Hazardous under the OSHA Hazard Communication Standard.

Regulatory References

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

SARA (311/312) Hazard Categories

None.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

SOFRELINER TOUGH S-Paste

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

SILICON DIOXIDE

Rhode Island "Right To Know" List

None of the ingredients are listed.

Minnesota "Right To Know" List

The following ingredients are listed.

SILICON DIOXIDE

New Jersey "Right To Know" List

None of the ingredients are listed.

Pennsylvania "Right To Know" List

The following ingredients are listed.

SILICON DIOXIDE

International Inventories

EU - EINECS/ELINCS

The following ingredients are listed.

SILICON DIOXIDE

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

16. OTHER INFORMATION

Revision Date 11/28/2014

Revision 2

Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.

Revision Date 08/17/2017
Revision 2

SAFETY DATA SHEET SOFRELINER TOUGH Primer

1. IDENTIFICATION

Product Name	SOFRELINER TOUGH Primer
Identified uses	Denture Liner, a component of kit. For dental professionals only.
Supplier	Tokuyama Dental America Inc. Tel: (877) 378 3548 (Toll-Free)
Contact Person	http://www.tokuyama-dental.com/tdc/contact.html
Manufacturer	Tokuyama Dental Corporation 38-9, Taitou 1-chome, Taitou-ku, Tokyo 110-0016, Japan TEL: +81-3-3835-2261
Emergency Telephone	California Poison Control System - San Francisco Division San Francisco General Hospital Bldg 5 Rm 2A21, 1001 Potrero Ave, San Francisco Emergency telephone number: 1 800 222 1222 E-mail address: coadmin@calpoison.org http://www.calpoison.org National Capital Poison Center 3201 New Mexico Ave, Ste 310, Washington DC Emergency telephone number: 1 800 222 1222 Telephone number: +1 202 362 3867 Facsimile number: +1 202 362 8377 E-mail address: pc@poison.org http://www.poison.org

2. HAZARD(S) IDENTIFICATION

Appearance	Clear liquid
Color	Colourless
Odor	Characteristic
GHS Pictogram	



Signal Word	Danger
--------------------	--------

Hazard Statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SOFRELINER TOUGH Primer

P403+233
P501

Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container in accordance with local regulations.

GHS Classification

Physical and Chemical Hazards	Flam. Liq. 2 - H225
Human health	Eye Irrit. 2 - H319; STOT SE 3 - H336
Environment	Not classified.

Hazard Not Otherwise Classified (HNOC)

Repeated exposure may cause skin dryness or cracking.

OSHA Regulatory Status

This Product is Hazardous under the OSHA Hazard Communication Standard.

General Information

May cause irritation to the respiratory system. Vapors may cause drowsiness and dizziness. IF SWALLOWED: Slightly irritating. (DIGESTIVE SYSTEM.) This chemical may cause skin/eye irritation. Product has a defatting effect on skin. Prolonged skin contact may cause redness, irritation and dry skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

ETHYL ACETATE

80-100%

CAS No.: 141-78-6

EC No.: 205-500-4

GHS Classification

Flam. Liq. 2 - H225; Eye Irrit. 2 - H319; STOT SE 3 - H336

4. FIRST-AID MEASURES

Description of first aid measures

General Information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once.

Ingestion

Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention if any discomfort continues.

Skin Contact

Wash the skin immediately with soap and water.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

Most important symptoms and effects, both acute and delayed

Inhalation

Irritating to respiratory system. Vapors may cause drowsiness and dizziness.

Ingestion

Slightly irritating. (DIGESTIVE SYSTEM.)

Skin Contact

Slightly irritating. Product has a defatting effect on skin. Prolonged contact may cause redness and irritation.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

CAUTION! First aid personnel must be aware of own risk during rescue! Wear suitable protective clothing.

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C) 427°C

Flammability Limit - Lower(%) 2

Flammability Limit - Upper(%) 11.5

SOFRELINER TOUGH Primer

Flash point (°C) -4°C

Extinguishing Media

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

Specific Hazards

When heated and in case of fire, irritating vapors/gases may be formed.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Wear full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not allow to enter drains, sewers or watercourses.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

All handling to take place in well-ventilated area.

Storage

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, direct sunlight, sparks and open flames.

Storage Class

Flammable liquid storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
ETHYL ACETATE	ACGIH	400 ppm				
ETHYL ACETATE	PEL	400 ppm	1400 mg/m3			
COMPONENT						IDLH
ETHYL ACETATE						2000 ppm

ACGIH=American Conference of Governmental Industrial Hygienists.

Protective Equipment



Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

Hand Protection

Wear protective gloves.

Eye Protection

Wear approved safety goggles.

SOFRELINER TOUGH Primer

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear liquid.

Color Colourless.

Odor Characteristic.

Solubility No information available.

Initial boiling point and boiling range 77°C

Melting point (°C)

Not available.

Relative density

Not available.

Vapor density (air=1)

Not available.

Vapor pressure

Not available.

Evaporation rate

Not available.

pH-Value, Conc. Solution

Not available.

pH-Value, Diluted Solution

Not available.

Viscosity

Not available.

Decomposition temperature (°C)

Not available.

Odour Threshold, Lower

Not available.

Odour Threshold, Upper

Not available.

Flash point -4°C

Auto Ignition Temperature (°C) 427°C

Flammability Limit - Lower(%) 2

Flammability Limit - Upper(%) 11.5

**Partition Coefficient
(N-Octanol/Water)**

Not available.

Explosive properties

Not available.

Other Flammability

Not available.

Oxidising properties

Not available.

10. STABILITY AND REACTIVITY

Reactivity

No information available.

Stability

HIGHLY FLAMMABLE!

Hazardous reactions:

Not available.

SOFRELINER TOUGH Primer

Conditions To Avoid

Keep away from heat, sparks and open flame. Protect against direct sunlight.

Materials To Avoid

Strong oxidizing agents.

Hazardous Decomposition Products

Toxic gases are generated when heated.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Not available.

Skin Corrosion/Irritation:

Slightly irritating. Product has a defatting effect on skin. Prolonged skin contact may cause redness and irritation.

Serious eye damage/irritation:

Irritating and may cause redness and pain.

Respiratory or skin sensitisation:

Respiratory sensitisation

Not available.

Skin sensitisation

Not available.

Germ cell mutagenicity:

Not available.

Carcinogenicity:

Not established : IARC, NTP, EU, OSHA, ACGIH

Reproductive Toxicity:

Not available.

Specific target organ toxicity - single exposure:

Irritating to respiratory system. Vapors may cause drowsiness and dizziness.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Not available.

Aspiration hazard:

Viscosity

Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data on possible environmental effects have been found.

Toxicity

No data available.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not available.

Mobility:

No information available.

SOFRELINER TOUGH Primer

Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

UN No. (DOT/TDG)	1133
UN No. (IMDG)	1133
UN No. (ICAO)	1133
DOT Proper Shipping Name	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
TDG Proper Shipping Name	ADHESIVES, CONTAINING A FLAMMABLE LIQUID
DOT Hazard Class	3
DOT Hazard Label	Flammable Liquid
TDG Class	3
TDG Label(s)	3
IMDG Class	3
ICAO Class	3

Transport Labels



DOT Pack Group	II
IMDG Pack Group	II
Air Pack Group	II

Environmentally Hazardous Substance/Marine Pollutant
No.

EMS F-E, S-D

Special precautions for user Not applicable.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes
Not applicable.

15. REGULATORY INFORMATION

Regulatory Status (US)

This Product is Hazardous under the OSHA Hazard Communication Standard.

Regulatory References

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

SOFRELINER TOUGH Primer

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

All ingredients are listed.

ETHYL ACETATE; 5, 000 lbs (2270 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

SARA (311/312) Hazard Categories

Fire Acute

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

All ingredients are listed.

Rhode Island "Right To Know" List

All ingredients are listed.

Minnesota "Right To Know" List

All ingredients are listed.

New Jersey "Right To Know" List

All ingredients are listed.

Pennsylvania "Right To Know" List

All ingredients are listed.

International Inventories

EU - EINECS/ELINCS

All ingredients are listed or exempt.

Canada – DSL/NDL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

16. OTHER INFORMATION

Revision Comments

Revision Date	08/17/2017
Revision	2

Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.