

SAFETY DATA SHEETS

This SDS packet was issued with item:

073748027

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071049428

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073750981




MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Sharpening Stone Oil
CAS # Mixture
Product use Lubricant
Manufacturer Hu-Friedy Mfg. Co., LLC
 3232 N. Rockwell
 Chicago, IL 60618-5982 US
 Phone: 773.975.6100
 Fax: 773.868.3599
 Emergency Phone: 1-800-535-5053
 Outside US: 001-352-323-3500

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/	1
Flammability		1
		0
Personal Protection	B	



2. Hazards Identification

Emergency overview CAUTION
 Eye and skin irritant.

Potential short term health effects
Routes of exposure Eye, Skin contact, Inhalation, Ingestion.
Eyes May cause irritation.
Skin May cause irritation.
Inhalation May cause respiratory tract irritation.
Ingestion May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can cause chemical pneumonitis.

Target organs Eyes. Respiratory system. Skin.
Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects Not available

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Oil, mineral	8012-95-1	60 - 100

4. First Aid Measures

First aid procedures
Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion

Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS/OSHA criteria.

Extinguishing media

Suitable extinguishing media Dry chemical. Alcohol foam. Carbon dioxide.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical Not available

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods for containment

Stop leak if you can do so without risk.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material.

Storage

Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits**Ingredient(s)****Exposure Limits**

Oil, mineral

ACGIH-TLV

TWA: 5 mg/m³

STEL: 10 mg/m³

OSHA-PEL

TWA: 5 mg/m³

Engineering controls

General ventilation normally adequate.

Personal protective equipment**Eye / face protection**

Wear safety glasses with side shields.

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear.
Color	Colorless
Form	Oily Liquid
Odor	Odorless
Odor threshold	Not available
Physical state	Liquid
pH	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	275.00 °F (135 °C)
Auto-ignition temperature	260 - 370
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	< 0.5 MmHg
Vapor density	9
Specific gravity	0.8 - 0.9
Octanol/water coefficient	Not available
Solubility (H2O)	Insoluble
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	None known.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Oil, mineral	> 5000 mg/m ³ rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Oil, mineral	5000 mg/kg rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can cause chemical pneumonitis.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.
ACGIH - Threshold Limit Values - Carcinogens	
Oil, mineral	8012-95-1 A4 - Not Classifiable as a Human Carcinogen (highly & severely refined); A2 - Suspected Human Carcinogen (poorly & mildly refined)
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	Not available
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Mobility in environmental media	Not available
Environmental effects	Not available
Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available
Other adverse effects	Not available

13. Disposal Considerations

Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)	Not regulated as dangerous goods.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.	
Canada - WHMIS - Ingredient Disclosure List		
Oil, mineral	8012-95-1	1 %
WHMIS status	Controlled	
WHMIS classification	Class D - Division 2B	
WHMIS labeling		



Occupational Safety and Health Administration (OSHA)	
29 CFR 1910.1200 hazardous chemical	Yes
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
CERCLA (Superfund) reportable quantity	
None	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Oil, mineral 8012-95-1 Present (exempt except where Mineral oil mists can be generated in the ordinary use of the products)

U.S. - Massachusetts - Right To Know List

Oil, mineral 8012-95-1 Present (mist)

U.S. - Minnesota - Hazardous Substance List

Oil, mineral 8012-95-1 Carcinogen

U.S. - New Jersey - Right to Know Hazardous Substance List

Oil, mineral 8012-95-1 sn 1437

U.S. - Pennsylvania - RTK (Right to Know) List

Oil, mineral 8012-95-1 Present

U.S. - Rhode Island - Hazardous Substance List

Oil, mineral 8012-95-1 Flammable; Toxic; Flammable (listed under Mineral oil)

Inventory name	Inventory name	On inventory (yes/no)*
Country(s) or region		
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 31-Aug-2011
Effective date 31-Aug-2011
Expiry date 31-Aug-2014
Prepared by Dell Tech Laboratories Ltd. (519) 858-5021
Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.



How the best perform

Sharpening Stone Oil

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 09/11/2017

Revision date: 09/11/2017

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Substance
Substance name : Sharpening Stone Oil
Product code : SSO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Lubricant

1.3. Details of the supplier of the safety data sheet

Manufacturer

Hu-Friedy Mfg. Co., LLC
3232 N Rockwell
Chicago, IL 60618-5982 - US
T 773-975-6100

Distributor

Acedent Corp.
91 Citation Dr, Unit 5, Concord L4K 2Y8
905-761-6850
Central Dental Supply
103-251 Saulteaux Crescent, Winnipeg R3J 3C7
204-885-7530
Henry Schein Canada, Inc.
345 Townline Road, SS4, Niagara-On-The-Lake L0S 1J0
905-646-1711
K-Dental Inc.
750 Cochrane Drive, Markham L3R 8E1
416-293-8365
Patterson Dentaire Canada
1205, Boul.henri-Bourassa West, Montreal H3M 3E6
418-688-6546
Sinclair Dental Company Ltd.
900 Harbourside Drive, North Vancouver V7P 3T8
604-986-1544

1.4. Emergency telephone number

Emergency number : 1-800-535-5053

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

GHS classification

Not classified.

2.2. Label elements

GHS labelling

No labelling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : Sharpening Stone Oil

Name	Product identifier	%
White mineral oil, petroleum	(CAS-No.) 8042-47-5	> 99

3.2. Mixtures

Not applicable

Sharpening Stone Oil

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
- Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
- Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.
- Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
- Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
- Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

Sharpening Stone Oil

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

White mineral oil, petroleum (8042-47-5)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³ (mist)
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³ 8h (Oil mist)
NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³ 10h (Oil Mist)
NIOSH	NIOSH REL (STEL) (mg/m ³)	10 mg/m ³ 15 min (Oil Mist)

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : None necessary under normal conditions of use. Wear gloves if handling large quantities.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : None necessary under normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Oily

Colour : Colourless

Odour : Odourless

Odour threshold : No data available

pH : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : 138 °C / 280 °F

Relative evaporation rate (butylacetate=1) : No data available

Flammability (solid, gas) : Not flammable.

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : 0.818 - 0.88

Solubility : Negligible.

Partition coefficient n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, kinematic : 15.5 mm²/s

Viscosity, dynamic : No data available

Explosive limits : No data available

Explosive properties : No data available

Oxidising properties : No data available

Sharpening Stone Oil

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Flame. Extremely high or low temperatures. Direct sunlight. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Combustible materials. Fluorine. Chlorine.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

White mineral oil, petroleum (8042-47-5)

LD50 oral rat	> 5000 mg/kg
Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Not classified.
Respiratory or skin sensitisation	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Aspiration hazard	: Not classified.

Sharpening Stone Oil

Viscosity, kinematic (calculated value) (40 °C)	15.5 mm ² /s
---	-------------------------

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

White mineral oil, petroleum (8042-47-5)

LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
-------------	---

Sharpening Stone Oil

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

12.2. Persistence and degradability

Sharpening Stone Oil	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Sharpening Stone Oil	
Bioaccumulative potential	Not established.

White mineral oil, petroleum (8042-47-5)	
Partition coefficient n-octanol/water	> 6

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG

Not regulated

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date : 09/11/2017
Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



SDS HazCom 2012 - WHMIS 2015 (NexReg)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.