

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

071167949

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

071167964 071167972 71167949 71167964 71167972

Safety Data Sheet  
According to HPR

Printing date 05/02/2018

Version 3

Reviewed on 04/25/2018

**1 Identification**

- **Product identifier**
- **Trade name:** PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix
- **Article number:** CA190, CA205
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Resin-based dental adhesive cement
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**  
Kuraray Noritake Dental Inc.  
1621 Sakazu, Kurashiki, Okayama 710-0801,  
Japan
- **Contact information:**  
Kuraray America, Inc.  
33 Maiden Lane, 6th Floor, New York,  
NY 10038 U.S.A.  
Tel: 800-879-1676  
Fax: 888-700-5200  
Website: www.kuraraydental.com
- **Emergency telephone number:**  
For chemical emergency spill, leak, fire, exposure or accident  
Call CHEMTREC day and night  
Within USA and Canada: 1-800-424-9300 CCN706984 or  
+1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



- Skin Irritation - Category 2 H315 Causes skin irritation.
- Eye Irritation - Category 2A H319 Causes serious eye irritation.
- Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

2-hydroxyethyl methacrylate

- **Hazard statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.

- **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

CA

**Trade name: PANA VIA SA Cement Plus Automix, PANA VIA SA Cement Plus Handmix**

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard-determining components of labeling:**  
bisphenol A diglycidylmethacrylate  
triethyleneglycol dimethacrylate  
sodium fluoride

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|           |  |           |
|-----------|--|-----------|
| 1565-94-2 | bisphenol A diglycidylmethacrylate<br>⚠ Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319   | 3-15% w/w |
| 109-16-0  | triethylene glycol dimethacrylate<br>⚠ Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335 | 3-15% w/w |
| 868-77-9  | 2-hydroxyethyl methacrylate<br>⚠ Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317  | 3-15% w/w |
| 7681-49-4 | sodium fluoride<br>⚠ Acute Toxicity (Oral) - Category 3, H301; ⚠ Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319  | <1% w/w   |

· **Other ingredients:**

- Silanated barium glass filler
- Silanated colloidal silica
- 10-Methacryloyloxydecyl dihydrogen phosphate
- Hydrophobic aromatic dimethacrylate
- Hydrophobic aliphatic dimethacrylate
- dl-Camphorquinone
- Peroxide
- Accelerators
- Catalysts
- Pigments

- **Additional information:** EUH032: Contact with acids liberates very toxic gas.(sodium fluoride)

**4 First-aid measures**

· **Description of first aid measures**

· **General information:**

- Avoid contact with eyes.
- Avoid contact with skin.

· **After inhalation:**

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.

· **After eye contact:**

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

**Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear fully protective suit.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** See Section 8.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.  
Store away from reducing agents.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**7681-49-4 sodium fluoride**

|    |  |
|----|--|
| EL | Long-term value: 2.5 mg/m <sup>3</sup><br>as F |
|----|--|

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

**Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                          |                |
|--------------------------|----------------|
| · <b>Form:</b>           | Pasty          |
| · <b>Color:</b>          | Colored        |
| · <b>Odor:</b>           | Odorless       |
| · <b>Odor threshold:</b> | Not determined |

· **pH-value:** Not determined

· **Change in condition**

|                                       |                |
|---------------------------------------|----------------|
| · <b>Melting point/Melting range:</b> | Not determined |
| · <b>Boiling point/Boiling range:</b> | Not determined |

· **Flash point:** Not determined

· **Flammability (solid, gaseous):** Not determined

· **Decomposition temperature:** Not determined

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

|                 |                |
|-----------------|----------------|
| · <b>Lower:</b> | Not determined |
| · <b>Upper:</b> | Not determined |

(Contd. on page 5)

## Safety Data Sheet According to HPR

Printing date 05/02/2018

Version 3

Reviewed on 04/25/2018

**Trade name: PANA VIA SA Cement Plus Automix, PANA VIA SA Cement Plus Handmix**

(Contd. of page 4)

|   |  |
|---|--|
| · <b>Oxidizing properties</b>                     | Not determined   |
| · <b>Vapor pressure:</b>                          | Not determined   |
| · <b>Density:</b>                                 | (Automix) 1.8 g/cm <sup>3</sup><br>(Handmix) 1.9 g/cm <sup>3</sup> |
| · <b>Relative density</b>                         | Not determined   |
| · <b>Vapor density</b>                            | Not determined   |
| · <b>Evaporation rate</b>                         | Not determined   |
| · <b>Solubility in / Miscibility with Water:</b>  | Insoluble.   |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined   |
| · <b>Viscosity:</b>                               | Not determined   |
| · <b>Dynamic:</b>                                 | Not determined   |
| · <b>Kinematic:</b>                               | Not determined   |
| · <b>Other information</b>                        | No further relevant information available.                         |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

 · **LD/LC50 values that are relevant for classification:**
**868-77-9 2-hydroxyethyl methacrylate**

|      |      |                         |
|------|------|-------------------------|
| Oral | LD50 | 4680 mg/kg (guinea pig) |
|      |      | 3275 mg/kg (mouse)      |
|      |      | 5050 mg/kg (rat)        |

- **Primary irritant effect:**
- **on the skin:** Irritating effect
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

 · **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

(Contd. on page 6)

**Safety Data Sheet**  
According to HPR

Printing date 05/02/2018

Version 3

Reviewed on 04/25/2018

**Trade name: PANA VIA SA Cement Plus Automix, PANA VIA SA Cement Plus Handmix**

(Contd. of page 5)

**· NTP (National Toxicology Program)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   | Void            |
| · <b>DOT, TDG, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   | Void            |
| · <b>DOT, TDG, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, TDG, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, TDG, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Void            |

CA

(Contd. on page 7)

**Trade name: PANA VIA SA Cement Plus Automix, PANA VIA SA Cement Plus Handmix**

(Contd. of page 6)

\* **15 Regulatory information**

· Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **SARA 311/312:** See Section 2 for the information on physical and health hazards.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

|          |                                   |
|----------|-----------------------------------|
| 109-16-0 | triethylene glycol dimethacrylate |
|----------|-----------------------------------|

|          |                             |
|----------|-----------------------------|
| 868-77-9 | 2-hydroxyethyl methacrylate |
|----------|-----------------------------|

\* **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· \* **Data compared to the previous version altered.**