SAFETY DATA SHEETS

This SDS packet was issued with item:

072157501

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072157394 072157576

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074564027



Page 1/8

Tel.: +49 (0)800 4372522

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

1 Identification

- · Product identifier
 - · Trade name: Gluma Desensitizer
 - · Application of the substance / the mixture For desensitisation of teeth
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

2-hydroxyethyl methacrylate

glutaral

Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

In case of inadequate ventilation wear respiratory protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If experiencing respiratory symptoms: Call a poison center/doctor.

(Contd. on page 2)



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

(Contd. of page 1)

· Classification system

· NFPA rating's for USA (scale 0-4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = *3 Fire = 0 Reactivity = 0

- Results of PBT and vPvB assessment
 - PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: -

· Dangerous components:				
868-77-9 2-hydroxyethyl methacrylate	25-50%			
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317				
111-30-8 glutaral	5-10%			
Acute Tox. 3, H301; Acute Tox. 3, H331; Resp. Sens. 1, H334; Skin Corr. 1B, H314; Skin Sens. 1, H317; Flam. Liq. 4, H227				

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of complaints.
 - · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

119

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - · Protective equipment: Mount respiratory protective device.
- · Additional information -

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 13 for disposal information.

See Section 8 for information on personal protection equipment.

-

7 Handling and storage

- **Handling**
 - Precautions for safe handling

Keep receptacles tightly sealed.

Wear protective equipment. Keep unprotected persons away.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

111-30-8 glutaral

REL () Short-term value: C 0.8 mg/m³, C 0.2 ppm TLV () Short-term value: C 0.2 mg/m³, C 0.05 ppm

SEN

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

us.



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

(Contd. of page 3)

· Exposure controls

Personal protective equipment

· General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eve protection:

Before use, put on the protective goggles and cover the patient's eyes to protect against splashes of material.

Tightly sealed goggles.

· Body protection: Light weight protective clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Color: Colorless
Odor: Aromatic
Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): 4,0

· Change in condition

• Melting point/Melting range: undetermined
 • Boiling point/Boiling range: 100 ℃ (212 ℉)

(Contd. on page 5)

- ÚS



Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

	(Contd. of page
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	230.0 ℃ (446 ℉)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 ℃ (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 ℃ (68 ℉): · Relative density · Vapor density · Evaporation rate	1,16 g/cm³ (9.6802 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	ater): Not determined.
Viscosity: dynamic: kinematic:	Not determined. Not determined.
Solvent content: Water: Other information	58.8 % No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: none

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· L	D/LC50 values that are relevant for classification	on:
ral	LD50 > 2000 mg/kg (rat)	

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 5564 mg/kg (rat)
Dermal LD50 >3000 mg/kg (can)

Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

· on the eye: Strong irritant with the danger of severe eye injury.

(Contd. on page 6)



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

(Contd. of page 5)

· Sensitization:

Sensitization possible through inhalation. Sensitization possible through skin contact.

Additional toxicological information:

Harmful Irritant

· Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

868-77-9 2-hydroxyethyl methacrylate

LC50/96h 227 mg/l (fish)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 7)



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

		(Contd. of page
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group DOT, ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture Sara
 - SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

- · Proposition 65
 - · Prop 65 Chemicals known to cause cancer

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
 - · EPA (Environmental Protection Agency)

None of the ingredients is listed.

111-30-8 glutaral

· TLV (Threshold Limit Value established by ACGIH)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

A4



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/25/2018 Reviewed on 10/25/2018

Trade name: Gluma Desensitizer

(Contd. of page 7)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H227 Combustible liquid.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· Date of preparation / last revision 10/25/2018 / 2

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

ACGIH: As Department of Transportation
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 4: Flammable liquids — Category 4
Acute Tox. 3: Acute toxicity — Category 3
Skin Corr. 1B: Skin corrosion/irritation — Category 1B
Skin Irrit. 2: Skin corrosion/irritation — Category 2
Eve Dam. 1: Serious eve damage/eve irritation — Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.