SAFETY DATA SHEETS

This SDS packet was issued with item:

070386409

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070411629 075896394 075896436

Safety Data Sheet

Trade Name: EMBRACE VARNISH

1.0	Commercial Product Name and Supplier			
1.1	Commercial product name / designation	EMBRACE VARNISH – 59	% Sodium Fluoride wit	h CXP™
1.2	Application / Use	Dental material		
1.2.2	SIC	851 Human health activity		
1.2.3	Use Category	55		
1.3	Manufacturer			
	Pulpdent Corporation 80 Oakland Street Watertown, MA 02472 USA	Telephone: 1 617 926-666 Fax: 1 617 926-626 Email: <u>Pulpdent@pulpden</u>	2	
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour	USA)	
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom		
2.0	Hazards Identification			
2.1	Classification			
2.1.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard Class	Hazard Category	Hazard Statement
		Flammable liquid	3	H226
		Acute toxicity	4	H302
		Skin irritation	2	H315
		Skin sensitization	1	H317
		Eye irritation	2	H319
		Respiratory sensitization	1	H334
		STOT SE	3	H335
2.1.2	Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases)	Harmful (Xn) R2 Irritant (Xi) R36/3	2; Flammable (F) R11 37/38-42/43	I
2.2	GHS Label Elements			
	Hazard Pictograms			
	Signal Word: WARNING			
	Restricted to use by dental professional only			
	Hazard Statements:			
	H226: Flammable liquid and vapor.			

H226: Flammable liquid and vapor.

H302: Harmful if swallowed

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H334: May cause allergy or asthma symptoms

H335: Specific Target Organ Toxicity (STOT), single exposure, respiratory tract, may cause respiratory irritation.

Precautionary Statements:

P210: Keep away from heat, sparks, open flame, hot surfaces. No smoking.

Pulpdent Corporation Revision Date: May 28, 2019

Safety Data Sheet

Trade Name: EMBRACE VARNISH

P280: Wear protective gloves/clothing and eye protection.

P302+P350: If on skin, gently wash with plenty of soap and water.

P305+P351+P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs, get medical advice/attention.

P342+P315: If experiencing respiratory symptoms, get immediate medical advice/attention.

P370+P378: In case of fire, use dry chemical, alcohol foam, or carbon dioxide for extinction.

3.0	Composition				
3.1	Chemical characterization of the preparation Resin-based dental varnish				
3.2	Hazardous Ingredients				
	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).
	Mixture	Hydrogenated rosin	< 35%	Irritant (Xi), R36/37/38 R42/43	Skin irritation, 2, H315 Skin sensitizer, 1, H317 Eye irritation, 2, H319 Respiratory sensitizer, 1, H334 STOT SE, 3, H335
	64-17-5	Ethanol, 190 proof	< 20%	Flammable (F); Irritant (Xi). R11- 36/37/38-66	Flammable liquid, 2, H226 Skin irritation, 2, H315 Eye irritation, 2, H319 STOT SE, 3, H335
	7681-49-4	Sodium fluoride	5%	Harmful (Xn); R22-36/38	Acute toxicity, 4, H302 Skin irritation, 2, H315 Eye irritation, 2, H319
	112945-52-5	Amorphous fumed silica	< 3%	Irritant (Xi) R36/37/38	Skin irritation, 2, H315 Eye irritation, 2, H319 STOT SE 3, H335

4.1 General Information Embrace Varnish, applied to the patient's teeth in the recommended dosage, is a minimal health hazard.

NOTE: Although the rosin is hydrogenated and highly refined, it may cause an allergic reaction in susceptible individuals.

Sodium fluoride overdose is not an issue with this product. A typical application of varnish would deliver less than 0.01 g of sodium fluoride to an adult's dentition, less than 0.005 g to a child's, well below the level that would cause adverse symptoms.

Ingestion or absorption of large amounts of ethanol (much greater than in this product) may cause central nervous system effects. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.

4.2	Inhalation	Move person to fresh air. Seek immediate medical attention for difficulty breathing, allergic reaction or any other respiratory effects.
4.3	Skin Contact	Wash skin thoroughly with soap and water. Seek immediate medical attention for allergic reaction.
4.4	Eye Contact	Keep eyelids apart and flush with running water for 15+ minutes. Remove contact lenses after several minutes. If effects occur, consult an ophthalmologist.

Pulpdent Corporation Revision Date: May 28, 2019

Safety Data Sheet

4.5	Ingestion	For ingestion of large amounts (greater than in this product) contact Poison Control Center or physician. Induce vomiting only on medical advice. Never give anything by mouth to an unconscious person	
4.6	Precautions for first responders	Wear safety glasses and gloves.	
4.7	Information for physicians		
	Symptoms	Allergic reaction: Skin rash, asthma symptoms, and anaphylaxis.	
		Eye contact: Irritation, redness.	
		Skin contact: Irritation, redness, rash.	
		Inhalation: Respiratory irritation. Ingestion: No effects anticipated with the small amount of varnish in typical	
		application.	
	Hazards	Flammable liquid and vapor. May cause irritation to skin, eyes or respiratory tract on contact. May be the cause of an allergic reaction.	
	Treatment	Same as above under First Aid.	
5.0	Fire Fighting Measures		
5.1	Suitable extinguishing media	Use dry chemical, alcohol foam, or carbon dioxide.	
5.2	Extinguishing media to avoid	Water may be ineffective, but will keep fire-exposed containers cool.	
5.3	Special exposure hazards in a fire	Carbon monoxide, carbon dioxide from incomplete combustion	
5.4	Special protective equipment for fire-fighters	Self-contained breathing apparatus.	
6.0	Accidental Release Measures		
6.1	Personal precautions.	Wear safety glasses, gloves and lab coat.	
6.2	Environmental precautions	Follow all government regulations.	
6.3	Method for clean up	Absorb or wipe up spill with paper towels or disposable cloths. Collect for disposal in a covered container. Wash area of spill with soap and water.	
7.0	Handling and Storage		
7.1	Handling	For intraoral use by dental professionals. Follow good hygiene practices. Unit dose pouches are to be used on one patient and disposed. Multi-dose tubes should be encased in fresh plastic barrier for each patient. Cap tube immediately after use.	
7.2	Storage	Keep tube capped. Store tubes and pouches at cool room temperature (<25°C). Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.	
7.3	Specific uses	Dental material: fluoride varnish to be applied to tooth surfaces.	
8.0	Exposure Controls / Personal Protection		
8.1	Exposure limit values	PEL: Not established. TLV: Not established.	
8.2	Exposure controls		
8.2.1	Occupational exposure controls	No special equipment	
8.2.1.1	Respiratory protection	None required	
8.2.1.2	Hand protection	Usual surgical gloves under normal conditions of use.	

Safety Data Sheet

8.2.1.3	Eye protection	Usual safety glasses under normal conditions of use
8.2.1.4	Skin protection	Good personal hygiene, lab coat and gloves.
8.2.1.5	Other controls	Emergency eye wash fountain should be available. Wash hands after use.
8.2.2	Environmental exposure controls	Follow all government regulations.
9.0	Physical and Chemical Properties	
9.1	Characteristics	Soft, white gel that brushes out to a transparent layer
9.1.1	Appearance /Color / Physical state	None, unless flavored
9.2	Important health, safety and environmental in	nformation
9.2.1	рН	Not determined
9.2.2	Boiling point	Not determined
9.2.3	Flash point	Not determined
9.2.4	Flammability (solid, gas)	Not determined
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not applicable
9.2.7	Vapor pressure	Not determined
9.2.8	Specific gravity	1.050
9.2.9	Solubility in water	Not determined
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined
9.2.13	Evaporation rate	Not determined
10.0	Stability and reactivity	
10.1	Conditions to avoid	Temperature greater than 25°C/77°F, any ignition source.
10.2	Materials to avoid	Acetyl chloride and a wide range of oxidizing agents.
10.3	Hazardous decomposition products	Carbon monoxide, carbon dioxide, nitrogen oxides from combustion
10.4	Further information	Stable material
11.0	Toxicological information	
11.1	Acute toxicity	Sodium fluoride: Oral rat LD50: 0.18 g/kg
		Ethanol: Oral LD₅o in young rats: 10.6 g/kg; Oral LD₅o in old rats: 7.06 g/kg.
11.2	Irritation and corrosiveness	May be irritating to eyes or skin on contact. Ethanol may cause irritation of respiratory tract if inhaled.
11.3	Sensitization	Rosin may cause an allergic reaction in susceptible individuals.
11.4	Sub-acute, sub-chronic and prolonged	Chronic overdose of sodium fluoride may cause mottling of tooth

Safety Data Sheet

11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	Ethanol: Not a carcinogen under normal conditions of use. Prolonged ingestion of large quantities of ethanol may be carcinogenic or a cause of Fetal Alcohol Syndrome. IARC has reported a relationship between habitual drinking of significant quantities of alcoholic beverages and cancer of oral cavity, pharynx, esophagus, liver.
11.6	Empirical data	Not available
11.7	Clinical experience	Fluoride varnishes, similar to Embrace Varnish, have been used safely and effectively by dental professionals for more than 15 years.
12.0	Ecological Information	
12.1	Ecotoxicity	Follow good work practices and government regulations. Avoid release into environment.
13.0	Disposal Considerations	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
14.0	Transport Information	
14.1	UN Number	1170
	Technical name	Ethyl alcohol
	Packing group	II
	IATA class	3
15.0	Regulatory Information	
15.1	EU	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II medical device
15.3	Health Canada	Class III medical device
16.0	Other information	
16.1	List of relevant R phrases	R11: Highly flammable R22: Harmful if swallowed. R36/37/38: Irritating to eyes, respiratory system and skin. R 42/43: May cause sensitization by skin contact or inhalation.
16.2	Hazard Statements	 H226: Flammable liquid and vapor. Category 3. H302: Harmful if swallowed, Category 4. H315: Causes skin irritation. Category 2. H317: May cause an allergic skin reaction. Category 1 H319: Causes serious eye irritation. Category 2. H334: May cause allergy or asthma symptoms. Category 1 H335: Specific Target Organ Toxicity (STOT), single exposure, respiratory tract, Category 3: May cause respiratory irritation.

Pulpdent Corporation Revision Date: May 28, 2019

Safety Data Sheet

16.3	Precautionary Statements	P210: Keep away from heat, sparks, open flame, hot surfaces. No smoking.
		P280: Wear protective gloves/clothing and eye protection.
		P302+P350: If on skin, gently wash with plenty of soap and water.
		P305+P351+P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P333+P313: If skin irritation or rash occurs, get medical advice/attention.
		P342+P315: If experiencing respiratory symptoms, get immediate medical advice/attention.
		P370+P378: In case of fire, use dry chemical, alcohol foam, or carbon dioxide for extinction.
16.3	Restrictions on use	Pulpdent products are to be sold to and used by dental professionals only.
16.4	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.5	Sources of key data	National Institute for Occupational Safety (NIOSH) US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.6	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of GHS SDS format and Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.