This SDS packet was issued with item:

076362263

N/A

"Reviewed September 2010: No Changes"

Material Safety Date Sheet	U.S. Department of Labor	//8	Section V — Reactivity Data							
May be used to comply with OSHA's Hazard Communication Standard.	Occupational Safety and Health Administration (Non-Mandatory Form)	*//	Stability	Unstable	-	Conditions to Aveid				-
29 CFR 1910.1200. Standard must be	Form Approved		Statusty	OUZERDIR		Curdiduts to Aveid			•	
consulted for specific requirements.	OMB No. 1218-0072			Stable	X					
FUENTITY (As Used on Labor and Lin) Glaslonomer Type Il Liquid	Note: Blank spaces are not permitted. If any item is not app micromation is available, the space must be marked to	plicable, or no rendicate that,	Incompatibility (Materials to Avoid		/A			,	
Section (Hazardous Decor	nposition or Bypro	ducts N	/A		-		
Manufacturer's Name	Emergency Telephone Number		Hazardous	Мау Осент	┰~	Conditions to Avoid	•			
Shofu Dental Corporation Address (Number, Street, City, State, and ZiP Code)	1-800-535-5053 Telephone Number for Information		Polymerizetion	Will Not Occur						
1225 Stone Drive	760-736-3277			THE SCEE	X	<u> </u>				
San Marcos, CA 92078	Data Prepared OCTOBER 1, 2002			- Health, Hazar						
041,114,000, 9,1020,0	Signature of Preparer (options)		Prouto(s) of Entry	c : in	halatan?	N/A	Skin? Po	esible	Impertion?	Possible
			Health Hazards	(Acute and Chronic	Avo	id skin and e	re contact.	Could cause :	irritation.	
Section II — Hazardous Ingredients/Identity										
Hazardous Components (Specific Chemical Identity: Com	mon Neme(s)) OSHA FEL ACCIH TLV Recommended	чь (ортопеі)		·						
			Cardnogenicity:	N	TP?	/A	IARC Mono	graphs? N/A	OSHA Fleg	wisted? N/A
						·				
	,	<u></u>	Signs and Symp	tome of Exposure	Ski	n or eye irri	retion.	<u></u>		
	1 19 /0 18 5					ii ot eye iiii	ración			
No hazardous material present in	concentration greater than 12 (0.1% for carcin	logens)	Madical Condition							
			Generally Aggre	vated by Exposure	ปก	known			***************************************	
	·		Emergency and	First Aid Dynneding						
			Eyes: Fli	ish promptly	w/f1	owing water.	Consult phys	sicien il nece	esary. Ski	n contact: Wash
			area w/m	ild soap & v	øter.	Ingestion: D	rink plenty	of water. Com	tact physic	ian if necery.
			Section VII	- Precautions	Icr Se	fe Handibig end	Use			
	***************************************		Steps to Be To	ken m Case Materi	el is Flale	exed or Spilled				
Section III - Physical/Chemical Characteric	olics		Hipe up	end discard	in s	suitable cont	ainer			
Boiling Posts	Specific Gravity (Haft = 1)	1								
Vapor Pressure (mm Hg.)	N/A Melting Point	<u> </u>	Waste Disposal	Method					*	
valor riosama (mm rag.)	N/A Meliang Point	N/A	Disposali	in accords	nce wi	th Fadaral c	tate and 1	ocel regulatio	nc	
Vapor Density (AIFI - 1)	Evaporation Rate N/A (Sub) Acetata = 1)	N/A	Disposal in accordance with federal, state, and local regulations Precausions to Be Taken in Hending and Stoning							
Solubility in Water	(Onth season 1)	1								
Complete Appearance and Odor			Store in Other Precautic		with 1	id tightly cl	osed			
Colorless, odorles	ss, vlacous liquid		Other Precedica		<u>:</u> .					····
Section IV Fire and Explosion Hazard D	ata		Handling	of product	erclu	eively by der	tal special	lata according	to Institu	ctions for use.
Flasti Point (Method Used) N/A	Flammable Limits N/A LEL	UEL.		Control Me						
Extinguishing Made			Respiratory Pro	rection (Specify Ty	76) 1	I/A				
N/A Special Fire Fighting Procedures			Ventilation	Local Exheust				Special		
Special rife rigining Procedures K/A			N/A	Mechanical (Ge	nersij			Other		
			Protective Glov	es N/A		·····	Eyn Pr	ofection Man La		
Unusual Fire and Explosion Hazards N/A			Other Projectly	n / n s Clothing or Equi	Oment			riay De	required	
			Work/Hyptems			H/A				
						N/A				
(Reproduce locally)	OSH	IA 174, Sept. 1985					Page 2		•	VRGPO 1948-49[~529/4577]



page 1/5
GlasIonomer Cement Type II
LIQUID

Printing date: August 26, 2019

SCTION 1. Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade Name:

Glasionomer Cement Type II "LIQUID"

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material Uses advised against: No further data

1.3 Details of the supplier of the safety date sheet

Company/Undertaking identification

Manufacturer's Name: **SHOFU DENTAL CORPORATION**Address: 1225 Stone Drive, San Marcos, CA 92078 USA

Toll Free: 1-800-827-4638 Phone: 760-736-3277 Fax: 760-736-3276

E-Mail: customer-service@shofu.com

Section in Charge: Quality Management & Regulatory Affairs

1.4 Emergency Telephone Number

For emergencies only. Call CHEMTREC: +1 703-741-5970 / 1-800-424-9300 (24 hours)

SCTION 2. Hazards identification

2.1 GHS Classification

PHYSICAL HAZARDS

FLAMMABLE LIQUIDS

Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

2.2 Label elements

SYMBOL Void
SIGNAL WORD Void
HAZARD STATEMENTS Void

PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

[Response]

Get medical advice/attention if you feel unwell.

[Storage]

Store in a cool and dark area.

[Disposal]

Dispose of contents and container in accordance with regulation.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

Version Number 7 Revision date: August 8, 2019



page 2/5 GlasIonomer Cement Type II LIQUID

Printing date: August 26, 2019

vPvB: Not applicable.

SCTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

3.2 Description: -

3.3 Dangerous components: Void

Copolymer of acrylic acid and tricarboxylic acid (Water solution)

90-99 %

Tartaric acid [Cas No.87-69-4]

1-10 %

Others

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

SCTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get

medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SCTION 5. Fire-fighting measures

5.1 Extinguishing Media:

Foam, CO₂, Powder, Dry sand

5.2 Special hazards arising from the substance or mixture:

No further relevant information available.

5.3 Advice for firefighters:

No special measures required.

SCTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and skin.

6.2 Environmental Precautions:

Send to approved treatment/disposal company or dispose according to local, state and federal regulations.

6.3 Methods and material for containment and cleaning Up:

Wipe up and discard in a suitable container.

6.4 Reference to other section:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Version Number 7



page 3/5 Glaslonomer Cement Type II LIQUID

Printing date: August 26, 2019

SCTION 7. Handling and storage

7.1 Precautions for safe handling:

Avoid inhaling and contact with eyes and skin.

Keep away from ignition sources and separate from strong oxidizer.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool and dry place out of direct sunlight and source of ignition.

Separated from organic peroxide. Keep containers closed.

7.3 Specific end use(s):

No further relevant information available.

SCTION 8. Exposure controls/personal protection

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls:

Respiratory Protection:

Dust mask

Skin Protection: Hand Protection

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given

for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times,

rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye Protection: Safety goggles

SCTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour: Odourless, color less liquid

Odour threshold Not determined. pH Not determined.

Version Number 7



page 4/5 Glaslonomer Cement Type II LIQUID

Printing date: August 26, 2019

Melting point/freezing point Not determined.

≈ 100 °C **Boiling Point:**

Flash point: Not determined. Evaporation rate Not determined. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative Density: 1.27 (water=1)

Solubility: water solubility Soluble.

Partition coefficient: n-octanol/water Not determined. Auto-ignition temperature Not determined. Decomposition temperature Not determined. Not determined. Viscosity Explosive properties Not applicable. Oxidising properties Not applicable.

9.2 Other information

No further relevant information available.

SCTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Condition to Avoid:

Avoid direct sunlight and high temperature.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SCTION 11. **Toxicological information**

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Eye damage/irritation:

Sensitization to the respiratory tract:

Based on available data, the classification criteria are not met.

Skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity:

Effects on or via lactation: Lack of data.

Version Number 7



page 5/5 GlasIonomer Cement Type II

Printing date: August 26, 2019

Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SCTION 12. Ecological information

12.1 Toxicity:

No further relevant information available.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SCTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SCTION 14. Transport information

14.1	UN number:	Void
14.2	UN proper shipping name:	Void
14.3	Transport hazard class(es):	Void
14.4	Packing group:	Void
14.5	Environmental hazards:	No

14.6 Special precautions for user: Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

SCTION 15. Regulatory informati

Follow all regulations in your country.

SCTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Version Number 7